

# SAFETY DATA SHEET

## SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER/CHEMICAL IDENTITY

**1.1 PRODUCT IDENTIFIER:** SONAX Xtreme Ceramic Ultra Slick Detailer

**1.2 PRODUCT CODE:** 02684000

**1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST:**  
**RELEVANT IDENTIFIED USES:** Car care product.  
**RESTRICTIONS ON USE:** None known.

**1.4 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:**  
**SUPPLIER NAME (Australia):** Mega Moto Pty Ltd  
**ADDRESS (Australia):** 401 Coolart Road, Somerville, Victoria, 3912  
**TELEPHONE NUMBER (Australia):** 1800 476 629; 0490 513 632  
**WEBSITE (Australia):** [www.sonax.com.au](http://www.sonax.com.au)


**SUPPLIER NAME (New Zealand):** Mega Moto Ltd  
**ADDRESS (New Zealand):** Level 2, 18 Broadway, Newmarket, Auckland 1023  
**TELEPHONE NUMBER (New Zealand):** 0800 476 629  
**WEBSITE (New Zealand):** [www.sonax.co.nz](http://www.sonax.co.nz)  
**E-MAIL:** [info@sonax.com.au](mailto:info@sonax.com.au) (Aust and NZ)

**1.5 EMERGENCY TEL. NUMBER:** Australia: 0490 513 632; New Zealand: 0800 476 629;  
Poisons Information Centre (Aust 131 126; NZ 0800 764 766)

**1.6 HSNO DETAILS:**  
**HSNO APPROVAL NUMBER:** HSR002530  
**HSNO GROUP TITLE:** Cleaning Products (Subsidiary Hazard) Group Standard 2020

## SECTION 2 – HAZARD(S) IDENTIFICATION

**2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL:**  
**GHS CLASSIFICATION HAZARD**  
**CLASS & CATEGORY:** Under the Model Work Health and Safety Regulations the product would be rated as hazardous:  
Sensitisation - Skin - Category 1A

**2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS:**  
**SIGNAL WORD:** Warning  
**PICTOGRAMS:** 

**HAZARD STATEMENTS:** H317 - May cause an allergic skin reaction.  
**PRECAUTIONARY STATEMENTS:**  
**PREVENTION:** P102 - Keep out of reach of children.  
P103 - Read label before use.  
P261 - Avoid breathing mist, vapours and spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves.

**RESPONSE:** P101 - If medical advice is needed, have product container or label at hand.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

**STORAGE:** Not Applicable.

**DISPOSAL:** P501 - Dispose of contents/container in accordance with local regulations.

# SAFETY DATA SHEET

## SECTION 2 – HAZARD(S) IDENTIFICATION Continued

**2.3 OTHER HAZARDS:** Excessive exposure may result in mild irritation to the skin or respiratory system as well as possible irritation to the eye. People with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to this material.

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENTS  | CAS NUMBER | Concentration<br>% W/W | GHS<br>Classification*  |
|--|------------|------------------------|---|
| 3-Isothiazolone, 2-methyl-<br>(Methylisothiazolinone)**  | 2682-20-4  | 0.0015% - < 0.01%      | Acut Tox 3 - H301<br>Acut Tox 3 - H311<br>Skin Corr 1B - H314<br>Skin Sen 1 - H317<br>Acut Tox 2 - H330   |
| 1,2-Benzisothiazol-3(2H)-one<br>(Benzisothiazolinone)*** | 2634-33-5  | < 0.005%               | Acut Tox 4 - H302<br>Skin Irrit 2 - H315<br>Skin Sen 1 - H317<br>Eye Dam 1 - H318<br>Acut Aq Tox 1 - H400 |
| Other non-hazardous ingredients                          | -          | To 100%                | Not Applic  |

Not Applic = Not Applicable. \*Please see Section 15 of this SDS for the full text description of the Label Elements.

\*\*Specific concentration limits: Skin Sensitisation 1A: C ≥ 0.0015%

\*\*\*Specific concentration limits: Skin Sensitisation 1A: C ≥ 0.05%

## SECTION 4 – FIRST AID MEASURES

### 4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

**INGESTION:** Rinse mouth out with water. Due to the blend of ingredients present, if swallowed, do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. If irritation develops or persists or vomiting has occurred after ingestion, seek medical assistance.

**EYE:** If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation develops or persists, seek medical assistance.

**SKIN CONTACT:** If skin or hair contact has occurred remove any contaminated clothing and footwear, wash skin or hair thoroughly with soap and water. As the product is a Skin sensitiser, if irritation or rash develops or persists, consult a doctor.

**INHALATION:** If affected, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops or persists, consult a doctor.

# SAFETY DATA SHEET

## SECTION 4 – FIRST AID MEASURES Continued

**PROTECTION FOR FIRST AIDERS:**

No personnel shall place themselves in a situation that is potentially hazardous to themselves. Due to the blend of ingredients, if the person has ingested the product, do not use direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures involving chemicals and/or blood.

**FIRST AID FACILITIES:**

Eye wash fountain and safety showers are recommended in the area where the product is used. As a minimum, a source of running, potable water must be available.

**4.2 MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE:**

**ACUTE:**

Ingestion or inhalation of vapours may lead to irritation of the mouth and respiratory tract. Ingestion may lead to nausea and diarrhoea. Eye contact may lead to localised burning, redness and tearing. Skin contact may lead to redness or itching.

**CHRONIC:**

Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis. Due to the presence of Methylisothiazolinone the product is rated as May produce an allergic skin reaction. This often manifests as allergic contact dermatitis. Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis.

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY:**

**ADVICE TO DOCTOR:**

Treat symptomatically.

## SECTION 5 – FIRE FIGHTING MEASURES

**5.1 EXTINGUISHING MEDIA:**

**SUITABLE MEDIA:**

Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, foam, dry chemical or water spray. Spray down fumes resulting from fire.

**UNSUITABLE MEDIA:**

Avoid using full water jet directed at residual material that may be burning. Water may cause splattering on hot residue.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:**

**COMBUSTION HAZARDS:**

Combustion of the residual material after evaporation of the aqueous component may produce oxides of carbon, nitrogen and sulphur, as well as smoke and irritating vapours.

**5.3 ADVICE FOR FIREFIGHTERS:**

**FIRE:**

This product is not flammable under conditions of use. Once the aqueous component has evaporated, the residual component may be combustible. Keep storage tanks and fire exposed surfaces, etc, cool with water spray. Do not allow runoff from a fire to enter drains, sewers or waterways.

**HAZCHEM CODE:**

Not applicable.

**EXPLOSION:**

No information to indicate that the product is an explosion hazard. Extinguish all sources of flame or spark. Closed containers may explode when exposed to extreme heat.

**PROTECTIVE EQUIPMENT:**

In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.

# SAFETY DATA SHEET

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

**PERSONAL PROTECTION:** For small spills, wear Nitrile gloves, glasses/goggles, boots and full-length clothing. During routine operation a respirator is not required. However, if mists or vapours are generated, an approved organic vapour/particulate respirator is required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended and the atmosphere must be evaluated for oxygen deficiency. If in doubt about potential oxygen deficiency wear self-contained breathing apparatus.

**CONTROL MEASURES:** Ventilate area and extinguish and/or remove all sources of ignition. Stop the leak if safe to do so. **CAUTION:** The spilled product will be slippery. Avoid contact with the spilled material.

**EMERGENCY PROCEDURES:** In the event of a spill or accidental release, notify the relevant authorities in accordance with all applicable regulations.

### 6.2 ENVIRONMENTAL PRECAUTIONS:

**SPILL ADVICE:** Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

**CONTAINMENT:** Contain the spill and absorb with a proprietary absorbent material, sand or earth. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains are covered, to minimise the potential for this to occur.

**CLEANING PROCEDURES:** Small spills can be cleaned up by hand using a cleaning cloth. Having contained the spill, as mentioned above, collect all material quickly and place used absorbent in suitable containers. Follow local regulations for the disposal of waste. For large spills that have been banded, the material can be pumped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash contaminated area and objects with detergent and water after spill has been cleared. Rinse the cleaned area with water. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

## SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

**SAFE HANDLING:** Avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

**SAFE STORAGE:** Store in a dry, well ventilated, frost-free area away from direct sunlight, oxidising agents, strong acids and alkalis, foodstuffs, animal feeds and clothing. Keep out of reach of children. Always keep in containers made of the same material as the original one. Containers must be kept upright to prevent leakage. Protect the packaging from damage. When the packaged material is intact the product is deemed to be of limited hazard. The recommended storage temperature is 20°C.

**INCOMPATIBILITIES:** Avoid oxidising agents, including strong acids, and strongly alkaline materials.

# SAFETY DATA SHEET

## SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

### 8.1 EXPOSURE CONTROL MEASURES:

**EXPOSURE LIMIT VALUES:** Exposure standards for the product have not been established.

### 8.2 BIOLOGICAL

**MONITORING:** No data available.

**8.3 CONTROL BANDING:** No data available.

### 8.4 ENGINEERING CONTROLS:

**ENGINEERING CONTROLS:** Special ventilation is not normally required when using this product in normal use scenarios. However, in the operation of certain equipment, at elevated temperatures, or in confined spaces mists or vapour may be generated and local exhaust ventilation should be provided to maintain airborne concentration levels below an acceptable level that does not cause irritation.

### 8.5 INDIVIDUAL PROTECTION MEASURES:

**EYE & FACE PROTECTION:** Wear safety glasses/goggles to avoid eye contact when handling. If there is a risk of splashing during use, a full face shield is recommended. Use eye protection in accordance with AS 1336 and AS 1337.

**SKIN (HAND) PROTECTION:** If there is the chance of contact with the material wear gloves to provide hand protection. Nitrile rubber gloves are recommended.

### SKIN (CLOTHING) PROTECTION:

During normal operating procedures, long sleeved clothing is recommended to avoid skin contact. Soiled clothing should be washed with detergent prior to re-use.

**RESPIRATORY PROTECTION:** During routine operation a respirator is not required. However, if mists or vapours are generated, an approved half face organic vapour/particulate respirator is required. Use respirators in accordance with AS 1715 and AS 1716.

**THERMAL PROTECTION:** Not applicable.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 PHYSICAL AND CHEMICAL PROPERTIES:

**APPEARANCE:** White fluid emulsion.

**ODOUR:** Fruit-like odour.

**ODOUR THRESHOLD:** No data available.

**pH:** Typically 7.0 - 8.0.

**MELTING/FREEZING POINT:** Not applicable.

**INITIAL BOILING POINT:** Typically 100 °C.

**BOILING RANGE (°C):** No data available.

**FLASHPOINT (°C):** Not applicable.

**EVAPORATION RATE:** No data available.

**FLAMMABILITY LIMITS (%):** No data available.

**VAPOUR PRESSURE (mmHg):** No data available.

**VAPOUR DENSITY:** No data available.

**DENSITY (g/mL @ 20°C):** Typically 1.00 - 1.01.

**SOLUBILITY IN WATER(g/L):** Fully miscible.

**PARTITION COEFFICIENT:** No data available for n-octanol/water.

**AUTO-IGNITION TEMP (°C):** No data available.

**DECOMPOSITION TEMP (°C):** No data available.

**VISCOSITY (cSt @ 40°C):** Typically <20.5.

# SAFETY DATA SHEET

## SECTION 10 – STABILITY AND REACTIVITY

- 10.1 REACTIVITY:** The product does not pose any further reactivity hazards other than those listed in the following sub-sections.
- 10.2 CHEMICAL STABILITY:** Stable under recommended storage and handling conditions (see section 7).
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS:** Keep away from strong oxidising agents, such as strong acids, chlorates, nitrates and peroxides. Hazardous polymerisation does not occur.
- 10.4 CONDITIONS TO AVOID:** Observe the usual precautionary measures for handling chemicals. Do not heat the container or leave the container open when not in use. Avoid sources of ignition.
- 10.5 INCOMPATIBLE MATERIALS:** Strong oxidising agents including concentrated acids.
- 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:** Hazardous decomposition products are not expected to form during normal storage requirements. If this material is overheated, especially in the presence of water, hydrogen sulphide may be released. See Section 5.2 for Hazardous Combustion products.

## SECTION 11 – TOXICOLOGICAL INFORMATION

- 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**  
The product is a mixture and test data is not available for the product as a whole.
- 11.2 SWALLOWED:** This product is expected to have a low order of toxicity associated with it when ingested. The product contains components rated as Harmful if swallowed and Toxic if swallowed, however these are present at amounts well below the Concentration cut-off levels. It may cause slight irritation to the mouth, throat and digestive tract. During normal usage ingestion should not be a means of exposure.
- 11.3 SKIN CORROSION/ IRRITATION:** This product is not expected to exhibit Dermal Corrosivity/Irritation based on the available data and the known hazards of the components. May be mildly irritating to the skin. This product contains components rated as Causes skin irritation, Causes severe skin burns and Harmful in contact with skin, however these are present at amounts well below the Concentration cut-off levels. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition.
- 11.4 SERIOUS EYE DAMAGE/ IRRITATION:** This product is not expected to exhibit Eye Irritation or Serious Damage/ Corrosivity based on the available data and the known hazards of the components according to the additive package manufacturer. May be mildly irritating to the eyes. Symptoms may include localised burning, redness and tearing. The product contains components rated as Causes serious eye irritation and Causes severe eye damage, however these are present at amounts well below the Concentration cut-off levels. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.
- 11.5 RESPIRATORY OR SKIN SENSITISATION:** This product is rated as May cause an allergic skin reaction. This product is not expected to be a respiratory tract sensitiser based on the available data and the known hazards of the components.
- 11.6 GERM CELL MUTAGENICITY:** This product is not expected to be mutagenic based on the available data and the known hazards of the components.

# SAFETY DATA SHEET

## SECTION 11 – TOXICOLOGICAL INFORMATION Continued

- 11.7 CARCINOGENICITY:** This product is not expected to be a carcinogen based on the available data and the known hazards of the components.
- 11.8 REPRODUCTIVE TOXICITY:** This product is not expected to be a reproductive hazard based on the available data and the known hazards of the components.
- 11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:** This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of vapours or mist (generated at elevated temperatures or by mechanical action) may cause irritation to the nose, throat and respiratory system. The product contains components that are rated as Fatal if inhaled and Harmful if inhaled, however these are present at amounts well below the Concentration cut-off levels.
- 11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE:** This product is not expected to cause organ damage from prolonged or repeated exposure based on the available data and the known hazards of the components. The product contains a component that is rated as Causes damage to organs through prolonged or repeated exposure through inhalation, however this is present at amounts well below the Concentration cut-off levels.
- 11.11 ASPIRATION HAZARD:** This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. However, due to the blend of ingredients, if vomiting has occurred after ingestion, the patient should be monitored for adverse effects.
- 11.12 OTHER INFORMATION:** No additional information is available.

## SECTION 12 – ECOLOGICAL INFORMATION

- 12.1 ECOTOXICITY:** **Methylisothiazolinone**  
EC<sub>20</sub> (Activated sludge, 3 hr): 2.8 mg/L  
EC<sub>50</sub> (Activated sludge, 3 hr): 34.6 mg/L
- There is no data available for the product as a whole. The Benzisothiazolinone component has been rated as Very toxic to aquatic life, however this is present at amounts well below the Concentration cut-off levels. Based upon the calculated values the product is not expected to be rated.
- 12.2 PERSISTENCE & DEGRADABILITY:** No information is available.
- 12.3 BIOACCUMULATIVE POTENTIAL:** The manufacturer states that the BCF for Methylisothiazolinone is 3.16 and log Kow of ≤0.32.
- 12.4 MOBILITY IN SOIL:** No information is available.
- 12.5 OTHER ADVERSE EFFECTS:** According to the information provided by the manufacturer, the mix contains less than 0.1% of any substances classified as PBT and less than 0.1% of any substances classified as vPvB.

# SAFETY DATA SHEET

## SECTION 13 – DISPOSAL CONSIDERATIONS

**13.1 DISPOSAL METHODS:**  
**PRODUCT:**

The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as hazardous waste at an appropriate collection depot. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations. Do not pour leftover product down the drain.

**CONTAINERS:**

Empty containers may contain residual product. They should be completely drained and then stored until reconditioned or disposed of. Empty containers should be taken for recycling or disposal through suitably licensed contractors in accordance with Government regulations. Where the containers are of metal construction they should not be pressurised, cut by a grinder, welded, brazed, soldered, drilled or exposed to heat, flames or other sources of ignition.

## SECTION 14 – TRANSPORT INFORMATION

This product is not regulated for land, sea or air transportation.

**14.1 LAND (ADG Code):**

**UN NUMBER:** Not applicable  
**UN PROPER SHIPPING NAME:** Not applicable  
**TRANSPORT HAZARD CLASS(ES):** Not applicable  
**PACKAGING GROUP:** Not applicable  
**ENVIRONMENTAL HAZARDS:** Not applicable  
**SPECIAL PRECAUTIONS FOR USER:** Not applicable  
**HAZCHEM CODE:** Not applicable

**14.2 SEA (IMDG):**

**UN NUMBER:** Not applicable  
**UN PROPER SHIPPING NAME:** Not applicable  
**TRANSPORT HAZARD CLASS(ES):** Not applicable  
**PACKAGING GROUP:** Not applicable  
**ENVIRONMENTAL HAZARDS:** Not applicable  
**SPECIAL PRECAUTIONS FOR USER:** Not applicable

**14.3 AIR (IATA):**

**UN NUMBER:** Not applicable  
**UN PROPER SHIPPING NAME:** Not applicable  
**TRANSPORT HAZARD CLASS(ES):** Not applicable  
**PACKAGING GROUP:** Not applicable  
**ENVIRONMENTAL HAZARDS:** Not applicable  
**SPECIAL PRECAUTIONS FOR USER:** Not applicable



# SAFETY DATA SHEET

## SECTION 15 – REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:

#### APPLICABLE REGULATIONS:

|  |                                       |
|--|---------------------------------------|
| <b>SUSMP:</b>  | Not scheduled.                        |
| <b>AIIC:</b>   | All ingredients are on the AIIC List. |
| <b>MONTREAL PROTOCOL:</b>  | Not applicable to this product.       |
| <b>STOCKHOLM CONVENTION:</b>   | Not applicable to this product.       |
| <b>ROTTERDAM CONVENTION:</b>   | Not applicable to this product.       |
| <b>BASEL CONVENTION:</b>   | Not applicable to this product.       |
| <b>INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS (MARPOL):</b> | Not applicable to this product.       |

#### OTHER REGULATORY INFORMATION:

#### GHS CLASSIFICATION HAZARD CLASS & CATEGORY

|                              |  |
|------------------------------|--|
| <b>AND HAZARD STATEMENT:</b> | Acute Toxicity - Oral Category 3; H301 - Toxic if swallowed.                           |
|                              | Acute Toxicity - Oral Category 4; H302 - Harmful if swallowed.                         |
|                              | Acute Toxicity - Dermal Category 3; H311 - Toxic in contact with skin.                 |
|                              | Skin Corrosion/Irritation Category 1B; H314 - Causes severe skin burns and eye damage. |
|                              | Skin Corrosion/Irritation Category 2; H315 - Causes skin irritation.                   |
|                              | Sensitisation - Skin Category 1; H317 - May cause an allergic skin reaction.           |
|                              | Serious Eye Damage/Irritation Category 1; H318 - Causes serious eye damage.            |
|                              | Acute Toxicity - Inhalation Category 1; H330 - Fatal if inhaled.                       |
|                              | Acute Aquatic Toxicity Category 1; H400 - Very toxic to aquatic life.                  |

**HSNO APPROVAL NUMBER:** HSR002530

**HSNO GROUP TITLE:** Cleaning Products (Subsidiary Hazard) Group Standard 2020

## SECTION 16 – ANY OTHER RELEVANT INFORMATION

#### SDS INFORMATION:

**Date of SDS Preparation:** 15<sup>th</sup> September 2021

**Revision:** 0.0

**REVISION CHANGES:** Initial preparation of the SDS.

#### ACRONYMS:

|              |  |
|--------------|--|
| SUSMP        | Standard for the Uniform Scheduling of Medicines and Poisons                               |
| CAS Number   | Chemical Abstracts Service Registry Number   |
| EINECS       | European Inventory of Existing Commercial Chemical Substances                              |
| UN Number    | United Nations Number  |
| OSHA         | Occupational Safety and Health Administration  |
| ACGIH        | American Conference of Governmental Industrial Hygienists                                  |
| HSE-WEL      | Health and Safety Executive - Workplace Exposure Limit                                     |
| EH40         | EH40/2005 Workplace Exposure Limits  |
| IMDG         | International Maritime Dangerous Goods   |
| IATA         | International Air Transport Association  |
| IUCLID       | International Uniform Chemical Information Database  |
| RTECS        | Registry of Toxic Effects of Chemical Substances   |
| %W/W         | Percent weight for weight  |
| OECD         | Organisation for Economic Co-Operation and Development                                     |
| ADG Code     | Australian Code for the Transport of Dangerous Goods by Road and Rail                      |
| HAZCHEM Code | Emergency action code of numbers and letters which gives information to emergency services |
| NOHSC        | National Occupational Health and Safety Commission   |
| AICIS        | Australian Industrial Chemicals Introduction Scheme  |
| IMAP         | Inventory Multi-Tiered Assessment and Prioritisation                                       |
| AIIC         | Australian Inventory of Industrial Chemicals   |
| TWA          | Time-Weighted Average  |
| STEL         | Short Term Exposure Limit  |
| HSNO         | Hazardous Substances and New Organisms Act 1996  |

# SAFETY DATA SHEET

## SECTION 16 – ANY OTHER RELEVANT INFORMATION Continued

### ACRONYMS (Continued):

|                  |  |
|------------------|--|
| GHS              | Globally Harmonised System of Classification and Labelling of Chemicals  |
| WHS              | Work Health and Safety PPE Personal Protective Equipment.  |
| LD <sub>50</sub> | Median Lethal Dose   |
| LC <sub>50</sub> | Median Lethal Concentration  |
| EC <sub>50</sub> | Effective Concentration of a substance that causes 50% of the maximum response after exposure for a nominated time |
| NOAEL            | No Observed Adverse Effect Level   |
| NOEC             | No Observed Effect Concentration   |
| ECHA             | European Chemicals Agency  |
| REACH            | Registration, Evaluation, Authorisation and Restriction of Chemicals   |
| HCIS             | Hazardous Chemical Information System  |
| PBT              | Persistent, Bioaccumulative and Toxic  |
| vPvP             | Very Persistent and Very Bioaccumulative   |

### LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals  
Annex I: OECD Test Guidelines for Studies Included in SIDS  
Manual for the Assessment of Chemicals Chapter 2 Data Gathering  
International Toxicity Testing Guidelines  
Hazardous Substance Information System - Guidance Material for Hazard Classifications  
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
Model Work Health and Safety Regulations.  
Model Work Health and Safety Regulations - Transitional Principles  
Workplace Exposure Standards for Airborne Contaminants  
Australian Dangerous Goods Code 7<sup>th</sup> Edition  
Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]  
Guidance on the Classification of Hazardous Chemicals under the WHS Regulations  
Assigning a Hazardous Substance to a Group Standard  
User Guide to the HSNO Thresholds and Classifications  
Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances  
Correlation between GHS and New Zealand HSNO Hazard Classes and Categories  
HSNO Control Regulations  
Record of Group Standard Assignment  
Labelling of Hazardous Substances Hazard and Precautionary Information  
Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996  
Workplace Exposure Standards and Biological Exposure Indices  
IMAP Human Health Tier II Assessment for 3-Isotiazolone, 2-methyl-, CAS Number 2682-20-4.  
IMAP Human Health Tier II Assessment for 1,2-Benzisothiazol-3(2H)-one, CAS Number 2634-33-5.

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. The information presented here within, is based upon the product information supplied by the manufacturer. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.