(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

1 of 4

Overall Status: Pass

Sample ID: 2104NIVA0505.1748 Strain: Hit! Balm

Matrix: Ingestible Type: Tincture

Sample Size: ; Batch Size:

Produced: Collected: 04/27/2021 Received: 04/27/2021 Completed: 04/30/2021

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049



Pass Foreign Matter

Pass Microbials

Pass Heavy Metals

Pass Solvents **Not Tested** Moisture

Not Tested NT

Water Activity

Pass

Pesticides

Pass

Mycotoxins

Cannabinoids (SOP.TS.4.100 HPLC Analysis)

0.185% 1.827 mg/mL **Total THC**

4.212% 41.619 mg/mL **Total CBD**

4.577% 45.217 mg/mL **Total Cannabinoids**

NT

Moisture

Total TTTE		Total ODB	Total Carin		1-10istare
Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	mg/mL	%	
CBD	0.0030	0.0100	41.619	4.21	
Δ9-THC	0.0030	0.0100	1.827	0.18	
CBC	0.0030	0.0100	1.173	0.12	
CBG	0.0030	0.0100	0.535	0.05	
CBN	0.0030	0.0100	0.063	0.01	
CBDa	0.0030	0.0100	ND	ND	
CBDV	0.0030	0.0100	ND	ND	
CBGa	0.0030	0.0100	ND	ND	
THCa	0.0030	0.0100	ND	ND	
THCV	0.0030	0.0100	ND	ND	
Δ8-THC	0.0030	0.0100	ND	ND	
Total THC			1.827	0.185	
Total CBD			41.619	4.212	
Total			45.217	4.5766	

Density: 0.988g per 1 mL

Cannabinoids Date Tested: 04/29/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

- ; Water Activity Date Tested:
- : Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 04/28/2021









Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 04/30/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

2 of 4

Overall Status: Pass

Sample ID: 2104NIVA0505.1748

Strain: Hit! Balm Matrix: Ingestible Type: Tincture Sample Size: ; Batch Size: Produced: Collected: 04/27/2021 Received: 04/27/2021 Completed: 04/30/2021

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Microbials		Pass
Analyte	Result	Status
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/29/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins **Pass**

Analyte	LOD	LOQ	Limit	Units	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 04/29/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status
	μg/g	μg/g	µg/g	μg/g	
Arsenic	0.009	0.090	1.5	ND	Pass
Cadmium	0.009	0.090	0.5	ND	Pass
Lead	0.009	0.090	0.5	ND	Pass
Mercury	0.005	0.020	3	ND	Pass

Date Tested: 04/29/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director O4/30/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

3 of 4

Overall Status: Pass

Sample ID: 2104NIVA0505.1748

Strain: Hit! Balm Matrix: Ingestible Type: Tincture

Sample Size: ; Batch Size:

Produced: Collected: 04/27/2021

Received: 04/27/2021 Completed: 04/30/2021 Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Pesticides Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	μg/g			µg/g	μg/g	μg/g	μg/g	
Abamectin	0.040	0.050	0.3	ND	Pass	Fludioxonil	0.040	0.050	30	ND	Pass
Acephate	0.050	0.100	5	ND	Pass	Hexythiazox	0.010	0.020	2	ND	Pass
Acequinocyl	0.040	0.050	4	ND	Pass	lmazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5	ND	Pass	Imidacloprid	0.010	0.020	3	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1	ND	Pass
Azoxystrobin	0.010	0.020	40	ND	Pass	Malathion	0.010	0.020	5	ND	Pass
Bifenazate	0.010	0.020	5	ND	Pass	Metalaxyl	0.010	0.020	15	ND	Pass
Bifenthrin	0.010	0.020	0.5	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10	ND	Pass	Methomyl	0.010	0.020	0.1	ND	Pass
Captan	0.100	0.100	5	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	9	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.5	ND	Pass
Chlorantraniliprole	0.040	0.050	40	ND	Pass	Oxamyl	0.010	0.020	0.2	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.2	ND	Pass
Clofentezine	0.010	0.020	0.5	ND	Pass	Permethrin	0.020	0.050	20	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.2	ND	Pass
Cyfluthrin	0.050	0.100	1	ND	Pass	Piperonyl Butoxide	0.010	0.020	8	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.4	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20	ND	Pass
Diazinon	0.010	0.020	0.2	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3	ND	Pass
Dimethomorph	0.020	0.050	20	ND	Pass	Spinetoram	0.041	0.061	3	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12	ND	Pass
Etoxazole	0.010	0.020	1.5	ND	Pass	Spirotetramat	0.020	0.050	13	ND	Pass
Fenhexamid	0.040	0.050	10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2	ND	Pass
Fenpyroximate	0.010	0.020	2	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.5	ND	Pass
Flonicamid	0.010	0.020	2	ND	Pass	Trifloxystrobin	0.010	0.020	30	ND	Pass

Date Tested: 04/28/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 04/30/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty

Lab Director

(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

4 of 4

Overall Status: Pass

Sample ID: 2104NIVA0505.1748

Strain: Hit! Balm Matrix: Ingestible Type: Tincture

Sample Size: ; Batch Size:

Produced: Collected: 04/27/2021 Received: 04/27/2021 Completed: 04/30/2021

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	μg/g	µg/g	μg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	ND	Pass
Ethyl-Acetate	5.0	10	5000	ND	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
sopropanol	5.0	10	5000	ND	Pass
Methanol	5.0	10	3000	ND	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	ND	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xvlenes	5.0	10	2170	ND	Pass



Date Tested: 04/28/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID







All Rights Reserved support@confident cannabis.com(866) 506-5866 www.confidentcannabis.com

Confident Cannabis



Accreditation #101219 Lab Director 04/30/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty

Lab Director