

HB Daily T 32022

Overall Status: Pass

Sample ID: 2203NIVA1456.4079
Strain: N/A
Matrix: Topical
Type: Other
Sample Size: ; Batch Size:

Produced:
Collected: 03/21/2022
Received: 03/21/2022
Completed: 03/28/2022
Batch#:

Client
Hit! Balm
Lic. #
11361 Homedale St
Los Angeles, CA 90049

	Pass	Pass	Not Tested	Pass
	Foreign Matter <small>SOPTS.4.001</small>	Heavy Metals <small>SOPTS.4.500 ICP-MS</small>	Moisture <small>SOPTS.4.001</small>	Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small>
	Pass	Pass	Not Tested	Pass
Microbials <small>SOPTS.4.600 PathogenDx SOPTS.4.900 qPCR</small>	Solvents <small>SOPTS.4.400 GC-MS</small>	Water Activity <small>NT SOPTS.4.003</small>	Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small>	

Cannabinoids (SOPTS.4.100 HPLC Analysis)

Complete

0.033% 0.327 mg/g Total THC	0.294% 2.942 mg/g Total CBD	0.336% 3.356 mg/g Total Cannabinoids	NT Moisture
--	--	---	-----------------------

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
THCa	0.0000	0.0010	ND	ND
Δ9-THC	0.0000	0.0010	0.33	0.03
Δ8-THC	0.0000	0.0010	ND	ND
THCV	0.0000	0.0010	ND	ND
CBDa	0.0000	0.0010	ND	ND
CBD	0.0000	0.0010	2.94	0.29
CBDV	0.0000	0.0010	ND	ND
CBN	0.0000	0.0010	ND	ND
CBGa	0.0000	0.0010	ND	ND
CBG	0.0000	0.0010	ND	ND
CBC	0.0000	0.0010	0.09	0.01
Total THC			0.327	0.033
Total CBD			2.942	0.294
Total			3.356	0.336

Density: g per 1 mL


Cannabinoids Date Tested: 03/23/2022

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

; Water Activity Date Tested:

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 03/28/2022



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/28/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

2 of 4

HB Daily T 32022

Overall Status: Pass

Sample ID: 2203NIVA1456.4079
Strain: N/A
Matrix: Topical
Type: Other
Sample Size: ; Batch Size:

Produced:
Collected: 03/21/2022
Received: 03/21/2022
Completed: 03/28/2022
Batch#:

Client
Hit! Balm
Lic. #
11361 Homedale St
Los Angeles, CA 90049

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/24/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Results µg/kg	Status
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 03/24/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals


Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Results µg/g	Status
Arsenic	0.009	0.090	1.5	ND	Pass
Cadmium	0.009	0.090	0.5	ND	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	3	ND	Pass

Date Tested: 03/18/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/28/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-000024-LIC

HB Daily T 32022

Overall Status: Pass

Sample ID: 2203NIVA1456.4079
Strain: N/A
Matrix: Topical
Type: Other
Sample Size: ; Batch Size:

Produced:
Collected: 03/21/2022
Received: 03/21/2022
Completed: 03/28/2022
Batch#:


Client
Hit! Balm
Lic. #
11361 Homedale St
Los Angeles, CA 90049

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.3	ND	Pass	Fludioxonil	0.040	0.050	30	ND	Pass
Acephate	0.050	0.100	5	ND	Pass	Hexythiazox	0.010	0.020	2	ND	Pass
Acequinocyl	0.040	0.050	4	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5	ND	Pass	Imidacloprid	0.010	0.020	3	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1	ND	Pass
Azoxystrobin	0.010	0.020	40	ND	Pass	Malathion	0.010	0.020	5	ND	Pass
Bifenazate	0.010	0.020	5	ND	Pass	Metalaxyl	0.010	0.020	15	ND	Pass
Bifenthrin	0.010	0.020	0.5	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10	ND	Pass	Methomyl	0.010	0.020	0.1	ND	Pass
Captan	0.100	0.100	5	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	9	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.5	ND	Pass
Chlorantraniliprole	0.040	0.050	40	ND	Pass	Oxamyl	0.010	0.020	0.2	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.2	ND	Pass
Clofentezine	0.010	0.020	0.5	ND	Pass	Permethrin	0.020	0.050	20	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.2	ND	Pass
Cyfluthrin	0.050	0.100	1	ND	Pass	Piperonyl Butoxide	0.010	0.020	8	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.4	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20	ND	Pass
Diazinon	0.010	0.020	0.2	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3	ND	Pass
Dimethomorph	0.020	0.050	20	ND	Pass	Spinetoram	0.041	0.061	3	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12	ND	Pass
Etoazole	0.010	0.020	1.5	ND	Pass	Spirotetramat	0.020	0.050	13	ND	Pass
Fenhexamid	0.040	0.050	10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2	ND	Pass
Fenpyroximate	0.010	0.020	2	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.5	ND	Pass
Fonicamid	0.010	0.020	2	ND	Pass	Trifloxystrobin	0.010	0.020	30	ND	Pass

Date Tested: 03/24/2022
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/28/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

4 of 4

HB Daily T 32022

Overall Status: Pass

Sample ID: 2203NIVA1456.4079
Strain: N/A
Matrix: Topical
Type: Other
Sample Size: ; Batch Size:

Produced:
Collected: 03/21/2022
Received: 03/21/2022
Completed: 03/28/2022
Batch#:

Client
Hit! Balm
Lic. #
11361 Homedale St
Los Angeles, CA 90049

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	<LOQ	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	ND	Pass
Ethyl-Acetate	5.0	10	5000	ND	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
Isopropanol	5.0	10	5000	ND	Pass
Methanol	5.0	10	3000	ND	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	ND	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xylenes	5.0	10	2170	ND	Pass

Date Tested: 03/23/2022 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



PJLA
Testing
Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/28/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty