(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

1 of 4

Moon Gummies

Sample ID: 2210NIVA5060.15146

Strain: N/A Matrix: Ingestible Type: Soft Chew Sample Size: ; Batch Size: Produced:

Collected: 10/19/2022 Received: 10/19/2022 Completed: 10/24/2022

Client

Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049



Pass

Foreign Matter

Pass

Microbials

Pass

Heavy Metals

Pass

Solvents

Not Tested

Terpenes

Pass

Overall Status: Pass

Pesticides

Not Tested

NT Water Activity

Pass

Mycotoxins

Cannabinoids (SOP.TS.4.100 HPLC Analysis)

Complete

0.679 mg/serving 1.358 mg/container

Total THC

23.328 mg/serving 46.655 mg/container

Total CBD

36.134 mg/serving

72.268 mg/container

Total Cannabinoids

NT Not Tested

Moisture

Analyte	LOD	LOQ	Results	Results	Results	Results	
	mg/g	mg/g	mg/g	%	mg/serving	mg/package	
CBD	0.0200	0.0800	7.08	0.71	23.33	46.66	
CBN	0.0200	0.0800	3.00	0.30	9.89	19.78	
CBC	0.0200	0.0800	0.42	0.04	1.39	2.78	
Δ9-ΤΗС	0.0200	0.0800	0.21	0.02	0.68	1.36	
CBG	0.0200	0.0800	0.15	0.02	0.50	1.01	
CBDV	0.0200	0.0800	0.11	0.01	0.35	0.69	
CBDa	0.0200	0.0800	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBGa	0.0200	0.0800	ND	ND	ND	ND	
Δ8-ΤΗС	0.0200	0.0800	ND	ND	ND	ND	
THCV	0.0200	0.0800	ND	ND	ND	ND	
THCa	0.0200	0.0800	ND	ND	ND	ND	
Total THC			0.206	0.021	0.679	1.358	
Total CBD			7.075	0.708	23.328	46.655	
Total			10.959	1.096	36.134	72.268	

Density: g per 1 mL

Cannabinoids Date Tested: 10/21/2022

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

- ; Water Activity Date Tested:
- : Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 10/21/2022









Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

2 of 4

Overall Status: Pass

Sample ID: 2210NIVA5060.15146 Strain: N/A Matrix: Ingestible Type: Soft Chew Sample Size: ; Batch Size:

Produced: Collected: 10/19/2022 Received: 10/19/2022 Completed: 10/24/2022

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Microbials		Pass
Analyte	Results	Status
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 10/21/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins **Pass**

Analyte	LOD	LOQ	Limit	Results	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 10/21/2022 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals **Pass**

Analyte	LOD	LOQ	Limit	Results	Status
	μg/g	μg/g	µg/g	μg/g	
Arsenic	0.009	0.090	1.5	ND	Pass
Cadmium	0.009	0.090	0.5	ND	Pass
Lead	0.009	0.090	0.5	<loq< th=""><th>Pass</th></loq<>	Pass
Mercury	0.005	0.020	3	ND	Pass

Date Tested: 10/21/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS





Daniel Bernal Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Overall Status: Pass

3 of 4

Moon Gummies

Sample ID: 2210NIVA5060.15146

Strain: N/A
Matrix: Ingestible
Type: Soft Chew
Sample Size: ; Batch Size:

Produced: Collected: 10/19/2022 Received: 10/19/2022 Completed: 10/24/2022

Ratch#:

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Pesticides Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	μg/g	μg/g			µg/g	µg/g	µg/g	μg/g	
Abamectin	0.040	0.050	0.3	ND	Pass	Fludioxonil	0.040	0.050	30	ND	Pass
Acephate	0.050	0.100	5	ND	Pass	Hexythiazox	0.010	0.020	2	ND	Pass
Acequinocyl	0.040	0.050	4	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5	ND	Pass	Imidacloprid	0.010	0.020	3	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1	ND	Pass
Azoxystrobin	0.010	0.020	40	ND	Pass	Malathion	0.010	0.020	5	ND	Pass
Bifenazate	0.010	0.020	5	ND	Pass	Metalaxyl	0.010	0.020	15	ND	Pass
Bifenthrin	0.010	0.020	0.5	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10	ND	Pass	Methomyl	0.010	0.020	0.1	ND	Pass
Captan	0.100	0.100	5	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	9	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.5	ND	Pass
Chlorantraniliprole	0.040	0.050	40	ND	Pass	Oxamyl	0.010	0.020	0.2	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.2	ND	Pass
Clofentezine	0.010	0.020	0.5	ND	Pass	Permethrin	0.020	0.050	20	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.2	ND	Pass
Cyfluthrin	0.050	0.100	1	ND	Pass	Piperonyl Butoxide	0.010	0.020	8	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.4	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20	ND	Pass
Diazinon	0.010	0.020	0.2	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3	ND	Pass
Dimethomorph	0.020	0.050	20	ND	Pass	Spinetoram	0.041	0.061	3	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12	ND	Pass
Etoxazole	0.010	0.020	1.5	ND	Pass	Spirotetramat	0.020	0.050	13	ND	Pass
Fenhexamid	0.040	0.050	10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2	ND	Pass
Fenpyroximate	0.010	0.020	2	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.5	ND	Pass
Flonicamid	0.010	0.020	2	ND	Pass	Trifloxystrobin	0.010	0.020	30	ND	Pass

Date Tested: 10/21/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS





Daniel Bernal Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Overall Status: Pass

Moon Gummies

Sample ID: 2210NIVA5060.15146

Strain: N/A Matrix: Ingestible Type: Soft Chew Sample Size: ; Batch Size: Produced: Collected: 10/19/2022 Received: 10/19/2022 Completed: 10/24/2022

Client Hit! Balm Lic.#

11361 Homedale St Los Angeles, CA 90049

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	μg/g	µg/g	µg/g	μg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	90.232	Pass
Ethyl-Acetate	5.0	10	5000	ND	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
Isopropanol	5.0	10	5000	ND	Pass
Methanol	5.0	10	3000	11.181	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	ND	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xvlenes	5.0	10	2170	ND	Pass



Date Tested: 10/21/2022 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID





Daniel Bernal Lab Director

Confident Cannabis All Rights Reserved support@confident cannabis.com(866) 506-5866 www.confidentcannabis.com

