

10 10 01

Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Trade Name: BLOOMING GEL

Page 1 of 1

1. With all

1 7 13

I. Ball

and the state of t

0 99.91

SDS REPORT

JadeUK Ltd 16 Upton Road Tarring BN13 1BU UK

SDS Report No.	SDS201706092
Compilation Date :	Mar. 15 , 2020~Mar.17,2020
Sample Name	BLOOMING GEL
Composition/Ingredient	See section 3 Composition/information on ingredients on the
of The Sample 1 :	SDS report
Service Requested	Safety Data Sheet (SDS) for the sample with submitted
	composition.
Summary :	As per request, the contents and formats of the SDS are
	prepared in accordance with Regulation (EC) No 1907/2006,
The second se	1272/2008, Regulation (EU) No 2015/830 and is provided per

attached.

To possil

* This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

1º Wall

Signed for and on behalf of Technical Center:

Page 1 of 8 Issuing Date: Mar. 17, 2020 Print Date: Mar. 17, 2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>BLOOMING</u>GEL

Registration number: Data not available

• 1.2 Relevant identified uses of the substance or mixture and uses advised against on • Application of the substance/ mixture: Nail Beauty

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
JadeUK Ltd
16 Upton Road Tarring BN13 1BU UK

Email: info@jadeuk.co.uk

· Further information obtainable from: JadeUK Ltd

SECTION 2: Hazards identification

·2.1 Classification of the substance or mixture Classification according to regulation (EC) 1272/2008:

GHS07 Exclamation mark

Skin Irrit. 2H315Causes skin irritationSkin Sens. 1H317May cause an allergic skin reactionEye Irrit. 2H319Causes serious eye irritation• Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of Regulation (EC) 1272/2008.

• Classification system:

The classification is according to the latest edition of Regulation (EC) 1272/2008, and extended by company and literature data.

· 2.2 Label elements

• Labeling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. • Hazard pictograms:

GHS07

· Signal word: Warning

• *Hazard-determining components of the labeling:* 2-hydroxyethyl methacrylate, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

· Hazard statements:

H315Causes skin irritation

H317May cause an allergic skin reaction

H319 Cause	s serious eye irritation
· Precautionary stat	ta da se de la companya de la compa
P101	If medical advice is needed, have product container or label at hand.
P102 P103	Keep out of reach of children. Read label before use.
P261	Avoid breathing mist/vapours/spray.
P271 P302 + P352	Use only outdoors or in a well-ventilated area. IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P321	Specific treatment see the first aid measures on this label.
P501	Dispose of contents/container in accordance with local regulations.
· 2.3 Other hazards	

· Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

• 3.1 Chemical characterization: Mixtures

• Description:

Mixture of the substances listed below with nonhazardous additions; For the wording of the listed risk phrases refer to section 16.

이 같은 것 같은	
rene/Acrylates Copolymer/Polyurethane	68%
ydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	19%
· · · · · · · · · · · · · · · · · · ·	Alt .
enyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1, H317; Aquatic Chronic 3, H412	8%
droxycyclohexyl phenyl ketone	5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 enyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1, H317; Aquatic Chronic 3, H412

benzoic acid, phthalic anhydride and isophoronediisocyanate

SECTION 4: First aid measures

• 4.1 Description of first aid measures

General description: Immediately remove any clothing soiled by the product.

After inhalation: Supply with fresh air. Call a POISON CENTER/doctor, if you feel unwell.

After skin contact: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After swallowing: Rinse mouth. DO NOT induce vomiting. Call a POISON CENTER/doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Fire-fighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents: CO, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture: No further relevant information available.

• 5.3 Advice for firefighters

Protective equipment: Wear fully protective suit and self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures: Collect spillage timely if safe do it; Ensure adequate ventilation; Use respiratory protective device against the effects of mist/vapours/spray; Keep way from ignition source; Avoid contact with skin and eyes.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water source; Inform respective authorities in case of seepage into water course or sewage system; Do not allow enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation. Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handing; See section 8 for information on personal protection equipment; See section 13 for disposal in formation.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling:

Read label before use; Ensure good ventilation/exhaustion at the workplace; Keep away from heat source and ignition source; Prevent formation of aerosols; Wear protective gloves/ eye protection/face protection; Use respiratory protective device against the effect of mist/vapours/spray; Avoid contact with skin and eyes.

• Information about fire and explosion protection: Normal measures for preventive fire protection.

·7.2 Conditions for safe storage, including any non-compatibility

• Requirements to be met by storerooms and receptacles: Store in dry, cool and a well-ventilated place.

• Information about storage in one common storage facility: Keep out of reach of children; Keep away from flammable substance. • Further information about storage conditions: Keep container tightly sealed.

•7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Page 4 of 8 Issuing Date: Mar. 17, 2020 Print Date: Mar. 17, 2020

- **DNELs:** Data not available • **PNECs:** Data not available
- Additional information: The lists valid during the marking were used as basis.

· 8.2 Exposure controls

Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

• Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

- · Personal protective equipment
- *Respiration protection:* Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

Butyl rubber gloves (0.3 mm), Break through time approx. 480 min (EN 374). In practice, due to variable exposure conditions, this information can only be an aidto orientation for the selection of a suitable chemical protection glove. In particular, this information does not substitute suitability tests by the end user. Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

· Eye protection:



Tightly fitting goggles

• Skin and body protection: On handling of larger quantities: face mask, chemical-resistant boots and apron.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemica	al properties
•9.1 Information on basic physical and ch	
· Appearance:	
Form	Gel
Color	Colorless, transparent
Odor	Odorless
Odor threshold	Data not available
· pH-value	Data not available
· Change in condition	
Melting point/melting range	Data not available
Boiling point and boiling range	Data not available
• Freezing point	Data not available
· Flash point:	>65°C
· Flammability (solid, gas)	Not applicable
• Decomposition temperature	Data not available
· Self-ignition	Product is not self-ignition.
· Danger of explosion	Product does not present an explosion hazard.

Page 5 of 8 Issuing Date: Mar. 17, 2020 Print Date: Mar. 17, 2020

• Explosion limits	The second se
Lower:	Data not available
Upper:	Data not available
· Oxidizing properties	Data not available
· Vapor pressure	Data not available
• Density	Data not available
· Relative density	Data not available
· Vapor density	Data not available
· Evaporation rate	Data not available
• Solubility in/Miscibility with	
Water	Not soluble in water.
· Partition coefficient (n-octanol/water)	Data not available
· Viscosity	
Dynamic	Data not available
Kinematic	Data not available
• 9.2 Other information	No further relevant information available

SECTION 10: Stability and reactivity

- 10.1 Reactivity: No decomposition if used according to specification.
- 10.2 Chemical stability: Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: High temperature and ignition source.
- 10.5 Incompatible materials: Acid, alkali, strong oxidizing agent
- 10.6 Hazardous decomposition products: No further relevant information available.

SECTION 11: Toxicological information

·11.1 Information on toxicological effects

- Acute toxicity: Based on available data, the classification criteria are not met.
- ·Skin corrosion/irritation: Causes skin irritation.
- Serious eyes damage/ irritation: Causes serious eye irritation.
- · Respiratory or skin sensitization: May cause an allergic skin reaction.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- *Carcinogenicity:* Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

Page 6 of 8 Issuing Date: Mar. 17, 2020 Print Date: Mar. 17, 2020

	cological information		2 2 2 4 2 5 2 4 2 5 2 4 2 5 2 4 2 5 2 4 2 5 2 4 2 5 2 4 2 5 2 5
2.1 Toxicity		11:15	the line water and the
7.12 · · · · · · · · · · · · · · · · · · ·	ot be classified as aquatic Acut	te mixture.	
	cyethyl methacrylate		Harris Hills State
Short–term toxicit	v to fish		iys) 100 mg/L
Short-term toxicity to aquatic invertebrates			h) 380 mg/L
		1.11	h) 171 mg/L
11:91	Same Inne	- 양 성을 다니는 -	days) 24.1 mg/L
Long-term toxicity to aquatic invertebrates		LOEC (21 days) 49.6 mg/L	
		EC50 (21 days) 90.1 mg/L LC50 (21 days) 100 mg/L	
1. 1 20 1. 10 1. 18 0			(h) $345 - 836 \text{ mg/L}$
Toxicity to aquatic	algae and cyanobacteria	1.00	h) 160 - 400 mg/L
947-19-3 Hvdroxv	cyclohexyl phenyl ketone		
Short–term toxicit		LC50 (4 da	tys) 24 mg/L
	v to aquatic invertebrates	89	h) 53.9 mg/L
		8	h) 4.68 - 14.4 mg/L
i oxicity to aquatic	algae and cyanobacteria	NOEC (72	h) 700 μg/L
Toxicity to microo	rganisms	EC50 (3 h)	100 mg/L
2.2 Persistence a	nd degradability:	11: ma	and the second s
868-77-9	2-hydroxyethyl methacrylate	2 / 100	Readily biodegradable (in water)
947-19-3	Hydroxycyclohexyl phenyl ketor	ne	Dissociation constant=13.23 at 25 °C
1220	1111		Readily biodegradable (in water)
12.3 Bio-accumul	ative potential:		
	2-hydroxyethyl methacrylate		Log Pow=0.42 at 25 °C and pH 5.9 - 6.1
947-19-3	Hydroxycyclohexyl phenyl ketor	ne	<i>Log Pow= 2.81 at 25 °C and pH 5.8</i>
12.4 Mobility in se			
	Hydroxycyclohexyl phenyl ketor	ne	Henrys law constant (H) = 0.282 Pa m ³ /mol at 25 °C
같은 가지 않는 것 같아요.	T and vPvB assessment		The second se
BT: Not applicable			A THE CARD AND A THE REAL AND A THE AND A
PvB: Not applicable 2.6 Other adverse	e e effects: No further relevant inj	formation av	ailabla
	ological information	iormation av	unuore.
. 5		lation) (self-a	ssessment): Slightly hazardous for water environment. Do
	· · · · · · · · · · · · · · · · · · ·	- 1 S	d water, water course or sewage system.
		1.11.11	
	isposal consideration		
A CONTRACT OF A	ent methods	11:19 11	
	J E + 4 F + -	with househo	old garbage. Do not allow product to reach sewage system.
3.1 Waste treatm	Must not be disposed together		
3.1 Waste treatmo Recommendation: 3.2 Un-cleaned p	ackaging		
3.1 Waste treatmo Recommendation: 3.2 Un-cleaned p	ackaging		to the local/regional/national/ international regulation.
3.1 Waste treatmo Recommendation: 3.2 Un-cleaned p Recommendation:	ackaging Dispose of contents/container i		
3.1 Waste treatmo Recommendation: 3.2 Un-cleaned p Recommendation:	ackaging		
3.1 Waste treatmo Recommendation: 3.2 Un-cleaned p Recommendation:	ackaging Dispose of contents/container i		

ADR, RID, ADN IMDG, IATA	Not applicable
·14.3 Transport hazard class (es)	
ADR, RID, ADN IMDG, IATA	
Class	Not applicable
Label	Not applicable
·14.4 Packing group	
ADR, RID, ADN IMDG, IATA	Not applicable
·14.5 Environmental hazards Marine pollution	
	No
·14.6 Special precautions for user	Not applicable
• Danger code (Kemler)	-
·14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
·14.8 Transport/Additional information	Not dangerous according to the above specifications.
· UN "Model Regulation"	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · MAK (German Maximum Workplace Concentration): None of the ingredients is listed.
- · Directive 2012/18/EU
- · Named dangerous substances- ANNEX I: None of the ingredients is listed.
- · Seveso category: Not applicable
- Qualifying quantity (tonnes) for the application of lower-tier requirements: Not applicable
- Qualifying quantity (tonnes) for the application of upper-tier requirements: Not applicable
- ·National regulations.
- Water hazard class: Water hazard class 1(German Regulation) (self-assessment): Slightly hazardous for water environment.
- Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization (17/12/2015): None of the ingredients is listed.
- REACH Regulation Annex XVII Restriction (16/2/2016): None of the ingredients is listed.
- REACH Regulation Annex XIV Authorization List (14/8/2014): None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or

disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. Remark: ***** ****** ****** · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, hazard category 2 Eye Irrit. 2: Eye damage/irritation, hazard category 2 Aquatic Chronic 3: Hazardous to the aquatic environment-chronic toxic, hazard category 3 ******* End of safety data sheet