

Z10: Specifications

Print Datasheet

Specialities

Products

Espresso
 2 x Espresso
 Cold Brew Espresso
 Coffee
 2 x Coffee
 Cold Brew Coffee
 Cappuccino
 Cold Brew Cappuccino
 Cappuccino Extra Shot
 Caffè latte
 Cold Brew Caffè latte
 Caffè latte Extra Shot
 Caffè Barista
 2 x Caffè Barista
 Lungo Barista
 2 x Lungo Barista
 Espresso doppio
 Macchiato
 Cold Brew Macchiato
 Cortado
 Cold Brew Cortado
 Latte macchiato
 Cold Brew Latte macchiato
 Latte macchiato Extra Shot
 Flat white
 Cold Brew Flat white
 Flat White Extra Shot
 Portion of milk foam
 Portion of milk
 Pot of coffee
 Hot water
 Hot water for green tea

Number of speciality coffees

32

Specific advantages

Cold Extraction Process

✓

Intelligent preheating

✓

3D brewing technology

✓

Automatic Grinder Adjustment (A.G.A.)

✓

Active bean monitoring	✓
Automatic switchover from milk to milk foam	✓
JURA Cockpit with maintenance status display	✓
WiFi connection to home network	✓
Transmitter supplied as standard	WiFi Connect
JURA standards	
Pulse Extraction Process (P.E.P. [®])	✓
One-Touch Lungo function	✓
One-Touch function	✓
Variable brewing unit	5 - 16 g
Grinder	Product Recognising Grinder (P.R.G.)
High-performance pump, 15 bar	1
Thermoblock heating system	1
Milk system / interchangeable milk spout	HP3 / CX3
Powder chute for ground coffee	✓
Aroma preservation cover	✓
Operating and programming standards	
Compatible with J.O.E. [®]	✓
Rotary Switch	✓
Display	4.3" Touchscreen colour display
Save, copy and personalise products	✓
Programmable and individually adjustable amount of water	✓
Programmable and individually adjustable coffee strength (Levels)	10

Programmable amount of milk / milk foam	✓
Programmable milk / milk foam temperature (Levels)	10
Programmable brewing temperature (Levels)	3
Programmable temperature of hot water (Levels)	3
Hygiene standards	
Intelligent Water System (I.W.S.)	✓
CLARIS filter cartridge	CLARIS Smart
One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning and descaling programme	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.®)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Design and materials	
Convex-concave 3 mm aluminium front	✓
Amber / white cup illumination	✓
Water tank illumination blue	✓
In figures	
Height-adjustable / width-adjustable dual spout	78 – 150 mm / 24 – 50 mm
Water tank capacity	2.4 L
Bean container holding capacity	280 g
Coffee grounds container (approx. servings)	20

Cable length (approx.)	1.1 m
Voltage / Power	230 V~ / 1450 W
Ampacity	10 amp
Stand-by power	0 Wh
Weight	12.3 kg
Dimensions (W × H × D)	32 × 38 × 45 cm
Article Number	15360
Product code	Aluminium White (INTA)
Width	32 cm
Height	38 cm
Depth	45 cm