

Lighting
Shelf Pro 150 cm
Black anodized



EAN 5414425235537

Functions & features

▪ Control method	Gesture Control Pro
------------------	---------------------

Dimensions


▪ Product dimensions (WxDxH) (mm)	1499 x 320 x 60
-----------------------------------	-----------------

Lighting

▪ Functional lighting type	LED
▪ Functional light dimmable	▪
▪ Gross luminous flux functional lighting (Lm/m)	1983
▪ Color functional light (K)	2700-4000
▪ Color Rendering Index (CRI)	≥90
▪ Ambient lighting type	LED
▪ Ambient light dimmable	▪
▪ Gross luminous flux ambient lighting (Lm/m)	324
▪ Color ambient light	RGBW

Technical specifications

▪ Maximum power (W)	38
▪ Frequency (Hz)	50
▪ Power consumption in stand-by-mode (Ps) (W)	0
▪ Net weight (kg)	8
▪ Position electrical cable	Left
▪ Length power supply cable (m)	2,5
▪ Safetyclass	II
▪ Voltage lighting (V)	230



Lighting
Shelf Pro 180 cm
Black anodized



EAN 5414425235544

Functions & features

▪ Control method	Gesture Control Pro
------------------	---------------------

Dimensions


▪ Product dimensions (WxDxH) (mm)	1789 x 320 x 60
-----------------------------------	-----------------

Lighting

▪ Functional lighting type	LED
▪ Functional light dimmable	▪
▪ Gross luminous flux functional lighting (Lm/m)	1983
▪ Color functional light (K)	2700-4000
▪ Color Rendering Index (CRI)	≥90
▪ Ambient lighting type	LED
▪ Ambient light dimmable	▪
▪ Gross luminous flux ambient lighting (Lm/m)	324
▪ Color ambient light	RGBW

Technical specifications

▪ Maximum power (W)	44
▪ Frequency (Hz)	50
▪ Power consumption in stand-by-mode (Ps) (W)	0
▪ Net weight (kg)	9,9
▪ Position electrical cable	Left
▪ Length power supply cable (m)	2,2
▪ Safetyclass	II
▪ Voltage lighting (V)	230



Lighting
Shelf Pro 210 cm
Black anodized



EAN 5414425235551

Functions & features

- Control method Gesture Control Pro

Dimensions


- Product dimensions (WxDxH) (mm) 2079 x 320 x 60

Lighting

- Functional lighting type LED
- Functional light dimmable ▪
- Gross luminous flux functional lighting (Lm/m) 1983
- Color functional light (K) 2700-4000
- Color Rendering Index (CRI) ≥90
- Ambient lighting type LED
- Ambient light dimmable ▪
- Gross luminous flux ambient lighting (Lm/m) 324
- Color ambient light RGBW

Technical specifications

- Maximum power (W) 52
- Frequency (Hz) 50
- Power consumption in stand-by-mode (Ps) (W) 0
- Net weight (kg) 11,6
- Position electrical cable Left
- Length power supply cable (m) 1,9
- Safetyclass II
- Voltage lighting (V) 230



Lighting
Shelf Pro 240 cm
Black anodized



EAN 5414425235568

Functions & features

- Control method Gesture Control Pro

Dimensions


- Product dimensions (WxDxH) (mm) 2369 x 320 x 60

Lighting

- Functional lighting type LED
- Functional light dimmable ▪
- Gross luminous flux functional lighting (Lm/m) 1983
- Color functional light (K) 2700-4000
- Color Rendering Index (CRI) ≥90
- Ambient lighting type LED
- Ambient light dimmable ▪
- Gross luminous flux ambient lighting (Lm/m) 324
- Color ambient light RGBW

Technical specifications

- Maximum power (W) 58
- Frequency (Hz) 50
- Power consumption in stand-by-mode (Ps) (W) 0
- Net weight (kg) 13,4
- Position electrical cable Left
- Length power supply cable (m) 1,6
- Safetyclass II
- Voltage lighting (V) 230



Lighting
Shelf Pro 270 cm
Black anodized



EAN 5414425235575

Functions & features

- Control method Gesture Control Pro

Dimensions

- Product dimensions (WxDxH) (mm) 2659 x 320 x 60

Lighting

- Functional lighting type LED
- Functional light dimmable ▪
- Gross luminous flux functional lighting (Lm/m) 1983
- Color functional light (K) 2700-4000
- Color Rendering Index (CRI) ≥90
- Ambient lighting type LED
- Ambient light dimmable ▪
- Gross luminous flux ambient lighting (Lm/m) 324
- Color ambient light RGBW

Technical specifications

- Maximum power (W) 64
- Frequency (Hz) 50
- Power consumption in stand-by-mode (Ps) (W) 0
- Net weight (kg) 15,2
- Position electrical cable Left
- Length power supply cable (m) 1,3
- Safetyclass II
- Voltage lighting (V) 230

Lighting
Shelf Pro 300 cm
Black anodized

EAN 5414425235582

Functions & features

▪ Control method	Gesture Control Pro
------------------	---------------------

Dimensions

▪ Product dimensions (WxDxH) (mm)	2949 x 320 x 60
-----------------------------------	-----------------

Lighting

▪ Functional lighting type	LED
▪ Functional light dimmable	▪
▪ Gross luminous flux functional lighting (Lm/m)	1983
▪ Color functional light (K)	2700-4000
▪ Color Rendering Index (CRI)	≥90
▪ Ambient lighting type	LED
▪ Ambient light dimmable	▪
▪ Gross luminous flux ambient lighting (Lm/m)	324
▪ Color ambient light	RGBW

Technical specifications

▪ Maximum power (W)	70
▪ Frequency (Hz)	50
▪ Power consumption in stand-by-mode (Ps) (W)	0
▪ Net weight (kg)	17
▪ Position electrical cable	Left
▪ Length power supply cable (m)	1
▪ Safetyclass	II
▪ Voltage lighting (V)	230

