




THE AUTOMOTIVE LIGHTING BENCHMARK



INSTALLATION GUIDE

2015+ F150 OEM LED CONVERSION HARNESS



WARNING: By reading this document, I agree it is only to be used as an educational guide. Morimoto Lighting makes no guarantee on any finished results, nor are they to be held responsible for any damage, misuse, or personal injuries. Use at your own risk. If you are unable to clearly understand and adapt the information below to your own application, professional installation is recommended.

TABLE OF CONTENTS

SPECIAL NOTES	P.2
SYSTEM DIAGRAM	P.3
HARNESS INSTALLATION	P.4

SPECIAL NOTE

Use of the included Morimoto LetricLube dielectric grease is recommended for all harness connections. This grease helps reduce the risk of water entry as water penetration can cause corrosion of the electrical contacts and failure of the harness functions.


INCLUDED PARTS



2X CONVERSION HARNESS



1X LECTRICLUBE DIELECTRIC GREASE









NOTE: System diagrams are to be used for reference purposes only. If you are unsure of the installation procedure for any individual part, review its install procedure prior to proceeding.

One (1) harness installed per side of the vehicle!

180cm Driver Side Power Wire
90cm Passenger Side Power Wire



 Proceed to next page
for component-specific
procedures



-END-