

Assembly Manual



■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Jacket



2 x Shoulders



2 x Belts



2 x Arms (Left And Right)

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Gimbal-Bird Body Support Rig Setup


- Wear the jacket and fasten the buckles from the waist.



- Now, fasten the buckle of the center strap of the jacket.



- You can use the buckle strap to loosen or tighten the jacket.



- Adjust the side Velcro belt of the vest as per your comfort.



- Follow the same process for the other Velcro belt.



- Loosen the knob present at the back of the vest and have the vest sit on your shoulder comfortably.




- Attach the shoulder strap to the chest support and follow the same procedure for the other shoulder.



NOTE: A red knob at the back of the vest lets you control the height and positioning of the support bar and shoulder pad.





- Now, fasten both shoulder strap buckles, as shown in the image.




- The jacket would look like this afterwards.




- Unlock the quick-release knob present on the shoulder strap.



- Slide the provided arms on each shoulder strap and lock the quick-release knob to secure them.




- The jacket will look like this afterwards.



- Wrap the Velcro belt on the top mounting of the Star Ring (**Not Included**).



- The Velcro belt will look like this when securely wrapped around the top mounting.



- Follow the same procedure to attach the second Velcro belt to the Star Ring.



- Attach the other end of the Velcro belt with the arm.



- Follow the same procedure to attach the second Velcro belt to the other arm.



- Loosen and remove the quick-release plate from the Star Ring and then slide the Gimbal (Not Included) to attach it to the Star Ring.
- Tighten the knob to secure it.



- The Gimbal is properly attached to the camera (Not Included), as shown in the image.



YOUR PROAIM GIMBAL-BIRD BODY SUPPORT RIG ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.