

## 2-Axis Horizontal Vibration Isolator for Camera Gimbals (VI-2AXS-01)

---

### Assembly Manual



### What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



2 Axis Vibration Isolator



Mitchell Key



Flight Case



---

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.


## Vibration Isolator Setup

- Start by unlocking the knob, as shown in the image. This knob acts as an integrated brake and helps in locking the movements of the spring. Adjust the isolator platform horizontally as per your need.



- After adjusting the platform to the desired position, lock the knob back.

**Note:** The Vibration Isolator minimizes vibrations on the X and Y horizontal axis during abrupt movements and can hold 10-100kg payloads.



- For even more smoothness, you can adjust the hydraulic dampers via the knob present. The knob has H & S marked on it. You can rotate the knob either to its Soft (S) or Hard (H) side as per the requirements.




- The next step is to use a top mount as per your fluid head requirements, as shown in the image. The vibration Isolator accepts camera heads in various options such as Mitchell, 100mm Bowl, 150mm, Bowl.





In the case of a Mitchell Slider (not included) Setup, you can directly mount the vibration isolator onto the slider as shown in the image. Then attach your fluid head (not included) to the isolator.

Note: The vibration isolator has a standard Mitchell mounting and can be directly mounted on any other Mitchell gear.




- To secure the fluid head, you will need to install a Castle ring (not included) at the bottom of the isolator platform and tighten it correctly.



- Then, Insert a Mitchell key into the bottom of the vibration isolator and tighten the castle ring to secure it properly.

**Note:** Mitchell Key ensures easy and fast rigging of Mitchell mounts or Remote Heads to the vibration isolator.



- Now you can securely mount a camera setup to the Vibration Isolator.



**YOUR 2-AXIS HORIZONTAL VIBRATION ISOLATOR FOR CAMERA GIMBALS  
ALL DRESSED UP AND READY TO GO!**



**(SHOWN WITH OPTIONAL ACCESSORIES)**

**Warranty:** We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

**Liability:** We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

**Contact Us:** In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.