

Mitchell Wedge Tilt Camera Mount (P-MTCL-WP)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Mitchell Wedge Tilt Camera Mount



3/16mm
Allen key

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Mitchell Wedge Tilt Camera Mount Setup

- Loosen the knob of the Mitchell wedge tilt camera mount and open its top mount as per your requirement.




- Re-tighten the knob to secure the top mount.
Note: Mitchell Wedge Tilt Camera Mount has a flexible tilt range from 0°-105° for camera balance.



- Loosen and remove the bolt of the Castle nut (Not included) and mount it on the Mitchell wedge tilt camera mount base as shown in the image.
Note: Castle nut with four notches and threaded fitting for tightening offers an exceptionally stable platform for camera setups.



- Align & bolt together the threads of the Mitchell wedge tilt camera mount's base and Castle nut (Not included) using an allen key.
Note: The base mount adapts the Castle Nut for additional setup needs.



- Loosen and remove the Castle Ring from the Castle nut (Not included)



- Mount the Mitchell wedge tilt camera mount on a tripod (Not included) and secure it properly.

Note: Angles ranging from 0° to 105° are indicated on both sides of the wedge tilt plate for ease of positioning; it helps you get perfect tilt shots.



- Using the castle ring, secure and tighten the castle nut in the base of the Mitchell wedge tilt camera mount.



- Tilt the Mitchell wedge tilt top mount and secure its position with the knob, as shown in the image.



- Mount a fluid head (**Not included**) on the Mitchell wedge tilt camera mount.

Note: Mitchell Wedge Tilt Camera Mount is compatible with Mitchell Fluid Heads.



- Secure the fluid head properly. Now bring the Mitchell wedge tilt camera mount to a flat position and tighten the knob.



YOUR PROAIM MITCHELL WEDGE TILT CAMERA MOUNT ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.