PR AIM Motion Control System (P-MC-CNL)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Motion Control System Setup

 Attach the camera mounting plate onto the slider and tighten it using the provided knob.





• Attach one end of the provided 3m wire to the motor and another end to the remote.





 Pull the lever to attach the motor to the slider, as shown in the image.



 Screw the fluid head (Not Included) onto the camera mounting plate and detach the quick release plate of the fluid head to mount the camera.



YOUR PROAIM MOTION CONTROL SYSTEM ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.