

Multi Monitor Mounting System for Video Camera (P-MLMT-M2)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



2 x Base Rod Mount



2 x Rod Clamp



2 x Rod



2 x Tube Rail



4 x Rod Clamp
Rail Holder



2 x Tube Rail Clamp
with 5/8 Baby Pin



1 x L-Type Allen
Key (Size: 4mm)



Bag Packing

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Multi Monitor Mounting System Setup

Assembling of Rod

- Loosen the knob of the base rod mount and insert the rod in the base rod.



- After inserting the rod, properly tighten the knob, as shown in the image.



Mounting of Rod Clamp

- Loosen the knob of the rod clamp and mount the clamp onto the rod.



- After mounting the clamp onto the rod, properly tighten it with the knob, as shown in the image.



Mounting of Rod Clamp Rail Holders

- Loosen the knob of the rod clamp rail holder and mount it on the rod.




- After mounting the rod clamp rail holder, properly tighten it using the knob and repeat the same process to insert the second rail holder.
- Repeat the same process for assembling the other side.



Mounting of Tube Rail

- Create the space to insert the rod clamp by equally loosening the bolts of all the rail holders using the 4mm Allen key.
- Properly insert the tube rail into the rod clamp rail holder.
- After inserting the tube rail, properly tighten the bolts using the 4mm Allen key.
- Repeat the same process to insert the second tube rail clamp.




Mounting of Tube Rail Clamp

- Loosen the knob of the tube rail clamp and mount it on the tube rail.



- After mounting, properly tighten it using the knob.

NOTE: It is a 5/8" baby pin & you can mount multi monitor system.



- Repeat the same process to insert the second tube rail clamp.

NOTE: The cheese plates with scaffold clamps to meet your accessory needs while giving you the option of permanently drilling the system into your cart deck with the drilling option.



Adjustment of 5/8" Baby Pin

- Loosen the 5/8" baby pin and remove the baby pin.



- Insert the 5/8" baby pin in the other mounting thread.

NOTE: Adjust the position of the 5/8" baby pin according to your requirement.



Mounting of Multi Monitor Mounting System to the Cart


- Loosen the knob of the rod clamp to mount the multi monitor mounting system and then rotate it.

- Properly tighten it using the knob.

NOTE: The Rod clamp pans 360° and can be easily adjusted according to the width of your cart.



- Loosen the ratchet knob of the rod clamp and then attach it to the cart (**Not Included**).



- Properly tighten the ratchet knob. Repeat the same process to attach the second rod clamp.



NOTE: It has multiple sturdy knobs to facilitate secure monitor attachment and effortless adjustments.



Multi Monitor Mounting System Setup

- Loosen the knob of the monitor system (Not Included) and mount it on the 5/8" baby pin.



- After mounting the monitor system, properly tighten the knob.

NOTE: For Proaim Sound Chief Cart, Atlas & Victor Cart Series, the mounting system will be attached by clamping; however, for the Proaim Bowado Cart, you will need to drill the mounting system .



NOTE: You can mount the monitor system in any left-right-center position, according to your need.

You can mount at least two monitors with a sleek design.



YOUR PROAIM MULTI MONITOR MOUNTING SYSTEM ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.