PR AIM Offset Bowl Adapter Bracket (100mm) (EB-231-02)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.





All rights reserved.

Offset Bowl Adapter Bracket Setup

 Loosen the knob of the Offset Bowl Adapter bracket to mount it on the Euro Adapter Quick Lock (Not Included).

NOTE: Offset Bowl Adapters Bracket comes in medium/long lengths - with 100mm bowls to accommodate all industry standard fluid heads.














 Insert the locking knob to the Fluid Head from the bottom and properly tighten it, as shown in the image.





- Attach the quick-release plate (Not Included) to the bottom and tighten it using a screwdriver.
- Then slide the camera (Not Included) onto the fluid head.



• The setup is ready!







YOUR PROAIM OFFSET BOWL ADAPTER BRACKET (100MM) ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.