

Polaris Mini Portable Video Camera Dolly w Universal Track Ends | Mitchell & 75mm Bowl Mount (DL-PLRS-M01)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.


End Spacers Assembly

- Loosen the knob of the End Spacers and then mount them onto the C-Stand (**Not Included**)

NOTE: It comes with end-clamps that let you attach to any compatible speed rail and can be mounted on C-stands & tripods in seconds, allowing you to start filming in a flash.



- After mounting the End Spacers onto the C-stand (**Not Included**), properly secure them with the help of the knob. Then remove the feet by loosening their knobs.



- After removing the knobs of the feet, match the feet's bottom threads to the End Spacers' and insert them in, as shown in the image.



- Insert washers to the feet after inserting in the End Spacers.



- To properly secure the foot to the End Spacer, tighten it with the help of a knob. Follow the same process on the other side.



- The feet have been properly attached to the End Spacers, as shown in the image.



- Insert a 4ft track into the clamp. Once the track is properly fitted into the clamp, tightly secure it with the knob, as shown in the image.



- The same process is to be followed for the other track.

NOTE: It comes with track-ends for overall secure and smooth track running.



■ Polaris Mini Portable Dolly Setup


- Now place the mini portable dolly onto the 4ft track. The handles part of the dolly platform should be inside of the track as shown. Make sure all wheels are aligned correctly on the track and dolly runs smoothly.

NOTE: It comes Mitchell mount and a 75 mm Bowl Adapter and is also compatible with 100mm and 150mm Bowl Adapters, giving you versatile camera-heads mounting options.



- The dolly platform already has a Mitchell mount. To Mount the 75mm bowl adapter on the dolly platform.

NOTE: Dolly has eight rolling track wheels that run smoothly on tracks and a flat surface, and it has double ball bearings for ultra-smooth performance.




- Then insert the screws by aligning to the bottom and properly tighten with the help of Allen key as shown in the image.

NOTE: Proaim Polaris Mini Camera Dolly is a compact and versatile.



Anti-Tilt Safety Brake Assembly

- Loosen the knob to properly open the safety brake.



- Mount the Safety Brake on side of the Mini portable dolly platform. Adjust the position of the bracket so it goes under the track to prevent the platform from tilting out.



- Properly secure with a knob after mounting the safety brake. Follow the same process on the other side.

NOTE: Dolly has sturdy safety brakes you can attach to safety ties, making sure your platform doesn't get knocked off the rails.



Mount Fluid Head on the Bowl Adapter

- Remove the locking knob of the Fluid Head (**Not Included**) by loosening it, then insert it into the bowl adapter through the screw.



- After mounting the fluid head (**Not Included**) on the bowl, secure it properly by inserting the locking knob from the bottom side.



- After properly securing the Fluid Head (**Not Included**) through the locking knob, push the red ratchet knob to remove the fluid head's camera plate.



- After removing the camera plate, attach it to the bottom of the camera (**Not Included**) matching the threads.



- After attaching the plate to the camera, properly secure it with the help of an Allen key, then mount the camera (**Not Included**) onto the Fluid Head (**Not Included**).



- The camera (**Not Included**) has now been properly mounted on the Fluid Head (**Not Included**).

NOTE: The mini dolly is compatible with small to medium-sized DSLR cameras; it is the best lightweight product for your small production.



NOTE: The whole dolly system is Quick & Easy to Set up for a steady workflow. It saves a lot of your valuable production time



YOUR PROAIM POLARIS MINI PORTABLE VIDEO CAMERA DOLLY W UNIVERSAL TRACK ENDS | MITCHELL & 75MM BOWL MOUNT ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.