

PR \rightarrow AIM Stabilizer System for Camera Production Carts (SS-CT)

Assembly Manual



■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.

2 Stage Riser and 5/8" Baby Pin Adapter



Accessory Cross Bar Clamp
with 4 x Locking knobs



Bumper with Clamp



Vest Mount Default
System

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

■ Stabilizer System Setup

- Loosen the locking knob of the vest mount default system and attach it to the cart post.



- Tighten the locking knob of the vest mount default system to secure it.



- Easily hang the flycam flowline onto the vest mount default system, as shown in the image.




- Loosen the vest mount default system knob and mount it to the crossbar as per your requirement.



- Tighten the locking knob and loosen the crossbar clamp ratchet knob.



- Insert the 2 Stage riser with 5/8" baby pin adapter into the crossbar clamp and tighten the knob to secure it.



- To increase the length of 2 Stage riser with 5/8" baby pin, loosen the ratchet knob, adjust the height as per requirements and tighten the knob back.



- Now, insert the 2 Stage riser with 5/8" baby pin into the bumper with a clamp and tighten the knob.



- Lastly, again Insert the 2 Stage riser with 5/8" baby pin adapter into the crossbar clamp and tighten the ratchet knob to secure it.



**YOUR PROAIM STABILIZER SYSTEM FOR CAMERA PRODUCTION CARTS
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.