

8" Suction Camera Vibration Isolator, 5-15kg (VI-ISSC-8)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



4 x Red Wires



3/16", 3mm, 4mm Allen keys

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Vibration Isolator Setup

NOTE: You can interchange the wires according to the payload requirement.



- Loosen allen bolts on the top plate & bottom plate with the help of allen key. Remove the wire.



- Attach the red wire on top plate & bottom plate with the help of allen key.



- Press down the suction cup and keep the pushing pump to fix it on smooth surface. You Can remove the suction cup by push the button.



**YOUR PROAIM PRO CAMERA VIBRATION ISOLATOR FOR GIMBALS,
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.