

# PROAIM Sway Portable Slider (SL-051-00)

## Assembly Manual



### ■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Proaim Sway Portable Slider

---

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

## ■ Sway Portable Sliders Setup

- Mount the Sway Slider on your Tripod Stand using the 3/8"-16 mounting thread.



**NOTE:** Our Sway Slider has increased length, camera travel, and carrying capacity. Additionally, its locking mechanism keeps the Slider securely folded during transport.



- Attach your Fluid Head with the Sway Slider and mount your Camera onto the Fluid Head.



### FRICITION ADJUSTMENT

Both the parts of the Slider are held together by a Friction Adjustment Knob for silky smooth shots.

- You can adjust the friction using the knob, as shown in the image.



**YOUR PROAIM SWAY PORTABLE SLIDER  
ALL DRESSED UP AND READY TO GO!**



**(SHOWN WITH OPTIONAL ACCESSORIES)**

**Warranty:** We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

**Liability:** We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

**Contact Us:** In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.