


PR A | M Z-Tilt Camera Head (Pan-Tilt) (P-ZTLT-01)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.




All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Z-Tilt Camera Head Setup

Z-Tilt Camera Head Mounting

 Remove the 3/8" converter from the bottom of the Z-Tilt camera head using a screwdriver (Not Included).









Z-Tilt Camera Head Rotation

- Now, loosen both the locking knobs and adjust the camera head's position.
- Once the camera head is at the desired position, re-tighten both the locking knobs.

NOTE: The head features 5.23" height adjustments, horizontal camera extension capabilities, and increased slider shot range of up to 6.7".





- Remove the 3/8" converter from the top of the Z-Tilt camera head using a screwdriver.
- Then, mount the 3/8" converter on the knob and securely tighten it.





Camera Mounting

- Loosen the knob of the Z-Tilt camera head and mount the Camera (Not Included) on it.
- Tighten the knob to secure it.





• The Camera is now securely mounted on the Z-Tilt camera head.

FEATURE: Its 3/8"-16 threaded mounting hole and included adapter bushing ensure compatibility with a wide range of tripods and sliders.



Different Pan-Tilt Adjustments



YOUR PROAIM Z-TILT CAMERA HEAD ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer a one-year warranty for our products from the date of purchase. Within this period, we will repair it without charge for labor or parts. The warranty doesn't cover transportation costs, nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subject to inspection and evaluation by us.

Liability: We are not liable for damage caused by products we do not supply or from mishandling in transit, accident, misuse, neglect, or lack of care of the product or service by anyone other than our company.

Contact Us: If you are dissatisfied, please contact us immediately. We promise our utmost support and care until you use our product.