

Certificate of Analysis

Xpert Protease Inhibitor Cocktail Solution(100X)

www.gendepot.com

Cat No : P3100	Lot No: 04192418	Exp. May, 2027
TEST	Specification	Result
Appearance	Clear liquid	PASS
Protease	None	None
Protease Inhibitor Performance Test,	> 135kDa protein	
1 Hour Incubation, with Trypsin and Protease inhibitor cocktail	Reserved protein	98 %
2 Hours Incubation, with Trypsin and Protease inhibitor cocktail	Reserved protein	95 %
3 Hours incubation, with Trypsin and Protease inhibitor cocktail	Reserved protein	94 %
Control Without Protease Inhibitor	> 135kDa protein	
1 Hour Incubation, with Trypsin	Reserved protein	57 %
2 Hours Incubation, with Trypsin	Reserved protein	41 %
3 Hours incubation, with Trypsin	Reserved protein	38 %
Reserved Ratio (With Protease inhibitor / without Protease inhibitor)	Ratio	PASS
1 Hour Incubation, with Trypsin , > 135kDA protein	> 1.5	1.72
2 Hours Incubation, with Trypsin, > 135kDA protein	> 1.8	2.32
3 Hours incubation, with Trypsin, > 135kDA protein	> 2	2.47

This document has been produced electronically and is valid without signature

Date of Print : 4.25. 2024