

Material Safety Data Sheet

Version GHS 5.1
Revision date : 1/22/2018

1 . PRODUCT & COMPANY IDENTIFICATION

Product Name : 20% SDS Solution
Product Cat No : S0793
CAS No : None
Manufacturer/Supplier : GenDEPOT LLC
PO Box 454
Barker, Tx 77413
Emergency Phone : 866.417.0078
Fax : 281-579-6876


2 . HAZARD IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Skin irritation (Category 2), H315
Serious eye damage (Category 1), H318
Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram : 

Signal word : Danger

Hazard statement(s) :
H315 Causes skin irritation.
H318 Causes serious eye damage.
H402 Harmful to aquatic life.

Precautionary statement(s) :
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P501 Dispose of contents/ container to an approved waste disposal plant

Hazards not other classified (HNOC) or not covered by GHS
none

3 . COMPOSITION/INFORMATION ON INGREDIENT

Synonyms : Sodium lauryl sulfate solution
Lauryl sulfatesodium salt
SDS

Component	Classification	Concentration
Sodium dodecyl sulphate		
CAS No	151-21-3	20 %
ENC No	205-788-1	
Flam. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H228, H302 + H332, H315, H318, H335, H401, H412		

4 . FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Inhalation: If breathed in, move person into fresh air.
If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water.
Consult a physician.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed : Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

5 . FIREFIGHTING MEASURES

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for firefighters: Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products: Carbon oxides, Sulphur oxides, Sodium oxides

Further information: Use water spray to cool unopened containers.

6 . ACCIDENTAL RELEASE MEASURES

Personal precaution: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precaution: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for contaminant and cleaning up: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

7 . HANDLING AND STORAGE

Precaution for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Condition for safe storage: Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: Store between the following temperatures: 20 to 25°C (68 to 77°F).

8 . EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits : none

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment: .

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection: Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Complete suit protecting against chemicals.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form	Liquid
Color	Clear to slightly hazy. Colorless

Safety data:

pH	no data available
Melting point	no data available
Freezing point	no data available
Boiling point	no data available
Flash point	no data available
Ignition temperature	no data available
Auto-ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapor pressure	no data available
Density	no data available
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no date available
Odor	Odorless
Odor threshold	no data available
Evaporation rate	no data available

10 . STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available.

Condition to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . TOXICOLOGICAL INFORMATON

Acute Toxicity

Sodium dodecyl sulphate
 LC50 Inhalation Dusts and mists Rat >3900 mg/m³ 1 hours
 LD50 Dermal Rabbit 580 mg/kg
 LD50 Oral Rat 1288 mg/kg

Corrosion/irritation

Sodium dodecyl sulphate
 Eyes - Mild irritant Rabbit - 250 Micrograms
 Eyes - Moderate irritant Rabbit - 24 hours 100 milligrams
 Eyes - Moderate irritant Rabbit - 10 milligrams
 Skin - Mild irritant Dog - 24 hours 25 milligrams
 Skin - Mild irritant Guinea pig - 24 hours 25 milligrams
 Skin - Mild irritant Human - 504 hours 0.3 Percent
 Skin - Mild irritant Human - 24 hours 0.06 Percent
 Skin - Mild irritant Human - 22 hours 10 Percent
 Skin - Mild irritant Human - 47 hours 0.5 Percent
 Skin - Mild irritant Human - 18 hours 2 Percent
 Skin - Moderate irritant Human - 48 hours 3 Percent
 Skin - Moderate irritant Human - 24 hours 0.1 Percent
 Skin - Moderate irritant Mouse - 24 hours 25 milligrams
 Skin - Mild irritant Pig - 24 hours 25 milligrams
 Skin - Mild irritant Rabbit - 24 hours 50 milligrams
 Skin - Moderate irritant Rabbit - 24 hours 25 milligrams
 Skin - Mild irritant Human - 2 hours 2 Percent

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no known significant effects or critical hazards.

Teratogenicity

no known significant effects or critical hazards.

Specific target organ toxicity— single exposure (GHS)

no data available

Specific target organ toxicity— repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion May be harmful if swallowed.
Skin May be harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation

Aggravated Medical Condition

Avoid contact with DMSO solutions containing toxic materials or materials with unknown toxicological properties. Dimethyl sulfoxide is readily absorbed through skin and may carry such materials into the body.

Synergistic effects

no known significant effects or critical hazards.

Additional information

RTECS : not available

The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

12 . ECOLOGICAL INFORMATION

Toxicity

Sodium dodecyl sulphate
 Acute EC50 1200 µg/l Marine water Algae - Skeletonema costatum 96 hours
 Acute LC50 900 µg/l Marine water Crustaceans - Artemia salina Adult 48 hours
 Acute LC50 1400 µg/l Fresh water Daphnia - Daphnia pulex -Neonate 48 hours
 Acute LC50 590 µg/l Fresh water Fish - Cirrhinus mrigala - Larvae 96 hours
 Chronic NOEC 1.25 mg/l Marine water Algae - Ulva fasciata - Zoea 96 hours
 Chronic NOEC 3.2 mg/l Fresh water Daphnia - Daphnia magna Neonate 21 days
 Chronic NOEC >1357 µg/l Fresh water Fish - Pimephales promelas 42 days

Persistence and degradability

no data available

Bioaccumulative potential

Sodium dodecyl sulphate -2.03

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effect

no data available

13 . DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14 . TRANSPORT INFORMATION

DOT(US)

UN Number	Not regulated
Proper shipping name	-
Glass	-
Packing group	-

IMDG

Not dangerous goods

IATA

Not dangerous goods

15 . REGULATORY INFORMATION

United States

HCS Classification : not determined

TSCA 8(a) IUR exempt/Partial exemption : not determined

United States Inventory (TSCA 8b) : not determined

SARA 302/304/311/312 extremely hazardous substances :

Sodium dodecyl sulphate CAS No 151-21-3

SARA 302/304 emergency planning and notification:

No products were found

SARA 311/312 Hazard Identification : acute health hazard

Clean Air Act Section 112(b) : not listed
Hazardous air pollutants (HAPs)

Clean Air Act Section 602 : not listed
Class I substances

Clean Air Act Section 602 : not listed
Class II substances

DEA List I Chemicals : not listed
(Precursor chemicals)

DEA List II Chemicals : not listed
(Essential chemicals)

States Regulation

Massachusetts : None of the components are listed

New York : None of the components are listed

New Jersey :

Sodium dodecyl sulphate CAS No 151-21-3

Pennsylvania :

Sodium dodecyl sulphate CAS No 151-21-3

California Prop. 65 Components :

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canada

All components are listed or exempted

Canadian lists

Canadian NPRI : None of the components are listed

CEPA Toxic substances : None of the components are listed

International Regulation

Australia (AICS) :	All components are listed or exempted.
China Inventory (IECSC) :	All components are listed or exempted.
Japan Inventory :	All components are listed or exempted.
Korea Inventory :	All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC):	All components are listed or exempted.
Philippines Inventory (PICCS) :	All components are listed or exempted.
Malaysia Inventory (EHS Register):	Not determined.
Taiwan inventory (CSNN):	Not determined.

16 . OTHER INFORMATION

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Serious eye damage
Flam. Sol. Flammable solids
H228 Flammable solid.
H302 + H332 Harmful if swallowed or if inhaled
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H401 Toxic to aquatic life.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
Skin Irrit. Skin irritation
STOT SE Specific target organ toxicity - single exposure

HIMS Rating:

Health hazard : 2
Chronic Health Hazard : *
Flammability : 0
Physical hazards: 0

NFPA Rating:

Health Hazard: 2
Fire: 0
Reactivity Hazard: 0

This compound is sold only for research use by personnel familiar chemicals and who are well trained in good laboratory habits, such as avoiding spills, keeping hands clean at all times and no rubbing eyes with working in the laboratory.

This solution is sold only in microliter quantities for use in life sciences research. No other use is intended. And any other use may involve substantive hazards.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish or legally valid contractual relationship. GenDEPOT LLC, shall not be held liable for any damage resulting from handling of or from with above product. The burden of safe use of this material rests entirely with the user.

Since the conditions of handling, storage and disposal of this material are beyond our control, it is the responsibility of the user to determine whether the material is fit for a particular purpose and/or suitable for the user's method of use or application, and to determine safe conditions for use of the material, and to assume full responsibility for loss, injury and expense arising out of or in connection with the use of material. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE MATERIAL DESCRIBED HEREIN SHALL BE CREATED BY OR INFERRED FROM ANY STATEMENT OR OMISSION FROM THIS MSDS.

Various government agencies and local authorities may have general or specific regulations applicable to the material which may not be covered in this MSDS. It is sole responsibility of the user to examine and confirm for its full compliance with any such regulations.

When the revision of this MSDS is received, please dispose of the old one.

Department issuing MSDS:
GenDEPOT LLC
Safety Department