

RAVPower


Turbo + 24W Quick Charge Wall Charger  
User Guide

## Using the RAVPower Wall Charger

Benutzen des RAVPower Steckdosen-Ladegeräts  
Utilisation du Chargeur Mural RAVPower  
Uso del Cargador de Pared de RAVPower  
Utilizzo del Caricabatterie da Parete RAVPower  
RAVPower充電器の使い方

### • 1. Plug it in

Stecken Sie es ein ; Branchez-le ; Conéctalo  
Inserire nella presa di corrente ; コンセントに差し込みます



### • 2. Charge your phone or tablet

Laden Sie Ihr Handy oder Tablet  
Chargez votre téléphone ou tablette  
Cargue su teléfono o tableta  
Ricaricare il telefono o il tablet  
スマートフォンやタブレットを充電します

RP-PC007

RAVPower

www.ravpower.com

### NORTH AMERICA

E-mail : support@ravpower.com(US)  
support.ca@ravpower.com(CA)  
Tel : 1-888-456-8468 (Monday-Friday: 9:00-17:00 PST)  
Address : 46724 Lakeview Blvd, Fremont, CA 94538

### EUROPE

E-mail:  
support.uk@ravpower.com(UK)  
support.de@ravpower.com(DE)  
support.fr@ravpower.com(FR)  
support.es@ravpower.com(ES)  
support.it@ravpower.com(IT)  
EU Importer : ZBT International Trading GmbH,  
Halstenbeker Weg 98C, 25462 Rellingen, Deutschland

### ASIA PACIFIC

E-mail : support.jp@ravpower.com(JP)  
JP Importer: 株式会社SUNVALLEY JAPAN  
Tel : 03-5542-0907 (10~18時/土日祝日を除く)

### MANUFACTURER

Manufacturer: Shenzhen NearbyExpress Technology  
Development Co., Ltd.  
Address: 333 Bulong Road, Shenzhen, China, 518129

Learn more about the EU Declaration of Conformity:  
<https://www.ravpower.com/downloads-RP-PC007-CE-Cert.html>



## Quick Charge (9V / 12V)

Schnellladen (9V / 12V)

Quick Charge (9V / 12V)

Carga Rápida (9V / 12V)

Ricarica Rapida (9V / 12V)

クイックチャージ (9V / 12V)

## Standard Charge (5V)

Standardladen (5V)

Charge standard (5V)

Carga Estándar (5V)





Ricarica Standard (5V)

標準充電 (5V)

## Specifications

Technische Daten ; Spécifications ;

Especificaciones ; Specifiche Tecniche ; 製品仕様

 Input	AC 100V - 240V 50 / 60HZ 0.8A Max
 Output	DC 3.6V - 6.5V / 3A, 6.5V - 9V / 2A, 9V - 12V / 2A Max
 Dimensions	85.5 x 50.0 x 43.6 / 3.3 x 1.9 x 1.7 in (UK) 94.0 x 30.5 x 44.2 / 3.7 x 1.2 x 1.7 in (EU) 72.5 x 44.0 x 30.0 / 2.9 x 1.7 x 1.2 in (US/JP)
 Weight	85 g / 3.0 oz (UK) 80 g / 2.8 oz (EU) 78 g / 2.75 oz (US/JP)

## Caution

Warnung ; Prudence ; Precaución ; Attenzione ; ご注意



- Keep away from extreme temperatures.
- Von hohen Temperaturen fernhalten.
- Tenir éloigné des températures extrêmes.
- Mantenga alejado de temperaturas extremas.
- Tenere lontano da temperature eccessive.
- 高温になる場所での使用・保管は避けてください。



- Do not expose to liquids.
- Von Feuchtigkeit fernhalten.
- Ne pas exposer aux liquides.
- No exponga a líquidos.
- Evitare il contatto coi liquidi.
- 本製品を水につけたり、濡らさないようにしてください。また水に濡れた場合は使用しないでください。発熱、発火、感電、破裂の原因になります。



- Don't dismantle.
- Nicht auseinander nehmen.
- Ne pas démonter.
- No desmantele.
- Non smontare.
- 分解、改造などはしないでください。分解、改造に起因する故障やトラブルに関しましては、弊社では責任を負いかねます。



- No Dropping.
- Nicht fallen lassen.
- Ne pas faire tomber.
- No Golpe o deje Caer.
- Non Lasciare Cadere.
- 製品を落とさないでください。

## Customer Service

Kundenservice ; Service clientèle ; Servicio al Cliente ; Servizio Clienti ; カスタマーサービス



- 18 Month Warranty.
- 18-monatige Garantie.
- Garantie de 18 mois.
- Garantía de 18 Meses.
- 18 Mesi di Garanzia.
- 18ヶ月の安心保証。



- Life-time Support.
- Lebenslanger Support.
- Assistance à vie.
- Soporte de por Vida.
- Supporto Clienti a Vita.
- 長期間のカスタマサポート。

## FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must withstand any interference received, including interference that may cause undesired operation.

尺寸: 40\*60mm

折页

材质: 128克铜版纸

Model:

RP-PC007