

SAFETY DATA SHEET

Preparation Date: 07/11/2012 Revision Date: 02/25/2021

SECTION 1: Identification

Non-Functionalized NanoXact[™] Silica Nanoparticles (SISN)

Manufacturer:

nanoComposix, Inc. 4878 Ronson CT STE K San Diego, CA 92111-1806 NANOCOMPOSIX CUSTOMER SERVICE: CHEMTREC (EMERGENCY ONLY): POISON CENTER: (858) 565-4227 (800) 424-9300 (800) 562-8236

Relevant Identified Uses: Laboratory chemicals, Manufacture substances

SECTION 2: Hazards Identification

EMERGENCY OVERVIEW:

OSHA Hazards: Inhalation of mist or dust may be harmful. Avoid repeated or prolonged breathing of spray mist or dust.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Specific target organ toxicity - repeated exposure (category 1), H372

Pictogram



Signal word	Danger
HMIS CLASSIFICATION	
Health Hazard:	1
Flammability:	0
Physical Hazards	: 0
NFPA RATING	
Health Hazard:	1
Fire:	0
Reactivity Hazard	d: 0

APPEARANCE: Translucent to opaque white liquid when dispersed; material may settle.

EYE CONTACT: May cause transient eye irritation. Prolonged exposure may cause eye damage.

SKIN CONTACT: May be harmful if absorbed through skin. Can cause transient skin irritation.

INHALATION: May be harmful to the respiratory tract and lungs if dust is inhaled.

INGESTION: May be harmful if ingested.

ACUTE HEALTH EFFECTS: May be irritating to skin, eyes and digestive tract. Prolonged exposure to dust/mist can produce pneumoconiosis.

CHRONIC HEALTH EFFECTS: Repeated and prolonged exposures have not been studied.

AGGRAVATION of PRE-EXISTING CONDITIONS: Prolonged inhalation of dust can increase lung injury in individuals with emphysema, asthma or other lung disorders.



SECTION 3: Composition and Information on Ingredients

CHEMICAL NAME: Colloidal silica nanoparticle Dispersion

CAS REGISTRY NUMBER: 7631-86-9 (silica colloid)

FORMULA: SiO₂

EINECS NUMBER: NA (See components)

CHEMICAL FAMILY: metal composite

SYNONYM: NanoXactTM silica nanoparticles, silicon dioxide nanoparticles, colloidal silicon dioxide, amorphous silica

INGREDIENTS	CAS #	% by Mass	Hazardous
Silica	7631-86-9	0.9-1.1%	No
Water	7732-18-5	>98-99	

SECTION 4: First Aid Measures

PRIMARY ROUTES OF EXPOSURE: Ingestion, dermal contact.

EYE EXPOSURE: Remove contacts if present. Immediately flush the eyes with water for at least 10-15 minutes. Seek medical attention if irritation persists.

SKIN EXPOSURE: Wash the affected area with soap and water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: If breathed in, move person to fresh air. Treat symptoms. If not breathing, give artificial respiration. Seek medical attention if necessary.

INGESTION: Do NOT induce vomiting. If the person is conscious, rinse their mouth out with water and give water. Never give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: The most important known symptoms and effects are described in section 2 and/or in section 11.

SECTION 5: Fire Fighting Measures

EXTINGUSHING MEDIUM: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus for fire fighting if necessary.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: None.

UNUSUAL FIRE OR EXPLOSION HAZARDS: None.

SECTION 6: Accidental Release Measures

GENERAL PROTECTION: See Section 8 for personal protection. Avoid breathing vapors, mist or gas.

ENVIRONMENTAL PRECAUTIONS: No special environmental precautions required.



www.nanoComposix.com

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP: Small spills can be swept up or diluted flushed with water to dilute according to local, state, and federal disposal guidelines. Solid surface should be wiped with a detergent-based cleaner to clean any remaining materials.

SECTION 7: Handling and Storage

PRECAUTIONS FOR SAFE HANDLING: Avoid contact with skin, eyes and clothing. Avoid prolonged or repeat exposure.

RECOMMENDED STORAGE: Closed container stored at 2-25°C. DO NOT FREEZE. Storage class (TRGS 510): Non-Combustible Liquids

SECTION 8: Exposure Controls and Personal Protection

CONTROL PARAMETERS:

Components with control parameters

			Control	
Components	CAS-No.	Value	parameters	Basis
			20 Million	
			particles per	USA. Occupational Exposure Limits (OSHA) - Table
Silicon dioxide	7631-86-9	TWA	cubic foot	Z-3 Mineral Dusts
		Based on impinger samples counted by light-field techniques. mppcf X		
	Remarks	35.3 = million particles per cubic meter = particles per c.c		
			80mg/m3 /	USA. Occupational Exposure Limits (OSHA) - Table
		TWA	%SiO2	Z-3 Mineral Dusts
		TWA	6 mg/m3	USA. NIOSH Recommended Exposure Limits
				California permissible exposure limits for
		PEL	6 mg/m3	chemical contaminants (Title 8, Article 107)

EXPOSURE CONTROLS:

APPROPRIATE ENGINEERING CONTROLS: General industrial hygiene practice.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SKIN PROTECTION: Wear protective clothing and gloves.

VENTILIATION: None.

RESPIRATOR: Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

ADDITIONAL PROTECTION: No additional protection required.

SECTION 9: Physical and Chemical Properties

FORM:

Liquid, individual particles 10- 1µm total diameter.

White Translucent liquid (<50 nm) to opaque white (larger particles, >50 nm).

APPEARANCE/COLOR:

UPPER/LOWER FLAMMABILITY LIMIT:

No data available.



	0	•	
WWW	nanoC.	omposix	.com

ODOR:	No data available.
VAPOR PRESSURE:	No data available.
ODOR THRESHOLD:	No data available.
VAPOR DENSITY:	No data available.
pH:	No data available.
RELATIVE DENSITY:	No data available.
MELTING/FREEZING POINT (°C):	1995 °C/No data available
SOLUBILITY:	No data available.
BOILING POINT (°C):	212 °F (100°C) @ 760 mm/Hg
FLASH POINT (°C):	No data available.
EVAPORATION RATE:	No data available.
FLAMMABILITY:	No data available.
PARTITION COEFFICIENT:	No data available.
AUTO-IGNITION TEMPERATURE (°C):	No data available.
DECOMPOSITION TEMPERATURE (°C):	No data available.
MOLECULAR WEIGHT:	No data available.
VISCOSITY:	No data available.
SPECIFIC GRAVITY:	No data available.

SECTION 10: Stability and Reactivity

REACTIVITY: No data available.

CHEMICAL STABILITY: Stable under recommended storage conditions. DO NOT FREEZE.

OTHER:

POSSIBILITY OF HAZARDOUS REACTIONS: Avoid contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) which can generate heat, splattering or boiling and the release of toxic fumes. Avoid contact with aluminum

CONDITIONS TO AVOID: No data available.

MATERIALS TO AVOID: No data available.

HAZARDOUS DECOMPOSITION PRODUCTS: Hazardous decomposition products may be formed under fire conditions – Silicon oxides –See section 5 the event of fire. Nature of decomposition products not known.

SECTION 11: Toxicological Information

HUMAN HAZARD CHARACTERIZATION: Potential human hazard is low. Although amorphous silica is not a carcinogen as purchased in this product, portions of it may convert to crystalline silica (cristobalite) when subjected to higher temperatures (1700°F). IARC and NTP define silica, crystalline (respirable) as a known human carcinogen

ACUTE TOXICITY

Oral LD50:	No data available.
Inhalation LD50:	No data available.
Dermal LD50:	No data available.
Other information on acute toxicity:	No data available.



SKIN CORROSION/IRRITATION:	No data available.
SERIOUS EYE DAMAGE/IRRITATION	No data available.
RESPIRATORY OR SKIN SENSITIZATION	No data available.
GERM CELL MUTAGENICITY	No data available.

CARCINOGENICITY

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

REPRODUCTIVE TOXICITY:	No data available
TERATOGENICITY:	No data available
SPECIFIC TARGET ORGAN TOXICITY	No data available
ASPIRATION HAZARD	No data available
POTENTIAL HEALTH EFFECTS	
Inhalation:	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed.
Skin:	May be harmful if absorbed through skin. May cause skin irritation.
Eyes:	May cause eye irritation.
SIGNS AND SYMPTOMS OF EXPOSURE: Exp	posure to silica compounds can cause contact dermatitis. The toxicological

SIGNS AND SYMPTOMS OF EXPOSURE: Exposure to silica compounds can cause contact dermatitis. The toxicological properties have not been thoroughly investigated. The data supplied are for closely related compounds. No data available.

SYNERGISTIC EFFECTS:	No data available.
ADDITIONAL INFORMATION:	RTECS not available.

SECTION 12: Ecological Information

No exotoxicity data is available. This product is not expected to present an environmental hazard.

AQUATIC/TERRESTRIAL ORGANISM TOXICITY:	No data available.
ASPIRATION HAZARD	No data available.
PERSISTANCE AND DEGRADABILITY:	No data available.
BIOACCUMULATIVE POTENTIAL:	No data available.
MOBILITY IN SOIL:	No data available.
PBT AND vPvB ASSESSMENT:	No data available.
OTHER ADVERSE EFFECTS:	No data available.

SECTION 13: Disposal Considerations

DISPOSAL: Dispose of according to local, state and federal regulations. (Refer to Section 8)



SECTION 14: Transportation Information

DOT (US):	Not dangerous goods.
IMDG:	Not dangerous goods.
IATA:	Not dangerous goods.
SHIPPING NAME (CFR):	Non-hazardous.
SHIPPING NAME (IATA):	Non-hazardous.

SECTION 15: Regulatory Information

OSHA HAZARDS: This product is classified as a hazardous chemical. Silica (amorphous) =TWA 10 mg/m3 (ACGIH) 6 mg/m3 OSHA. Target Organ Effect, Irritant.

DSL STATUS: All components of this product are on the Canadian DSL list

TOXIC SUBSTANCE CONTROL ACT: The chemical ingredients in this product are on the 8 (b) Inventory List (40 CFR 710).

CERCLA/SUPERFUND, 40 CFR 117,302: Notification of spills of this product is not required.

CANADIAN WHMIS: This is a controlled product under The House of Commons of Canada Bill C-71 (Class D2B)

SARA 302 COMPONENTS: No chemicals in this material are subject the reporting requirements of SARA Section 302.

SARA 313 COMPONENTS: No chemicals in this material are subject to the reporting requirements of SARA Section 313.

SARA 311/312 HAZARDS: No SARA Hazards.

MA RIGHT TO KNOW COMPONENTS: No components are subject to the MA Right to Know Act.

PA RIGHT TO KNOW COMPONENTS:

INGREDIENTS	CAS #	% by Mass	Hazardous
Silica	7631-86-9	0.9-1.1%	No
Water	7732-18-5	>98-99	No

NJ RIGHT TO NOW COMPONENTS

INGREDIENTS	CAS #	% by Mass	Hazardous
Silica	7631-86-9	0.9-1.1%	No
Water	7732-18-5	>98-99	No

CA PROP 65 COMPONENTS: This product does not contain any chemicals known to the State of CA to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 Other Information

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, nanoComposix, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information contained in this document or any use of the product based on this information.