

| CERTIFICATE OF ANALYSIS   |                       |  |
|---------------------------|-----------------------|--|
| PRODUCT NAME/DESCRIPTION: | Tongkat Ali + Fadogia |  |
| FINISHED LOT NUMBER:      | A33528154-7           |  |
| EXPIRATION DATE:          | 12/2024               |  |
| SERVING SIZE:             | 1 capsule             |  |

| ASSAY (ACTIVE INGREDIENTS) |                                     |             |        |
|----------------------------|-------------------------------------|-------------|--------|
| ANALYTE                    | SPECIFICATION<br>(PER SERVING SIZE) | TEST METHOD | RESULT |
| Tongkat Ali                | NLT 300 mg<br>(100% - 125%)         | By Input *  | 300 mg |
| Fadogia                    | NLT 300 mg<br>(100% - 125%)         | By Input *  | 300 mg |

| DESCRIPTION                     |   |              |           |
|---------------------------------|---|--------------|-----------|
| TEST NAME                       | SPECIFICATION                                       | METHOD       | RESULT    |
| Appearance / Color /<br>Texture | Clear capsule containing brown powder (100% - 125%) | Organoleptic | Conforms  |
| Fill Weight                     | 720 mg - 756 mg / capsule                           | Average *    | 726.95 mg |

| MICROBIAL REQUIREMENTS         |                  |                 |          |
|--------------------------------|------------------|-----------------|----------|
| TEST NAME                      | SPECIFICATION    | METHOD          | RESULT   |
| Total Aerobic Plate Count      | < 10,000 CFU / g | USP <2021> *    | Complies |
| Combined Total Yeast<br>& Mold | < 1,000 CFU / g  | AOAC <997.02> * | Complies |
| Escherichia coli               | Absence in 10 g  | USP <2022> *    | Negative |
| Salmonella spp.                | Absence in 10 g  | USP <2022> *    | Negative |
| Staphylococcus aureus          | Absence in 10 g  | USP <2022> *    | Negative |

Toniiq Page 1 of 2



| HEAVY METALS LIMITS |                      |          |          |
|---------------------|----------------------|----------|----------|
| TEST NAME           | SPECIFICATION        | METHOD   | RESULT   |
| Arsenic             | < 10 mcg/daily dose  | ICP-MS * | Complies |
| Cadmium             | < 4.1 mcg/daily dose | ICP-MS * | Complies |
| Lead                | < 0.5 mcg/daily dose | ICP-MS * | Complies |
| Mercury             | < 0.1 mcg/daily dose | ICP-MS * | Complies |

## **NOTES**

|   | Authorized By  |                                  |
|---|----------------|----------------------------------|
| - | Name (printed) | Jason Bollinger                  |
|   | Title          | Director of Operations & Quality |
|   | Date (MM/YYYY) | 02/2024                          |

**Toniiq** Page 2 of 2

<sup>\*</sup> The above is based on the testing results received from an approved thrid-party laboratory that is responsible for performance and results of the above analysis. The information set forth is offered as a service to our customers and is not intended to relieve a customer from its responsibility to determine the suitability of this information or to comply with all laws and regulations regarding the safe use of these materials.