


Bristol Maid™
Hospital Metalcraft™ Limited



Healthcare Essentials

Manufacturing Medical Furniture & Equipment in the United Kingdom Since 1953



Medical Furniture & Equipment

With over 65 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



Family Business

Hospital Metalcraft Ltd is a family company. We own our factory, production lines and delivery lorries. We continually invest into our staff and the development of new product ranges.



Healthcare Focused

With an extensive portfolio that covers almost every discipline, we have solutions to cater for the demands of the healthcare environment.



Manufactured In The UK

Hospital Metalcraft is proud to be a British manufacturing success story. Strict quality criteria are applied to both the Bristol Maid product range designed and produced within our own manufacturing facility, and complementary equipment from carefully selected partners.



The Best Quality

With over 65 years' experience, we are focused on the design and manufacture of high-quality products which will create value for our customers. With a worldwide customer base, the Bristol Maid brand is recognised by many thousands of satisfied customers.



Approved Supplier

We are an accredited NHS & public sector accredited supplier. This allows you to buy with confidence knowing your requirements for compliant and competitive tendering has already been met.



Dedicated Support

Our external sales representatives, sales support engineers and our customer service team are here to help you at every stage, from advice with product selection, managing the delivery of your order through to full service and repair support.



+44 (0)1258 484455



www.bristolmaid.com



Blandford Heights, Blandford Forum,
Dorset, DT11 7TG, UK



sales@bristolmaid.com

Contents

Bedside Cabinets & Overbed/Chair Tables

Bedside Cabinet - Polymer, Easy Clean	2
Bedside Cabinet - Single Upper Drawer	2
Overbed & Overchair Tables - Polymer, Easy Clean	3
Overbed & Overchair Tables - Melamine	3

Caretray Trolleys

Mild Steel, Single & Double Column	4
Stainless Steel, Single & Double Column	5

Chart Boards

A4 & A3	6
---------	---

Dispensers & Holders

Apron Dispenser - Roll	6
Glove / Mask Box Holders	6
Urine Bottle Holder - Hanging	7
Catheter Bag Holder - Free Standing	7

Room Dividers & Screens

Room Dividers	8
Mobile Screen - Solid, Three & Four Section, Folding	10

General Purpose Trolleys

General-Purpose Trolley - Mild Steel, Melamine Shelves	10
--	----

Dressing / Instrument Trolleys

Removable Shelves, Stainless Steel, 450mm Deep	11
Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep	11

Emergency Trolleys

Resuscitation Trolleys, Mild Steel	12
Sepsis Trolleys	13

Drug & Medicine Dispensing

Dispensing Trolley - Metal	14
Dispensing Trolley - High Capacity, Melamine	14
Pharmacy Trolley - Patient Administration	15
Security Clamp	15

Drug & Medicine Storage

Drug & Medicine Cabinets	16
Controlled Drug Cabinets	17
Drug & Medicine Cupboards	17

Examination & Treatment Couches

Two & Three Section, Variable Height	18
Two Section, Fixed Height	19
Leg Rest - Adjustable	19

Infusion & Pump Stands

Mobile Pump Stands - Polyurethane, Easy Clean	20
Mobile Infusion Stands - Polyurethane, Easy Clean	21

Linen Trolleys & Bags

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame	22
Soiled Linen Trolleys - Mild Steel, Cantilever Frame	22
Soiled Linen Bags	23
Clean Linen Trolleys	24

Baby Cribs

Variable Height, Battery Operation	27
Variable Height, Gas Strut Operation	27
Fixed Height	28

Medical Records




Medical Records Trolleys	29
Medical Records Workstations	30
Medical Records Filing Trolleys	31

Portering Chairs

Portering Chair - Rear Steer, Nesting, Sliding Footrest	32
Portering Chair - Front Steer, Nesting, Sliding Footrest	32

Sackholders & Waste Bins

Removable Body Bins - 20 / 50 / 75 Litre	33
--	----



This brochure provides a snapshot of the products Bristol Maid has to offer.
For more information, please contact your local distributor.

Bedside Cabinet - Polymer, Easy Clean

Features

- BS 3962 Part 6:1980 - Assessment of resistance to mechanical damage
- BS EN 12720:2009 - Furniture assessment of surface resistance to cold liquids
- BS EN 12721:2009 - Furniture assessment of surface resistance to wet heat
- BS EN 12722:2009 - Furniture assessment of surface resistance to dry heat
- BS 5852:2006 - Methods of the test for assessment of the ignitability
- BS 4875-7:2006 - Domestic & contract storage furniture
- Manufactured from recyclable polyethylene
- Open backless design ensures that all areas are accessible, whilst surfaces allow for easy & effective cleaning
- Distinct upper, middle & lower zones
 - Upper - Nurse zone with integral rim to contain any spillages. Ideally positioned for staff to use while standing
 - Middle - Patient zone provides storage area for patient use
 - Lower - Patient zone provides shelf for washbowl, footwear etc.
- Drawers can be inserted from either side, allowing the cabinet to be positioned either side of the bed
- Upper & middle drawers can be fitted with an RFID lock, providing secure storage for patient medicines / property*
- 100mm polymer twin-wheel braking castors
- Overall Dimensions - 480 x 665 x 1237mm

*cabinets with locks are supplied with one patient card - a programming card will be required per ward / directorate as per hospital policy



Item	Description	Weight
EBC015	No Locks	29.0kg
EBC020	Upper Drawer with Lock	29.1kg
EBC025	Middle Drawer with Lock	29.1kg
EBC030	Upper & Middle Drawer with Lock	29.1kg

Bedside Cabinet - Single Upper Drawer

Features

- Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients
- Melamine faced chipboard construction
- Upper drawer suitable for the storage of patient's medication or personal effects (fitted with a CAM lock & supplied with two keys)
- Optional personal effects drawer provides secure storage for personal possessions (fitted with a CAM lock & supplied with two keys)
- Optional electronic push button or RFID locks available for the upper & personal effects drawer
- Lower storage offered through...
 - Cupboard with double doors (adjustable shelf - model dependant)
 - Drawer (recessed shelf - model dependant)
- 50mm twin-wheel polypropylene castors
- Overall Dimensions - 485 x 485 x 905mm



Grey White	Beech	Description	Weight
BC1C/GW	BC1C/BE	Single Upper Drawer, Lower Cupboard with Double Doors & Adjustable Shelf	34.0kg
BC1CPD/GW	BC1CPD/BE	Single Upper Drawer, Personal Drawer & Lower Cupboard with Double Doors	35.8kg

Overbed & Overchair Tables - Polymer, Easy Clean

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- Finish Performance Tests (FIRA Standard 6250 2005)
- BS 3962-6: 1980 Methods of test for finishes for wooden furniture
- BS EN 12720: 2009 + A1: 2013 Assessment of surface resistance to cold liquids
- BS EN 12721: 2009 + A1: 2013 Assessment of surface resistance to wet heat
- BS EN 12722: 2009 + A1: 2013 Assessment of surface resistance to dry heat
- Height adjustable using a gas damper (760 - 1070mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with bed
- Recyclable polypropylene one-piece top, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
- Raised edges reduces misplacement of objects & contains spillages
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg
- Overall Dimensions...
 - Overbed Table - 895 x 440 x 760 - 1070mm
 - Overchair Table - 918 x 440 x 760 - 1070mm



Item	Description	Weight
OBP/SP/S	Overbed Table - Height Adjustable, Polymer, Easy Clean	14.0kg
OCP/SP/S	Overchair Table - Height Adjustable, Polymer, Easy Clean	13.5kg

Overbed & Overchair Table - Height Adjustable, Melamine

Features

- BS 2483: 1977 Specification for overbed tables (selected tests)
- BS EN 438-2: 2016 High-pressure decorative laminates (HPL). Sheets based on thermosetting resins (usually called laminates). Determination of properties
- Height adjustable using a gas damper (735 - 1045mm)
- Safety feature prevents trapping of the patient between the bed / chair & table
- Extruded aluminium column provides a smooth linear height adjustment
- Cantilever tubular base available as...
 - C shaped suitable for use with beds & chairs
 - Straight leg suitable for use with beds
- Melamine top with varnished edges available with either a flat top or one varnished beech lip
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Maximum load 25kg
- Overall Dimensions
 - Overbed Table - 895 x 440 x 735 - 1,045mm
 - Overchair Table - 918 x 440 x 735 - 1,045mm



Description	Grey White	Beech	Weight
Overbed Table - Height Adjustable, Melamine, Flat Top	OBL/GW0/SP/S	OBL/BE0/GW/S	14.5kg
Overbed Table - Height Adjustable, Melamine, One Lip	OBL/GW1/SP/S	OBL/BE1/GW/S	15.4kg

Caretray Trolleys - Mild Steel, Single & Double Column

Features

- Standard level, single & double column easy clean procedure trolleys
- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions...
 - Single - 550 x 550 x 993mm
 - Double - 1,005 x 550 x 993mm

For details of the full range - please contact your local distributor



CTM2/10/6S4D

CTM1/10/3S2D

Item	Description	Weight
CTM1/10/3S2D	Mild Steel, Single Column, 3 x 100mm, 2 x 150mm Trays	27.5kg
CTM2/10/6S4D	Mild Steel, Double Column, 6 x 100mm, 4 x 150mm Trays	46.7kg

Caretray Trolleys - Stainless Steel, Single & Double Column

Features

- Standard level, single & double column easy clean procedure trolleys
- Quick & easy disassembly, assists thorough & deep cleaning
- Recyclable polypropylene one-piece top & side panels, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning)
 - Top Panel - Raised edges on three sides provide defined grab points to act as push handles, whilst an integral rim at the front contains spillages (max load 30kg)
 - Side Panels - Incorporate runners with positive stops preventing trays from being accidentally withdrawn (symmetrical design allows tray insertion from either side)
- Carerails fitted to either side support a wide range of accessories
- Translucent, impact-resistant trays & dividers, smooth surfaces & radiused edges assists cleaning (compatible with steam cleaning / high temperature machine washing)
- Trays feature an integral handle with a plastic clip-on label cover (coloured labels supplied - white, blue, green, yellow & red)
- Each tray supplied with 2 x long & 2 x short dividers
- Max load per tray 5kg
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
- Overall Dimensions...
 - Single - 550 x 550 x 993mm
 - Double - 1,005 x 550 x 993mm

For details of the full range - please contact your local distributor



CTS2/10/6S4D


CTS1/10/3S2D

Item	Description	Weight
CTS1/10/3S2D	Stainless Steel, Single Column, 3 x 100mm, 1 x 150mm Trays	22.3kg
CTS2/10/6S4D	Stainless Steel, Double Column, 6 x 100mm Trays, 4 x 150mm Trays	47.3kg

Chart Boards - A4 & A3

Features

- A4 one spring clip (holds one chart 220 x 280mm)
- A3 two spring clips (holds one chart 450 x 280mm or two charts 220 x 280mm)
- Available with a 30 or 50mm mild steel square hook




Item	Description	Overall Dimensions (w x d x h)	Weight
A4 Chart Board			
CB005	A4, 30mm Hook	230 x 80 x 370mm	0.5kg
CB010	A4, 50mm Hook	230 x 100 x 370mm	0.5kg
A3 Chart Board			
CB015	A3, 30mm Hook	460 x 80 x 370mm	0.8kg
CB020	A3, 50mm Hook	460 x 100 x 370mm	0.8kg

Apron Dispenser - Roll

Features

- Apron roll holders, maximum width 415mm
- Holes for wall mounting (fixings not provided)
- Overall dimensions - 420 x 168 x 268mm



DAR/1

Item	Description	Weight
DAR/1	Apron Dispenser - Roll	2.0kg

Glove / Mask Box Holder - One Box

Features

- Accommodates glove & mask boxes up to 150mm in width
- Box presented in portrait orientation
- Available for wall mounting or fitted with a 15mm square hook (fixings not provided)
- Overall Dimensions - 143 x 100 x 152mm



GMBH/WM

Item	Description	Weight
GMBH/WM	One Box, Wall Mounted	0.5kg

Glove / Mask Box Holder - Three Box

Features

- Plastic coated wire frame
- Accommodates glove & mask boxes up to 150mm in width
- Boxes presented in landscape orientation
- Overall Dimensions - 290 x 115 x 405mm




Item	Description	Weight
DG/3	Three Box, Wall Mounting	0.7kg

DG/3

Urine Bottle Holder - Hanging

Features

- Compatible with bottles up to 115mm Diameter
- Plastic coated wire frame
- 30mm square hook
- Overall Dimensions - 150 x 182 x 282mm



Item	Description	Weight
UB/9	Urine Bottle Holder	0.3kg

UB/9

Catheter Bag Holder - Free Standing

Features

- Plastic coated wire frame
- Accepts most widely used bags
- Available freestanding or hanging (30mm square hook)
- Upper clip to hold the inlet tube
- Lower clip angles the drainage tube upwards to prevent drips should the tap leak
- Overall Dimensions - 250 x 250 x 550mm



Item	Description	Weight
UB005	Catheter Bag Holder - Free Standing	0.6kg

UB005

Room Dividers

Features

- Fixed height mobile room divider/workstation
- Ideal for use in critical care areas - A&E, ICU, ICT, HDU
- Modular design allows the unit to be configured to suit your specific requirements
- Frame, worktop & upstand/panel available as...
 - Full width upstand
 - Full width upstand & right hand mounted panel
 - Full width upstand & left hand mounted panel
 - Full width panel
- Four configurations of lower units...
 - Three drawer unit, upper drawer fitted with an electronic push button lock (2 x 170, 1 x 285mm drawers)
 - Five drawer unit, upper drawer fitted with an electronic push button lock (5 x 125mm drawers)
 - Cupboard with double doors & removable shelf
 - Cover panel (creates a space within the unit)
- Easy clean solid grade laminate work surface & upstand/panel
- Upper panel fitted with
 - Triple glove box holder
 - Alcohol gel holder (compatible with 500ml bottles, 70 x 70 x 225mm)
 - Apron roll dispenser
- 100mm ring buffers to protect the fabric of the building
- 100mm swivel castors, 2 off braking




RD3/DD/CP/D5/CC configured with DTSF/RD/450/2 & colour coded drawers



RD2L/D3/CP/D3

Configure Your Workstation in Four Easy Steps...


1 Select Your Frame



RD1

(45.0kg)


Full width upstand



RD2R

(63.0kg)


Full width upstand & right hand mounted panel



RD2L

(63.0kg)

Full width upstand & left hand mounted panel



RD3

(68.0kg)

Full width panel

2 Select Lower Unit A

3 Select Lower Unit B

4 Select Lower Unit C



D3

(40.0kg)


Three drawer unit, upper drawer fitted with an electronic push button lock (2 x 175, 1 x 285mm)



D5

(45.0kg)

Five drawer unit, upper drawer fitted with an electronic push button lock (5 x 125mm)



DD

(29.0kg)

Cupboard with double doors & removable shelf




CP

(3.0kg)

Cover panel (creates a space within the unit)

RD1 Frame



RD1/D5/CP/DD

Mobile Screen - Solid, Three & Four Section, Folding

Features

- Folding compact laminate solid screens
- Available as either three or four section
- Smooth surface assists cleaning
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors
- Overall Dimensions...
 - Overall Screen Height - 1680mm
 - Lowest Screen Height - 180mm
 - Folded - 600 x 435 x 1680mm



Item	Description	Overall Dimensions (w x d x h)	Weight
MS/S3	Mobile Screen - Solid, Three Section, Folding	1802 x 435 x 1680mm	20.8kg
MS/S4	Mobile Screen - Solid, Four Section, Folding	2403 x 435 x 1680mm	27.8kg

General-Purpose Trolley - Mild Steel, Melamine Shelves

Features

- Welded steel frame
- Fixed melamine shelves - 855 x 445mm
- Shelf heights - 210 & 845mm
- Maximum capacity per shelf 40kg
- 100mm pressed steel castors
- Overall Dimensions - 1,122 x 533 x 1,008mm



Item	Description	Weight
GP025	General-Purpose Trolley - Melamine, Two Shelves	20.0kg

Dressing / Instrument Trolleys - Removable Shelves, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between a flat shelf or one with three upturned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions...
 - Small - 470 x 470 x 890mm
 - Large - 770 x 470 x 890mm

For details of the full range - please contact your local distributor



DTSR/450

Flat Shelves	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSR/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSR/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)
- Overall Dimensions...
 - Small - 470 x 470 x 890mm
 - Large - 770 x 470 x 890mm



DTSF/450

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSF/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg

Resuscitation Trolleys - Mild Steel



Features

- Popular resuscitation trolley
- Drawer contents are secured when the lower cupboard is closed (security seal compatible)
- Upper drawer supplied with a plastic drawer liner, with dividers
- Recessed liquid retaining stainless steel work surface (usable 630 x 445)
- Lift up work flap (usable 305 x 455mm)
- Two hook infusion pole mounted to rear of trolley
- Low level bumper bar
- Push handles one end
- 125mm pressed steel castors
- Overall Dimensions...
 - Drawers (internal)
 - 70mm - 600 x 430 x 70mm
 - 96mm - 600 x 430 x 96mm
 - 155mm - 600 x 430 x 155mm
 - Lower Cupboard (internal)
 - 625 x 475 x 295mm



WT210

Item	Description	Overall Dimensions (w x d x h)	Weight
WT200	2 x 70mm & 1 x 155mm Deep Drawers, Lower Cupboard	825 x 575 x 999mm	74.0kg
WT210	3 x 96mm Deep Drawers, Lower Cupboard	825 x 575 x 999mm	75.1kg
WT250	4 x 70mm & 1 x 155mm Deep Drawers, Lower Cupboard	825 x 575 x 1165mm	86.0kg

Sepsis Trolleys

Features

- Trolleys designed for use in the treatment of Sepsis
- Supports delivery of 'The Sepsis Six' with clearly defined locations for equipment used in each of the stages
- Two locking options...
 - High Security Bolt Lock - Supplied with two keys
 - Electronic Push Button - Programmable four-digit code
- Two adjustable door shelves & an A4 document holder
- Six labelled drawers (Oxygen / Blood Cultures / Intravenous Antibiotics / Intravenous Fluid / Haemoglobin & Lactates / Urine Measurement)
- Optional 'Sharps Box Holder' or 'Universal Sharps Box Bracket Mounting Plate' (fits to the l / h side of the trolley)
- Upper work surface
- Push handles incorporate integral buffers to offer protection to both the trolley & fabric of the building
- 125mm polymer castors
- When not in use, trolleys storing medicines should be secured to the wall. See option MT/1/6F Security Clamp
- Overall Dimensions...
 - Trolley - 511 x 542 x 1072mm
 - Drawers - 335 x 295 x 113mm (internal)



Electronic Push Button Lock



High Security Bolt Lock



SEPS/6/HSB

High Security Bolt Lock	Electronic Push Button Lock	Description	Weight
SEPS/6/HSB	SEPS/6/EPB	Sepsis Trolley - Six Drawer	53.4kg

Dispensing Trolley - Standard Capacity, Metal

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lid provides document support
- Fitted with a high security bolt lock (supplied with two keys)
- Hinged writing flap provides a work area at height 907mm (max capacity 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 100mm pressed steel castors
- When not in use, trolley should be secured to the building
- Overall Dimensions - 891 x 459 x 1,112mm



MT140

Item	Description	Weight
MT140	Dispensing Trolley - Metal, High Security Bolt Lock, Medium	25.0kg

Dispensing Trolley - High Capacity, Melamine

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines
- Lockable hinged lids...
 - Upper - Assisted using a gas strut, providing document support
 - Lower - Provides a work area, at height 980mm (max load 4.0kg)
- Electronic Push Button - Programmable four-digit code
- Hinged work flap provides a work area at height 850mm (max load 2.0kg)
- Lower shelf
- Five tier plastic rack (395mm)
- Two slide out storage / waste bins
- 125mm pressed steel castors
- Ring buffers
- When not in use, trolley should be secured to the building
- Overall Dimensions - 905 x 560 x 1,290mm



MT230CL

Item	Description	Weight
MT230CL	Dispensing Trolley - High Capacity, Melamine, Electronic Push Button Lock, Large	50.0kg

Pharmacy Trolley - Patient Administration

Features

- Trolleys suitable for the storage & dispensing of drugs & medicines using individual compartments dedicated for each patient
- High Security Bolt Lock - Supplied with two keys
- Supplied with 4 / 8 trays subdivided into equal compartments...
 - 24 Compartment - 4 trays subdivided into 6 equal compartments, each compartment - 190mm x 132mm x 220mm (5.5 Litres). Label holders provided for each compartment
- Upper work surface
- Push handles incorporate integral buffers to offer protection to both the trolley & fabric of the building
- Plastic debris bin & bracket
- 125mm polymer castors
- When not in use, trolley should be secured to the building
- Overall Dimensions - 627 x 579 x 1,165mm
-

For details of the full range - please contact your local distributor



Item	Description	Weight
PTS/HSB/PA24	Pharmacy Trolley - Patient Administration, Single Door, 24 Compartments	51.4kg

Security Clamp

Features

- Allows the trolley to be secured to the 'fabric of the building'
- Requires no additional keys, utilises the trolleys own locking system
- One end is secured to the wall, the 'hook shaped' end is trapped by the door / lid of the trolley when closed & locked
- Overall Dimensions - Length 950mm



MT/1/6F

Item	Description	Weight
MT/1/6F	Security Clamp	0.75kg

Drug & Medicine Cabinets - Shelves & Door Shelves

Features

- Independently tested to BS 2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Adjustable & removable shelves (190mm deep) & door shelves (75mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 12v DC LED lighting / warning system (model dependent) with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- 0.9mm mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs



Single Door Cabinet

Overall Dimensions (w x d x h)	Item	Shelves / Door Shelves	Compatible CD Cabinets	Weight
600 x 300 x 600mm	PC636	3 / 3	CD005, CD010	33.9kg

Double Door Cabinet

Overall Dimensions (w x d x h)	Item	Shelves / Door Shelves	Compatible CD Cabinets	Weight
800 x 300 x 900mm	PC839	8 / 8	CD005, CD010, CD015	45.9kg
1000 x 300 x 900mm	PC1039	8 / 8	CD005, CD010, CD015	53.9kg

Controlled Drug Cabinets

Features

- Exceeds the statutory requirement for the storage of controlled drugs "The Misuse of Drugs (Safe Custody) Regulations 1973" (with the exception of CD045 & CD145)
- BS 3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with two keys & identification card)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs per profile
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Can be supplied with a micro-switch to allow connection to remote lighting / nurse call system by others (CD905), or supplied with a 12v DC LED lighting / warning system with volt-free contact to allow connection to light / nurse call systems. Requires 100v - 240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- 1.5mm mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security of models CD005, CD010 & CD015 can be enhanced by concealing inside one of our 'Drug & Medicine Cabinets'
- Modular design allows for easy interchange with HTM 63 storage systems



CD005

Overall Dimensions (w x d x h)	R/H Door	Shelves	Lighting / Warning System (Optional)	Weight
210 x 270 x 300mm	CD005	1	CD910	8.0kg
335 x 270 x 300mm	CD010	1	CD910	9.0kg
335 x 270 x 550mm	CD015	2	CD910	17.0kg

Drug & Medicine Cupboard

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with three keys)
- Available as either 870 / 1870mm high
- Available with plastic trays
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with CLIQ®, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Optional Digital Push Button Lock (does not conform to BS 2881: 1989)
- Worksurface supplied with 870mm cupboards (removable to assist with positioning under existing worktops)
- 0.9mm mild steel welded construction
- Modular design allows for easy interchange with HTM 63 storage systems



MC/R/1870/7S5D

Overall Dimensions (w x d x h)	Description	Right Hand Opening	Left Hand Opening	Weight
500 x 536 x 1870mm	Plastic Trays	MC/R/1870/7S5D	MC/L/1870/7S5D	88.6kg

Examination / Treatment Couches - Two & Three Section, Variable Height

Features

- BS 2838-2: 1991 Examination & general treatment couches, build, performance & safety specifications
- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
- Electric height adjustment from 490 - 950mm
- Adjustable angle backrest from -25 to +90 degrees
- Adjustable angle footrest from -22 to +90 degrees (3 section couch only)
- Anti-trap gas struts fitted with release levers used on back & footrest sections
- Retractable castors fitted to both ends to assist with movement & positioning
- One adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- 230V ~, 50/60Hz, fitted with a UK 3 pin plug & supplied with a hand switch
- Seamless upholstery using flame retardant anti-microbial vinyl
- Overall Dimensions - 630 x 1,790 x 490 - 950mm (max capacity 225kg)

Bariatric options also available for details - please contact your local distributor

Options

- E02 - Paper Roll Holder



Item	Description	Weight
EC1210/VBB	Two Section, Variable Height	68.8kg
EC1310/VBB	Three Section, Variable Height	70.2kg

Examination / Treatment Couch - Two Section, Fixed Height

Features

- Fixed height approx. 786mm
- Adjustable angle backrest 0 to +90 degrees using a scissor jack
- Adjustable feet allow levelling on uneven floors
- Seamless upholstery using flame retardant anti-microbial vinyl
- Paper roll holder fitted to foot end (suitable for rolls max 510mm wide x 200mm diameter)
- Supplied boxed for self-assembly
- Overall Dimensions - 610 x 1,860 x 795mm (max capacity 125kg)



EC010/VBB

Item	Description	Weight
EC010/VBB	Examination/Treatment Couch - Two Section, Fixed Height	29.0kg

Leg Rest - Adjustable

Features

- Independently adjustable legs
- Height & angle adjustment from 355 - 510mm
- Seamless upholstery using flame retardant anti-microbial vinyl
- Maximum capacity 25kg
- Overall Dimensions - 460 x 305 x 350 - 510mm (max capacity 25kg)



CS/28/VBB

Item	Description	Weight
CS/28/VBB	Leg Rest - Adjustable	3.5kg

Mobile Pump Stands - Polyurethane, Easy Clean



Features

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Five leg-base with low centre of gravity to assist stability
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Height adjustable upright using a handwheel (1,300 - 2,000mm)
- Four U shaped hooks
- Maximum recommended load...
 - Hooks - 12kg per stand plus
 - Fixed Upright/s - 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1,300 - 2,000mm



Smooth edges & contours, allows easy & effective cleaning



Height adjustable upright using a heavy duty handwheel



PS/P/HC/4H
(pumps not included)

PS/P/SC/4H

Item	Description	Weight
PS/P/SC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, Standard Capacity, Four Hook	11.0kg
PS/P/HC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, High Capacity, Four Hook	13.0kg

Mobile Infusion Stands - Polyurethane, Easy Clean

Features

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Five leg-base with low centre of gravity to assist stability
- 25mm diameter 304 grade stainless steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - Shield for the castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1,260 - 2,100mm)
- Available with two or four pigtail hooks
- Maximum recommended load...
 - Hooks - 4kg per stand plus
 - Fixed Upright - 4kg per stand
- Optional handle keeps feet clear of the base, assists maneuverability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)
- Overall Dimensions - 620 x 620 x 1,260 - 2,100mm

Options

- Coloured Indicator Cap - Blue / Green / Red / Yellow



BL
Blue



GR
Green



RD
Red



YE
Yellow



Models available with 2 or 4 hooks



Spearmint	Blue	Green	Red	Yellow	Description	Weight
IS/P/2H/SP	IS/P/2H/BL	IS/P/2H/GR	IS/P/2H/RD	IS/P/2H/YE	Two Hook	7.8kg
IS/P/4H/SP	IS/P/4H/BL	IS/P/4H/GR	IS/P/4H/RD	IS/P/4H/YE	Four Hook	7.9kg
IS/P/2H/H/SP	IS/P/2H/H/BL	IS/P/2H/H/GR	IS/P/2H/H/RD	IS/P/2H/H/YE	Two Hook, Handle	8.2kg
IS/P/4H/H/SP	IS/P/4H/H/BL	IS/P/4H/H/GR	IS/P/4H/H/RD	IS/P/4H/H/YE	Four Hook, Handle	8.3kg

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, which when depressed prevents the trolley from moving
- 75mm pressed steel castors
- Overall Dimensions...
 - Single - 440 x 460 x 820mm
 - Double - 835 x 460 x 820mm
 - Single, Pedal Operated - 440 x 560 x 830mm
 - Double, Pedal Operated - 835 x 560 x 830mm

*Recommended minimum bag circumference 1,360mm, height 750mm



Item	Description	Weight
WT/6/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Single	6.5kg
WT/6/2/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Double	10.0kg
WT/6/PL/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/SS	Soiled Linen Trolley - Stainless Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Trolleys - Mild Steel, Cantilever Frame

Features

- Welded mild steel frame
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, which when depressed prevents the trolley from moving
- 75mm pressed steel castors
- Overall Dimensions...
 - Single - 440 x 460 x 820mm
 - Double - 835 x 460 x 820mm
 - Single, Pedal Operated - 440 x 560 x 830mm
 - Double, Pedal Operated - 835 x 560 x 830mm

*Recommended minimum bag circumference 1360mm, height 750mm



Item	Description	Weight
WT/6/MS	Soiled Linen Trolley - Mild Steel Cantilever, Single	6.5kg
WT/6/2/MS	Soiled Linen Trolley - Mild Steel Cantilever, Double	10.0kg
WT/6/PL/MS	Soiled Linen Trolley - Mild Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/MS	Soiled Linen Trolley - Mild Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Bags

Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



Item	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg
R/BAG/RED	Red Linen Bag	0.3kg
R/BAG/GREEN	Green Linen Bag	0.3kg
R/BAG/YELLOW	Yellow Linen Bag	0.3kg
R/BAG/GREY	Grey Linen Bag	0.3kg
R/BAG/ORANGE	Orange Linen Bag	0.3kg

Clean Linen Trolleys - Small (390 Litre)

Features

- Suitable for ward clean linen storage
- Available with a flexible cover or fold back doors, to prevent dust ingress
- Mild steel frame, with lightweight aluminium cladding & shelves
- Two adjustable shelves, plus base (max 45kg per shelf)
- Shelf size - 1,000 x 450mm (w x d)
- Push handles either end
- 125mm pressed steel castors
- Maximum capacity per trolley 135kg
- Overall Dimensions - 1175 x 530 x 1065mm



WT/42



WT/42/COVER



WT/42/FBD

Item	Description	Weight
WT/42	Clean Linen Trolley - Small	39.7kg
WT/42/COVER	Clean Linen Trolley - Small, Flexible Cover	42.4kg
WT/42/FBD	Clean Linen Trolley - Small, Fold Back Doors	46.0kg

Clean Linen Trolleys - Medium (690 Litre)

Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame with lightweight aluminium cladding & shelves
- Three adjustable shelves plus base (max 45kg per shelf)
- Shelf size - 1,180 x 460mm (w x d)
- Inset push handles at either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, to prevent dust ingress
- Optional tow bar fitting
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Overall Dimensions - 1,430 x 600 x 1,495 (max capacity 180kg)



Item	Description	Weight
WT/50/COVER	Clean Linen Trolley - Medium, Flexible Cover	90.0kg
WT/50/FBD	Clean Linen Trolley - Medium, Fold Back Doors	97.3kg

Clean Linen Trolleys - Large (1,100 Litre)

Features

- Used for bulk linen delivery, as part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame, with lightweight aluminium cladding & shelves
- Three adjustable shelves plus base (max 45kg per shelf)
- Shelf size - 1,430 x 555mm (w x d)
- Inset push handles at either end
- Low level bumper bar offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, preventing dust ingress
- Optional tow bar fitting
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Overall Dimensions - 1,710 x 700 x 1,620mm (max capacity 180kg)



Item	Description	Weight
WT/48/COVER	Clean Linen Trolley - Large, Flexible Cover	102.9kg
WT/48/FBD	Clean Linen Trolley - Large, Fold Back Doors	111.5kg

Baby Crib - Variable Height, Battery Operation



Features

- EN 60601-1:2006+A12:2014 Medical electrical equipment. General requirements for basic safety & essential performance
 - Height adjustable using a handset operated rechargeable battery powered telescopic column (700 - 910mm)
 - Supplied with one rechargeable battery*
 - Push handles either end
 - Lower cupboard with fixed shelf
 - Crib can be tilted at either end (horizontal to approx. 6 degrees)
 - Two lift-up work flaps (max capacity 2.0kg)
 - Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
 - 100mm Polymer braking castors
- *Battery must be removed from the unit when charging



BCV/B

Item	Description	Weight
BCV/B	Baby Crib - Variable Height, Battery Operation, With Charger	49.5kg

Baby Crib - Variable Height, Gas Strut Operation



Features

- Height adjustable using a gas damper (710 - 1025mm)
- Push handle either end
- Crib can be tilted at either end (horizontal to approx. 6 degrees)
- Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
- 75mm twin-wheel braking castors



BCV/G

Item	Description	Weight
BCV/G	Baby Crib - Variable Height, Gas Strut Operation	20.2kg

Baby Cribs - Fixed Height



Features

- Available with...
 - Lower shelf
 - Lower shelf & small cupboard
 - Large cupboard
- Crib can be tilted at either end (horizontal to approx. 6 degrees)
- Two lift-up work flaps (max capacity 2.0kg)
- Supplied with a clear plastic crib (PETG) & flame-retardant mattress (max capacity 6.0kg)
- 100mm pressed steel castors, 2 off braking



BCF/LC



BCF/SC



BCF/LS

Item	Description	Weight
BCF/LS	Baby Crib - Fixed Height, Lower Shelf	20.4kg
BCF/SC	Baby Crib - Fixed Height, Small Cupboard	30.8kg
BCF/LC	Baby Crib - Fixed Height, Large Cupboard	38.0kg

Medical Records Trolleys

Features

- Suitable for use with our popular narrow filing pockets (order separately)
- Filing capacity
 - Small - 470mm
 - Medium - 690mm
 - Large - 990mm
- Locking lid/s act as a work surface when open & is fitted with either a...
 - CAM Lock - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Maximum load on locking lid/s - 2.0kg
- Document pocket/s fitted to end of trolley
- Optional ring buffers offer protection to both the trolley & fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Options

- CF/F/PK10 - Foolsap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)



Item	Description	Weight
MRT/WA/S/EPB	Medical Records Trolley - Small, Electronic Push Button Lock	23.6kg
MRT/WA/M/EPB	Medical Records Trolley - Medium, Electronic Push Button Lock	29.6kg

Medical Records Workstations

Features

- Suitable for use with our filing pockets (order separately)
- Provides 375mm filing capacity per drawer
- Available as single & double column units with...
 - One / two drawers & x-ray pigeon-hole (5 / 10 sections)
 - One / two drawers & open cupboard
 - Two / four drawers
- Fitted with an electronic push button lock (one lock secures all drawers)
- Where relevant one lock secures all drawers
- Double drawer units fitted with an anti-tilt mechanism preventing two drawers from being opened at the same time
- Max load per drawer 16.0kg
- Push handle & document pocket fitted to end of trolley
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building
- 100mm pressed steel castors, 2 off braking
 - Single Column - 604 x 538 x 1,028mm
 - Double Column - 1056 x 538 x 1,034mm

Options

- CF/F/PK10 - Foolsap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)



Item	Description	Weight
MRW/WA/2D/EPB	Medical Records Workstation - Single Column, Two Drawers, Electronic Push Button Lock	40.6kg
MRW/WA/4D/EPB	Medical Records Workstation - Double Column, Four Drawers, Electronic Push Button Lock	72.0kg

Medical Records Filing Trolleys

Features

- Suitable for use with ring binders, case note & lever arch files (max file height 350mm)
- Available in two sizes with either an open front or locking door/s
 - Small - 900mm filing capacity
 - Large - 1800mm filing capacity
- Adjustable dividers (small 4 / large 8)
- Doors fold against the sides of the trolley (not flat)
- Large trolleys use one lock to secure both doors
- Two locking options...
 - CAM Lock - Supplied with two keys
 - Electronic Push Button Lock - Programmable four-digit code
- Optional ring buffers offer protection to both the trolley & fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors
- Overall Dimensions...
 - Small - 546 x 440 x 1,016mm
 - Large - 998 x 440 x 1,016mm



MRT/FL/S/EPB



MRT/FL/L/EPB

Item	Description	Weight
MRT/FL/S/EPB	Small - Locking Door, Electronic Push Button Lock	26.5kg
MRT/FL/L/EPB	Large - Locking Doors, Electronic Push Button Lock	41.0kg

Portering Chair - Rear Steer, Nesting, Sliding Foot Rest

Features

- Heavy duty portering chair
- Nests to occupy reduced floor space & encourage tidy storage
- Seamless upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients & porters
- Sliding footrest aids access as well as supporting feet during transit
- X-ray / notes pocket on rear of seat
- Hook for patients' belongings
- Fittings to accept infusion poles
- 200mm fixed wheels / 150mm total stop braking castors (cushioned)
- Maximum capacity 190kg
- Overall Dimensions - 660 x 840 x 1,040mm (max capacity 190kg)



G/200/RS/VBB

Item	Description	Weight
G/200/RS/VBB	Portering Chair - Rear Steer, Nesting, Sliding Foot Rest	29.0kg

Portering Chair - Front Steer, Nesting, Sliding Foot Rest

Features

- Heavy duty portering chair
- Nests to occupy reduced floor space & encourage tidy storage
- Seamless upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients & porters
- Sliding footrest aids access as well as supporting feet during transit
- X-ray / notes pocket on rear of seat
- Hook for patients' belongings
- Fittings to accept infusion poles
- 125mm swivel castors / 200mm braking fixed wheels (cushioned)
- Maximum capacity 190kg



G/305/FS/VBB

Item	Description	Weight
G/305/FS/VBB	Portering Chair - Front Steer, Nesting, Sliding Foot Rest	29.0kg

Removable Body Bins - 20 / 50 / 75 Litre

Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification (HTM07)
- Choice of construction...
 - Mild steel tubular frame & sheet metal body, painted for extra durability
 - 'Rust Free' stainless steel construction, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes
- Overall Dimensions...
 - 20 Litre - 267 x 346 x 552mm
 - 50 Litre - 444 x 397 x 551mm
 - 75 Litre - 444 x 397 x 781mm



BR015/WHL




BR045/WHL




BR075/WHL

Item	Description	Weight
20 Litre		
BR015/WHL	20 Litre - Hands Free, White Lid	8.5kg
BR020/WHL	20 Litre - Hands Free & Silent Closing, White Lid	8.5kg
50 Litre		
BR045/WHL	50 Litre - Hands Free, White Lid	11.5kg
BR050/WHL	50 Litre - Hands Free & Silent Closing, White Lid	11.5kg
75 Litre		
BR075/WHL	75 Litre - Hands Free, White Lid	15.0kg
BR080/WHL	75 Litre - Hands Free & Silent Closing, White Lid	15.0kg

Manufacturing Medical Furniture & Equipment Since 1953



Distributed by:



Hospital Metalcraft Limited
Blandford Heights, Blandford Forum,
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338
Fax: +44 (0) 1258 455056
sales@bristolmaid.com

www.bristolmaid.com

