



Supplied proudly in New Zealand by

**WS<sup>+</sup>**  
MEDICAL

# Dressing / Instrument Trolleys

## Removable Shelves, Stainless Steel, 450mm Deep

### Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between a flat shelf or one with three upturned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)

### Options / Accessories

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- Drawer Units - page 113 - Factory Fitted Only
- DP/C - Infusion Pole & Bracket
- ZP005 - Ring Buffers - Factory Fitted Only



Flat Shelves	Reversible Shelves	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSR/450	DTSR/450/SR	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSR/600	DTSR/600/SR	Medium	600 x 450mm	620 x 470 x 890mm	16.0kg
DTSR/750	DTSR/750/SR	Large	750 x 450mm	770 x 470 x 890mm	18.0kg
DTSR/900	DTSR/900/SR	X-Large	900 x 450mm	920 x 470 x 890mm	20.0kg

## Removable Shelves, Mild Steel, 450mm Deep

### Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded mild steel frame
- Flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between a flat shelf or a shelf with three upturned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)

### Standard Colours

- Paint - White

### Options / Accessories

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- Drawer Units - page 113 - Factory Fitted Only
- DP/C - Infusion Pole & Bracket
- ZP005 - Ring Buffers - Factory Fitted Only



Flat Shelves	Reversible Shelves	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTMR/450	DTMR/450/SR	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTMR/600	DTMR/600/SR	Medium	600 x 450mm	620 x 470 x 890mm	16.0kg

## Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

### Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)

### Options / Accessories

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- Drawer Units - page 113 - Factory Fitted Only
- DP/C - Infusion Pole & Bracket
- ZP005 - Ring Buffers - Factory Fitted Only



DTSF/450



DTSF/750



DTSF/900

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450	Small	450 x 450mm	470 x 470 x 890mm	11.5kg
DTSF/600	Medium	600 x 450mm	620 x 470 x 890mm	16.0kg
DTSF/750	Large	750 x 450mm	770 x 470 x 890mm	18.0kg
DTSF/900	X-Large	900 x 450mm	920 x 470 x 890mm	20.0kg

## Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep

### Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with down turned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)

### Options / Accessories

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)  
Factory Fitted Only - refer to page 115
- Drawer Units - page 113 - Factory Fitted Only
- DP/C - Infusion Pole & Bracket
- ZP005 - Ring Buffers - Factory Fitted Only



DTSF/450/2/SD



DTSF/600/2/SD



DTSF/900/2/SD

Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450/2/SD	Small	450 x 450mm	470 x 470 x 870mm	12.0kg
DTSF/600/2/SD	Medium	600 x 450mm	620 x 470 x 870mm	14.5kg
DTSF/750/2/SD	Large	750 x 450mm	770 x 470 x 870mm	18.0kg
DTSF/900/2/SD	X-Large	900 x 450mm	920 x 470 x 870mm	21.0kg

## Fixed Shelves, Sides Down, Stainless Steel, 600mm Deep

### Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with down turned sides
- Shelf heights 405 & 870mm
- Maximum capacity per shelf 40kg
- 100mm pressed steel anti-static non-marking castors

\* Drawers not suitable for this product

### Options / Accessories

- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking) Factory Fitted Only - refer to page 115
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking) Factory Fitted Only - refer to page 115
- DP/C - Infusion Pole & Bracket
- ZP005 - Ring Buffers - Factory Fitted Only



Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/66/2/SD	Small	600 x 600mm	620 x 620 x 870mm	17.5kg
DTSF/96/2/SD	Medium	900 x 600mm	920 x 620 x 870mm	24.0kg
DTSF/126/2/SD	Large	1200 x 600mm	1220 x 620 x 870mm	29.6kg

## Drawer Units

### Features

- Compatible with removable & fixed shelf ranges, with exception of 600mm deep trolleys
- Available in two sizes
  - Small - 300 x 400mm
  - Large - 600 x 400mm
- Each drawer unit is supplied with a 100mm deep HTM71 modular basket
- Stainless steel basket support & drawer carriage
- Precision telescopic runners
- Solid grade laminate drawer front
- Maximum load 5kg
- Trolleys accept only one tier of drawers
- Drawers are not lockable
- Factory fitted & must be ordered at the same time as the trolley

### Internal Dimensions (w x d)

- Small - 235 x 335mm (internal)
- Large - 535 x 335mm (internal)

### Options / Accessories

- 2HH-7014100 - Basket, 300 x 400 x 100mm
- 2HH-7012100 - Basket, 600 x 400 x 100mm
- 2HH-7811206N - Divider, 300 x 100mm
- 2HH-7811205N - Divider, 400 x 100mm
- 2HH-7811204N - Divider, 600 x 100mm
- Additional Trays, Baskets, Dividers & Accessories - page 198



DTSR/450/DUS/R



DUS/R



2HH-7011100

Item	Description	Trolley Compatibility	Weight
<b>Removable Shelf Trolleys</b>			
DUS/R	Drawer Unit - Small, Removable Shelf Trolleys	450mm & 600mm	5.1kg
DUL/R	Drawer Unit - Large, Removable Shelf Trolleys	750mm & 900mm	6.9kg
<b>Fixed Shelf Trolleys</b>			
DUS/F	Drawer Unit - Small, Fixed Shelf Trolleys	450mm & 600mm	4.7kg
DUL/F	Drawer Unit - Large, Fixed Shelf Trolleys	750mm & 900mm	6.5kg

## Reversible Shelves

### Features

- Allows the end user to choose between a flat shelf or one with three upturned sides
- Removable for cleaning
- Compatible with DTMR & DTSR ranges only



DTSR/600/SR

Item	Description	Weight
SR	Reversible Shelves	5-10kg

## Clamping Infusion Stands - Trolley

### Features

- Clamp secures to 25mm vertical round tube (designed to fit our range of dressing trolleys)
- When fitting to other trolleys, we strongly recommend that a risk assessment is carried out to assess stability
- When fitted protrudes 45mm
- Supplied with a two pigtail hook infusion pole
- Maximum capacity on hooks 2kg

### Dimensions (w x d x h )

- 55 x 220 x 1200mm



Item	Description	Weight
DP/C	Clamping Infusion Stands - Trolley	1.8kg



## Castors

### Features

- Polymer & pressed steel castors
- Anti-static & non-marking
- Supplied as a set of 4 castors
- 80mm polymer castors increase the height of the trolley by approx. 5mm
- 100mm polymer castors increase the height of the trolley by approx. 30mm
- 100mm steel castors increase the height of the trolley by approx. 30mm
- Factory fitted



Item	Description
C001	Castor - 80mm, Grey Polymer, 2 x Braking / 2 x Non-Braking (set of 4) - Factory Fitted Only
C002	Castor - 100mm, Grey Polymer, 2 x Braking / 2 x Non-Braking (set of 4) - Factory Fitted Only
C003	Castor - 100mm, Pressed Steel, 2 x Braking / 2 x Non-Braking (set of 4) - Factory Fitted Only

## Ring Buffers

### Features

- Set of four ring buffers
- Offers protection to both the trolley & fabric of the building
- Increases the length & width of trolley by approx. 80mm
- Factory fitted



DTSF/450/ZP005  
shown with Ring Buffers

Item	Description	Weight
ZP005	Ring Buffers (set of four) - Factory Fitted Only	0.3kg



## Manufacturing Medical Furniture & Equipment Since 1953

With over 70 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



**MADE IN  
BRITAIN**

Hospital Metalcraft Limited  
Blandford Heights, Blandford Forum,  
Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338  
Fax: +44 (0) 1258 455056  
sales@bristolmaid.com

[www.bristolmaid.com](http://www.bristolmaid.com)

Supplied proudly in New Zealand by

**WS<sup>+</sup>**  
**MEDICAL**

WS Medical

Email: [admin@wsmedical.co.nz](mailto:admin@wsmedical.co.nz)  
Freephone: 0800 330 331

[www.wsmedical.co.nz](http://www.wsmedical.co.nz)

