



Supplied proudly in New Zealand by

MEDICAL

Theatre Equipment

Bowl Stands - Fixed Height

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bowl retaining rings fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 75mm pressed steel non-marking castors (1 x anti-static)

Dimensions (w x d x h) • Side By Side - 750 x 445 x 860mm

- Tiered 445 x 445 x 860mm

- 2MECO079 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 360mm Diameter, 7 Litre Polythene Bowl



2MECO079 7 Litre Stainless Steel Bowl



2PLCO054 7 Litre Polythene Bowl



Item	Description	Weight
SBS/2	Bowl Stand - Fixed Height, Double Bowl, Side by Side	6.0kg
SBST/2	Bowl Stand - Fixed Height, Double Bowl, Tiered	5.0kg

Bowl Stands - Variable Height

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Height adjustable upright using a handwheel (753 1,100mm)
- Bowl retaining ring fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 50mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

Dimensions (w x d x h)

- Single 650 x 650 x 753 1,100mm
- Double 746 x 650 x 753 1.100mm

- 2MECO079 360mm Diameter. 7 Litre Stainless Steel Bowl
- 2PLCO054 360mm Diameter, 7 Litre Polythene Bowl



2MECO079 7 Litre Stainless Steel Bowl



2PLCO054 7 Litre Polythene Bowl





Bowl Stands - Variable Height, Polyurethane, Easy Clean

Features

- Five leg-base with low centre of gravity to assist stability
- 25mm diameter scratch resistant stainless-steel upright
- Polyurethane overmoulded base with smooth edges & contours provides...
 - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
 - · Shield for the twin-wheel castors
 - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
 - Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (820 1125mm)
- Bowl retaining rings fitted with removable anti-static spiral buffers to support bowls
- Suitable for use with 360mm diameter stainless or polythene bowls (order separately)
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

Dimensions (w x d x h)

- Single 620 x 620 x 820 1,125mm
- Double 746 x 620 x 820 1,125mm

- 2MECO079 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 360mm Diameter, 7 Litre Polythene Bowl
- · Coloured Indicator Cap Blue / Green / Red / Yellow



Item	Description	Weight
BO/P/VS/SP	Bowl Stand - Variable Height, Polyurethane, Easy Clean, Single Bowl	9.0kg
BO/P/VD/SP	Bowl Stand - Variable Height, Polyurethane, Easy Clean, Double Bowl	9.8kg



Bowl Stand - Kickabout

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bowl retaining ring fitted with removable anti-static spiral buffers to support bowls
- Supplied with a 7 litre. 360mm diameter stainless steel bowl
- 75mm pressed steel non-marking castors (1 x anti-static, 2 x non-anti-static)

Dimensions (w x d x h)

Overall Dimensions - 365 x 365 x 235mm

Options / Accessories

- 2MECO079 360mm Diameter, 7 Litre Stainless Steel Bowl
- 2PLCO054 360mm Diameter, 7 Litre Polythene Bowl



Item	Description	Weight
SBSL/1	Bowl Stand - Kickabout	3.2kg

Bucket Stands - Kickabout, 15 - Litre Bucket

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Bucket retaining ring fitted with removable anti-static spiral buffers to support the bucket
- · Model available fitted with a handle
- Supplied with a 15-litre graduated stainless steel bucket
- 75mm pressed steel non-marking castors (1 x anti-static, 2 x non-anti-static)

Dimensions (w x d x h)

- No Handle 460 x 460 x 470mm
- With Handle 460 x 460 x 470mm

Options / Accessories

• 2MECO081 - 15-litre graduated stainless steel bucket



Item	Description	Weight
SBKSL/1	Bucket Stand - 15 Litre Bucket	5.0kg
SBKSLH/1	Bucket Stand - 15 Litre Bucket, Handle	5.5kg

Instrument Trolleys - Fixed Shelves, Sides Down, Stainless Steel, 450mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- · Fixed shelves with down turned sides
- · Shelf heights 405 & 870mm
- · Maximum capacity per shelf 40kg
- 75mm pressed steel non-marking castors (1 x anti-static, 3 x non-anti-static)

- C001 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C002 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C003 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)
- Drawer Units page 113
- · DP/C Infusion Pole & Bracket
- ZP005 Ring Buffers



Item	Size	Shelf Size (w x d)	Overall Dimensions (w x d x h)	Weight
DTSF/450/2/SD	Small	450 x 450mm	470 x 470 x 870mm	12.0kg
DTSF/600/2/SD	Medium	600 x 450mm	620 x 470 x 870mm	14.5kg
DTSF/750/2/SD	Large	750 x 450mm	770 x 470 x 870mm	18.0kg
DTSF/900/2/SD	X-Large	900 x 450mm	920 x 470 x 870mm	21.0kg

Instrument Trolleys - Fixed Shelves, Sides Down, Stainless Steel, 600mm Deep

Features

- Meets BS4068:1977 Specification for hospital trolleys for instruments, dressings & for anaesthetists' use
- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- · Fixed shelves with down turned sides
- · Shelf heights 405 & 870mm
- · Maximum capacity per shelf 40kg
- 100mm pressed steel anti-static non-marking castors

- C002 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C003 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)
- DP/C Infusion Pole & Bracket
- · ZP005 Ring Buffers



Instrument / Mayo Tables - Cantilever, Variable Height

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- Available with two castors & skid feet or four castors
- Height adjustable upright using a handwheel...
 - Two Castors & Skid Feet 893 1.480mm
 - Four Castors 858 1.450mm
- Supplied with a removable stainless steel tray, 512 x 387 x 20mm (w x d x h)
- 50mm polypropylene / thermoplastic rubber twin-wheel anti-static castors

Dimensions (w x d x h)

- Two Castors & Skid Feet 641 x 450 x 893 1,480mm
- Four Castors 651 x 471 x 858 1.450mm



Item	Description	Weight
SS/22/1	Instrument / Mayo Table - Cantilever, Variable Height, Two Castors & Skid Feet	5.4kg
SS/22/2	Instrument / Mayo Table - Cantilever, Variable Height, Four Castors	5.8kg

Operating Platforms

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- · Aluminium embossed non-slip tread
- Non-slip, anti-static rubber feet
- · Max capacity 190kg

Dimensions (w x d x h)

- Small 400 x 300mm
- Large 600 x 300mm



Aluminium embossed non-slip tread



Item	Description	Weight
Small		
OP/431	Operating Platform - Small, 150mm High	4.2kg
OP/432	Operating Platform - Small, 200mm High	4.4kg
Large		
OP/631	Operating Platform - Large, 150mm High	6.0kg
OP/632	Operating Platform - Large, 200mm High	6.4kg

Suture Storage Trolleys

Features

- Angled shelves present contents for instant identification & easy access
- · Allows logical organisation, eliminates confusion, allowing for easier & faster
- Open wire design minimises dust accumulation, allowing for free circulation c visibility & light penetration
- No tools shelf adjustment in 25mm increments
- Each trolley supplied with 12 x shelf retainers to assist with segregation of co
- Delivered flat pack for self-assembly
- 125mm pressed steel castors, 2 off braking

Dimensions (w x d x h)

- Small 610 x 457 x 1778mm
- Medium 914 x 457 x 1778mm
- Large 1219 x 457 x 1778mm





Item	Description	weignt
8DC16EC	Trolley - Suture Storage, 5 x Angled Shelves, Small	50.0kg
8DC36EC	Trolley - Suture Storage, 5 x Angled Shelves, Medium	51.5kg
8DC56EC	Trolley - Suture Storage, 5 x Angled Shelves, Large	52.5kg

sales@bristolmaid.com +44 (0)1258 484455 www.bristolmaid.com

Sterile Container Storage

Features

- Fully configurable freestanding modular racking suitable for the safe storage of sterile containers
- Compatible with both blue wrap & rigid containers stored on either...
 - Telescopic shelves Compatible with containers up to max 600 x 300mm (width x depth)
 - Wire grid shelves Compatible with containers up to max 600 x 250mm (width x depth)
- Anodised extruded aluminium uprights & cross members
- Bolted construction using high quality moulded fixings provided rigidity & allows the system to be altered easily
- · Available as either static or mobile units
 - · Static Adjustable feet allow levelling on uneven floors
 - Mobile 50mm pressed steel castors
- Optional wall mounting brackets allow static units to be fixed securely to the wall (when units are loaded over 100kg)
- Supplied for self-assembly

Dimensions (w x d x h)

- Static
 - Single Bay 394 x 642 x 1940mm
 - Double Bay 737 x 642 x 1940mm
- · Mobile (50mm Castors)
 - Single Bay 394 x 642 x 1996mm
 - Double Bay 737 x 642 x 1996mm

Static

Item	Description	Weight
Single Bay		
4HH-SCS/S1/2W5T	Static, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	30.2kg
4HH-SCS/S1/8W	Static, Single Bay, 8 x Wire Grid Shelves	21.4kg
Double Bay		
4HH-SCS/S2/4W10T	Static, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	56.9kg
4HH-SCS/S2/16W	Static, Double Bay, 16 x Wire Grid Shelves	38.0kg

Mobile

Item	Description	Weight
Single Bay		
4HH-SCS/M51/2W5T	Mobile, Single Bay, 2 x Wire Grid Shelves & 5 x Telescopic Shelves	31.1kg
4HH-SCS/M51/8W	Mobile, Single Bay, 8 x Wire Grid Shelves	22.3kg
Double Bay		
4HH-SCS/M52/4W10T	Mobile, Double Bay, 4 x Wire Grid Shelves & 10 x Telescopic Shelves	58.2kg
4HH-SCS/M52/16W	Mobile, Double Bay, 16 x Wire Grid Shelves	39.3kg

Standard Colours

- Uprights & Cross Members Anodised Aluminium
- · Wire Grids Polished Stainless Steel
- Telescopic Shelves Anodised Aluminium
- Plastic Mouldings Green



4HH-SCS/M51/8W Shown with BBraun Aesculap Sterile Containers (not supplied)



4HH-SCS/S2/16W Shown with BBraun Aesculap Sterile Containers (not supplied)

10



Manufacturing Medical Furniture & Equipment Since 1953

With over 70 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.



Hospital Metalcraft Limited Blandford Heights,Blandford Forum, Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338 Fax: +44 (0) 1258 455056 sales@bristolmaid.com

www.bristolmaid.com

Supplied proudly in New Zealand by



WS Medical

Email: admin@wsmedical.co.nz Freephone: 0800 330 331

www.wsmedical.co.nz

