

Accessories



# Mobile Pump Stands - Polyurethane, Easy Clean

#### **Features**

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- · Five leg base with low centre of gravity to assist stability
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Polyurethane overmoulded base with smooth edges & contours provides...
  - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
  - · Shield for the castors
  - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
  - · Protection to the fabric of the building
- Height adjustable upright using a handwheel (1,300 2,000mm)
- Four U shaped hooks
- · Maximum recommended load...
  - · Hooks 12kg per stand plus
  - · Fixed Upright/s 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

# Dimensions (w x d x h)

- Overall 620 x 620 x 1,300 2,000mm
- Vertical Clamping Area
  - PS/P/SC/4H 975mm
  - PS/P/HC/4H 771mm (upright) 2 x 646mm (support bows)

#### **Standard Colours**

- · Base Grey
- · Upright & Support Bows Stainless Steel

# **Vertical Clamping Area**

- PS/P/SC/4H 975mm
- PS/P/HC/4H 771mm (upright) 2 x 646mm (support bows)



Smooth edges & contours, allows easy & effective cleaning

Item	Description	Weight
PS/P/SC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, Standard Capacity, Four Hook	11.0kg
PS/P/HC/4H	Mobile Pump Stand - Polyurethane, Easy Clean, High Capacity, Four Hook	13.0kg





 $\epsilon$ 

# eClean™



Four U shaped hooks

Brists Mail

Height adjustable upright using a heavy duty handwheel





# Mobile Pump Stands - Mild Steel, Four Leg

# $\epsilon$

#### **Features**

- Range of stands designed specifically to hold blood warmers, pumps & syringe drivers
- Fully welded four leg base
- 32mm diameter 304 grade stainless steel upright & 25mm diameter pump support bows
- Height adjustable upright using a handwheel (1,270 2,000mm)
- Four U-shaped hooks
- Maximum recommended load...
  - · Hooks 12kg per stand plus
  - Fixed Upright/s 22kg per stand
- 75mm polypropylene / thermoplastic rubber twin-wheel castors (1 x anti-static)

# Dimensions (w x d x h)

- Overall 560 x 621 x 1,270 2,000mm
- Vertical Clamping Area
  - PS/M/SC/4H 975mm
  - PS/M/HC/4H 771mm (upright) 2 x 646mm (support bows)

# **Standard Colours**

- Base Grey
- · Upright & Support Bows Stainless Steel

Description	Weight
Mobile Pump Stand - Mild Steel, Four Leg, Standard Capacity, Four Hook	14.7kg
Mobile Pump Stand - Mild Steel, Four Leg, High Capacity, Four Hook	16.7kg
I	Mobile Pump Stand - Mild Steel, Four Leg, Standard Capacity, Four Hook





Four U shaped hooks



Height adjustable upright using a heavy duty handwheel



PS/P/HC/4H (pumps not included)

# Mobile Infusion Stands - Polyurethane, Easy Clean

#### **Features**

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- · Five leg base with low centre of gravity to assist stability
- · 25mm diameter 304 grade stainless steel upright
- · Polyurethane overmoulded base with smooth edges & contours provides...
  - Water-resistant finish, allowing for easy & effective cleaning (including steam cleaning)
  - · Shield for the castors
  - Impact protection to patients & staff, reducing the risk of skin abrasions & bruising
  - · Protection to the fabric of the building
- Coloured indicator caps provide department identification & segregation, reducing the risk of cross contamination
- Height adjustable upright using a handwheel (1,260 2,100mm)
- · Available with two or four pigtail hooks
- · Maximum recommended load...
- Hooks 4kg per stand plus
- Fixed Upright 4kg per stand
- Fixed Oplight 4kg per stand
- Optional handle keeps feet clear of the base, assists manoeuvrability & improves patient safety
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors (1 x anti-static)

### Dimensions (w x d x h)

- Overall 620 x 620 x 1,260 2,100mm
- · Vertical Clamping Area
  - IS/P/2H & IS/P/4H 970mm
  - IS/P/2H/H & IS/P/4H/H 840mm

#### **Standard Colours**

- · Base Grey
- · Upright & Handle Stainless Steel
- Coloured Indicator Cap Spearmint

# **Options**

Coloured Indicator Cap - Blue / Green / Red / Yellow












4 hook pole supplied with models with '4H' product code suffix









# **Mobile Infusion Stands - Stainless Steel**

#### **Features**

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- Seamless welded 304 grade stainless steel construction
- Height adjustable upright using a handwheel (1,270 2,000mm)
- · Available with two or four pigtail hooks
- 9kg plastic coated weighted base available for additional stability
- Maximum recommended load...
- · Hooks 4kg per stand plus
- Fixed Upright
  - · Non-Weighted Base 2kg per stand
  - · Weighted Base 4kg per stand
- 50mm polypropylene / thermoplastic rubber twin wheel castors (1 x anti-static)

# Dimensions (w x d x h)

• 650 x 650 x 1,270 - 2,000mm

#### **Standard Colours**

- · Base / Upright Stainless Steel
- · Weighted Base Grey



4 hook pole supplied with models with '4H' product code suffix

Item	Description	Weight
Non Weighted Base		
DPWS/1	Two Hook	3.8kg
DPWS/1/4H	Four Hook	3.9kg
Weighted Base		
DPWS/1/W9	Two Hook, Weighted Base	12.8kg
DPWS/1/W9/4H	Four Hook, Weighted Base	12.9kg



# **Mobile Infusion Stands - Mild Steel**

# CE

#### **Features**

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- · Welded mild steel construction
- Height adjustable upright using a handwheel (1,270 2,000mm)
- · Available with two or four pigtail hooks
- 9kg plastic coated weighted base available for additional stability
- Maximum recommended load...
- · Hooks 4kg per stand plus
- Fixed Upright
  - · Non-Weighted Base 2kg per stand
  - · Weighted Base 4kg per stand
- 50mm polypropylene / thermoplastic rubber twin wheel castors (1 x anti-static)

# Dimensions (w x d x h)

• 650 x 650 x 1,270 - 2,000mm

#### **Standard Colours**

- · Base / Upright Paint White
- Weighted Base Grey



4 hook pole supplied with models with '4H' product code suffix

Item	Description	Weight
Non Weighted Base		
DPWM/1	Two Hook	3.8kg
DPWM/1/4H	Four Hook	3.9kg
Weighted Base		
DPWM/1/W9	Two Hook, Weighted Base	12.8kg
DPWM/1/W9/4H	Four Hook, Weighted Base	12.9kg



# **Mobile Infusion Stands - Knockdown**

### **Features**

- Meets appendix A (Stability Requirements) of BS 3619:1976 Mobile Infusion Stands
- 304 grade stainless steel legs & upright with a plastic centre boss
- Unique design allows for assembly using an Allen key to locate & hold the legs & upright in position
- Supplied boxed for self-assembly
- Height adjustable upright using a handwheel (1,270 2,000mm)
- Available with two or four pigtail hooks
- Maximum recommended load on hooks 4kg (attachment of blood warmers, pumps & syringe drivers is not recommended)
- 50mm polypropylene twin-wheel castors (1 x anti-static)

# Dimensions (w x d x h)

• 650 x 650 x 1,270 - 2,000mm





Item	Description	Weight
DPKS/1	Mobile Infusion Stand - Knockdown, Two Hook	3.8kg
DPKS/1/4H	Mobile Infusion Stand - Knockdown, Four Hook	3.9kg

# **Infusion Poles - Replacement**



#### Features

 $\epsilon$ 

- Two & four pigtail hook stainless steel infusion poles
- Compatible with our drip stands (19mm diameter upright)
- Pole length 1200mm

# **Standard Colours**

· Stainless Steel




Item	Description	Weight
DP/2H	Two Hook Infusion Pole	0.6kg
DP/4H	Four Hook Infusion Pole	0.8kg

# **Clamping Infusion Stands - Trolley**

# ( (

# **Features**

- Clamp secures to 25mm vertical round tube (designed to fit our range of dressing trolleys)
- When fitting to other trolleys, we strongly recommend that a risk assessment is carried out to assess stability
- · When fitted protrudes 45mm
- Supplied with a two pigtail hook infusion pole









Item	Description	Weight
DP/C	Clamping Infusion Stands - Trolley	1.8kg

# **Wall Mounted Infusion Holders**




#### **Features**

- · Wall mounted infusion bag holder
- · Available with one/two U shaped hooks
- 25mm diameter "D" shaped tube to accept pumps (max load 10kg)
- Maximum load per hook 2kg
- Fixings not included

# Dimensions (w x d x h)

- IV001 344 x 75 x 500mm
- IV002 344 x 75 x 570mm



Item	Description	Weight
IV001	One Hook, Wall Mounted Infusion Holder	1.2kg
IV002	Two Hook, Wall Mounted Infusion Holder	1.6kg



# Manufacturing Medical Furniture & Equipment Since 1953

With over 70 years of experience, Bristol Maid is a leading manufacturer and supplier of medical furniture & equipment.

From design and manufacture to supply and installation, Bristol Maid has a reputation for providing high product quality, excellent customer service and value for money.

We take pride in working in close partnership with our customers applying innovative design and technology to deliver effective solutions for today while anticipating the needs of tomorrow.





Hospital Metalcraft Limited Blandford Heights,Blandford Forum, Dorset. DT11 7TG, UK

Tel: +44 (0) 1258 451338 Fax: +44 (0) 1258 455056 sales@bristolmaid.com

www.bristolmaid.com

Supplied proudly in New Zealand by



WS Medical

Email: admin@wsmedical.co.nz Freephone: 0800 330 331

www.wsmedical.co.nz

