

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

SG0623-1

Sample ID: G3G0363-01

Matrix: Hemp Products

Test ID: 5025514

Source ID: Date Sampled: 07/27/23

Date Accepted: 07/27/23

Harvest/Prod. Date: 06.20.2023

Green Point Research info@greenpointresearch.com

Results at a Glance

Total THC: <LOQ (0.0025%) %

Total CBD: 5.378 %





Eric Wendt Chief Science Officer - 8/1/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

SG0623-1

Sample ID: G3G0363-01

Matrix: Hemp Products

Test ID: 5025514

Source ID:

Date Sampled: 07/27/23

Date Accepted: 07/27/23

Harvest/Prod. Date: 06.20.2023

Green Point Research info@greenpointresearch.com

Potency Analysis by

Date/Time Extracted: 07/28/23 12:23

Date/Time Extra	cted: 07/28/	23 12:23	Analysis Method/SOP: 215 Batch Identification: 2330078
Cannabinoids	LOQ (%)	mg/g	Cannabinoids Profile
Total THC	0.0025	< LOQ	
Total CBD	0.0025	53.78	
THCA	0.0025	< LOQ	
delta 9-THC	0.0025	< LOQ	
delta 8-THC	0.0960	< LOQ	
THCV	0.0749	< LOQ	
THCVA	0.1121	< LOQ	
CBD	0.0025	53.78	
CBDA	0.0025	< LOQ	
CBDV	0.0771	< LOQ	CBD 5.4 Total: 5.4
CBDVA	0.1059	< LOQ	
CBN	0.0692	< LOQ	
CBG	0.0805	< LOQ	
CBGA	0.1067	< LOQ	5.4—
СВС	0.1010	< LOQ	

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt

Chief Science Officer - 8/1/2023



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2330078 - 215-Products

Blank(2330078-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0079	%		07/28/23 12:23	07/28/23 17:43	
delta 9-THC	< LOQ	0.0079	%		07/28/23 12:23	07/28/23 17:43	
delta 8-THC	< LOQ	0.3038	%		07/28/23 12:23	07/28/23 17:43	
THCV	< LOQ	0.2370	%		07/28/23 12:23	07/28/23 17:43	
THCVA	< LOQ	0.3548	%		07/28/23 12:23	07/28/23 17:43	
CBD	< LOQ	0.0079	%		07/28/23 12:23	07/28/23 17:43	
CBDA	< LOQ	0.0079	%		07/28/23 12:23	07/28/23 17:43	
CBDV	< LOQ	0.2439	%		07/28/23 12:23	07/28/23 17:43	
CBDVA	< LOQ	0.3350	%		07/28/23 12:23	07/28/23 17:43	
CBN	< LOQ	0.2190	%		07/28/23 12:23	07/28/23 17:43	
CBG	< LOQ	0.2548	%		07/28/23 12:23	07/28/23 17:43	
CBGA	< LOQ	0.3377	%		07/28/23 12:23	07/28/23 17:43	
CBC	< LOQ	0.3196	%		07/28/23 12:23	07/28/23 17:43	

Reference(2330078-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	106	0.0097	%	90-110	07/28/23 12:23	07/28/23 18:06	
delta 9-THC	99.9	0.0097	%	90-110	07/28/23 12:23	07/28/23 18:06	
delta 8-THC	98.3	0.3726	%	90-110	07/28/23 12:23	07/28/23 18:06	
CBD	94.9	0.0097	%	90-110	07/28/23 12:23	07/28/23 18:06	
CBDA	90.2	0.0097	%	90-110	07/28/23 12:23	07/28/23 18:06	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM BLI BLK	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery . Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL C	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

