

AXOR Montreux
2-handle bath mixer for exposed installation with cross handles
 Surfaces: **Brushed Nickel** Article Number: **16540820**



Description

product features

- consists of: 2-handle bath mixer, hand shower, shower hose, shower holder
- projection 224 mm
- connection type: s-shaped connections
- centre distance: 170 ± 32 mm
- spray type mixer: normal spray
- spray type hand shower: RainAir
- flow rate at 3 bar: 20 l/min
- ceramic valves hot/ cold 90°
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- non-return valve
- suitable for continuous flow water heaters
- connection dimension: DN15
- ETA VA 1.42/17919
- ACS 18 ACC LY 112, valide jusqu'au 13.02.2023
- STA 1424
- Agréé Belgaqua


Technology



Product image




Scale drawing



AXOR Montreux
2-handle bath mixer for exposed installation with cross handles
 Surfaces: **Brushed Nickel** Article Number: **16540820**



Flowchart




AXOR Montreux
2-handle bath mixer for exposed installation with cross handles
 Surfaces: **Brushed Nickel** Article Number: **16540820**



Exploded Drawing

Year of production: >04/06



AXOR Montreux
2-handle bath mixer for exposed installation with cross handles
 Surfaces: **Brushed Nickel** Article Number: **16540820**



Spare part list

Year of production: >04/06

Pos.	Description	Article Number	PC	PU
1	handle	16597820	0	1
2	set of screw covers, cold / hot water / neutral	97987000	0	1
3	O-ring 16x2	98133000	0	1
4	sleeve	97993820	0	1
5	shut off unit right closing	94009000	0	1
6	aerator M22x1 (25 l/min)	98575820	0	1
7	sliding gear lever	98594820	0	1
8	set of nuts	92852820	0	1
9	hollow set screw M4x6	97767000	0	1
10	selector	98591000	0	1
11	shower base	98590820	0	1
12	O-ring 5x2	98215000	0	1
13	set of non return valves DW 15	94074000	0	1
14	shower hose 1,25 m	28112820	0	1
15	seal	98058000	0	1
16	filter packing	94246000	0	1
17	handshower	16320820	0	1
18	set of nuts	96157820	0	1
19	connecting thread	97220000	0	1
20	O-ring 15x2	98163000	0	1
21	filter packing	96922000	0	1
22	escutcheon	98595820	0	1
23	noise reduction	96429000	0	1
24	set of S-unions (±32 mm)	98592000	0	1