Bathroom fittings







Washbasin mixer please refer to page 524

Bath Shower mixer | Shower faucets please refer to page 525

Please refer to page XXX for spare parts list

Ideal Standard introduces Com, providing a full set of advantages in a very attractive and affordable package. Com combines features like Ideal Standard's unique click technology, water saving limiter as well as a hot temperature limiter, easy-fix and more with an irresistible selling price, giving new meaning to the phrase "value for money".





Finishes AA Chrome





B9796..

Description

Com basin mixer with 47 mm click cartridge, water saving and hot temperature limiter, cast body with hole for pop-up rod, aerator cascade M24x1, flexible hoses G3/8", metal pop-up waste, chrome.

Com bidet mixer with 47 mm click cartridge, water saving and hot temperature limiter, cast body with hole for pop-up rod, aerator cascade M24x1, flexible hoses G3/8", metal pop-up waste, chrome.

Alternative product

You can obtain a **maximum 5lt/min** flowrate with one extra component. Specifically:

Com basin mixer with a maximum 5lt/min flowrate, with 47 mm click cartridge, water saving and hot temperature limiter, cast body with hole for pop-up rod, aerator cascade M24x1, flexible hoses G3/8, metal pop-up waste, chrome. Necessary codes to order: B9795AA (basin mixer) and B960754AA (regulator).

Com bidet mixer with a maximum 5lt/min flowrate, with 47 mm click cartridge, water saving and hot temperature limiter, cast body with hole for pop-up rod, aerator cascade M24x1, flexible hoses G3/8, metal pop-up waste, chrome. Necessary codes to order: B9796AA (bidet mixer) and A963369AA (regulator).

Recommended equipment

Aerator/regulator that provides a maximum 5lt/min flowrate.

Aerator M18x1 for bidet mixer that provides a maximum 5lt/min flowrate.

Product Article-No.


Basin mixer	B9795AA
Bidet mixer	B9796AA


Recommended equipment

Regulator 5lt/min for bidet mixer	A963369AA
Regulator 5lt/min	B960754AA

Finishes

AA Chrome













Description

Com bath & shower exposed mixer without accessories, with 47 mm click cartridge, water saving and hot temperature limiter, aerator cascade M24X1, automatic diverter, S-connectors and check valve, chrome.

Com shower exposed mixer without accessories, with 47 mm click cartridge, water saving and hot temperature limiter, S-connectors and check valve, chrome.

Alternative product

You can obtain a **maximum 8lt/min** flowrate with one extra component. Specifically:

Com bath & shower exposed mixer without accessories, with a maximum 8lt/min flowrate, 47 mm click cartridge, water saving and hot temperature limiter, aerator cascade M24X1, automatic diverter, S-connectors and check valve, chrome. Necessary codes to order: B9798AA (B&S mixer) and A960453NU (regulator).

Com shower exposed mixer without accessories with a maximum 8lt/min flowrate, 47 mm click cartridge, water saving and hot temperature limiter, S-connectors and check valve, chrome. Necessary codes to order: B9797AA (Shower mixer) and A960453NU (regulator)

Recommended equipment

Check valve with integrated flow regulator that provides a maximum 8lt/min flow rate.

Product Article-No.

Bath & Shower exposed mixer	B9798AA
Shower exposed mixer	B9797AA

Recommended equipment

Check valve with regulator 8lt/min for B&S and Shower mixer

A960453NU

Finishes

AA Chrome NU Neutral

