



Husqvarna®

2024

# Residential Mowers and Snow Blowers



# Every yard. Every season. Every year.

For over 300 years, we've been committed to innovation and quality, with the ultimate goal of bringing the very best products and solutions to our customers. Today, our high-quality residential mowers and snow blowers can help you create the yard of your dreams and master the outdoors. Experience Husqvarna quality for yourself today.

## CONTENTS

Design and Technology	Page 4-5
Husqvarna Xcite™ Zero-Turn Mowers	Page 6-7
Husqvarna Z200 Series Zero-Turn Mowers	Page 8-9
Husqvarna MZ Series Zero-Turn Mowers	Page 10-11
Husqvarna TS Series Tractors	Page 12-13
Husqvarna Snow Blowers	Page 14-15







# Why Husqvarna?


The Husqvarna difference comes from our unwavering commitment to our core principles in everything we do, from product design through manufacturing.



**Comfort.** We keep you comfortable no matter how long the job takes, with best-in-class seats, arm rests, and more.

**Innovation.** We've been committed to innovation for over 300 years, creating multiple industry-first technologies.





**Versatility.** We offer a wide variety of machines for large and small yards alike, including attachment-capable options for increased flexibility.

**Ease.** Designed with you in mind, our products easy to start, use and maintain.



**Quality.** Our rugged and reliable products have been tested to perform season after season.

**Power.** Experience power without compromising performance, for products that are truly built to last.



# Experience the ultimate cutting machine.

Designed from the ground up to offer the optimal mowing experience, with a truly comfortable ride and performance you can count on.



## ALL Xcite™ ZERO-TURN MOWERS FEATURE:

### Best-in-Class Suspension\*

SmoothRide™ system features adjustable springs with 10 comfort settings and a 4-bar link system.



Premium Kohler engines



High-back 18" seats



Rugged all-terrain tires

### ALSO FEATURING

- Cutting height selector knob for simple adjustment
- Removable foot plate for easy deck access
- LED headlights

\*When compared to other consumer zero-turn mowers. Only mower in its class to feature a 4-bar link suspension system and 10 adjustment settings.

ZERO-TURN MOWER  
**Xcite™ Z345** **NEW**

ZERO-TURN MOWER  
**Xcite™ Z350**

ZERO-TURN MOWER  
**Xcite™ Z375** **NEW**



Part No. 970743801

- Classic, dash-mounted controls
- Kohler 7000-series engine; up to 7 mph
- Tuff Torq® TZ-350 transmission
- 54" Fabricated cutting deck

Part No. 970717002

- Industry-first on-stick SmartControl™ system and interactive LCD display
- Kohler 7000-series engine; up to 7 mph
- Tuff Torq® TZ-350 transmission
- 54" Fabricated cutting deck

Part No. 970743901 (54") / 970650302 (60")

- Classic, dash-mounted controls
- Kohler 7000 Pro series engine; 9 mph
- Parker HTE 10 transmission
- Fabricated deck – 54" and 60" options available

**TECHNICAL SPECIFICATIONS**

Model	Xcite™ Z350 54"	Xcite™ Z345 54"	Xcite™ Z375 54"	Xcite™ Z375 60"
Warranty	3-Year plus 4-year on SmartControl™ electronic components	3-Year	3-Year	3-Year
Engine manufacturer	Kohler	Kohler	Kohler	Kohler
Engine name	7000 Series	7000 Series	7000 Series Pro	7000 Series Pro
Net power, hp	24	24	26	26
Fuel tank volume, gallons	4	4	4	4
Transmission manufacturer	Tuff Torq®	Tuff Torq®	Parker	Parker
Transmission type	TZ-350	TZ-350	HTE10	HTE10
Speed forward, mph	Up to 7	Up to 7	Up to 9	Up to 9
Speed reverse, mph	Up to 3.5	Up to 3.5	Up to 4.5	Up to 4.5
Cutting width, in	54"	54"	54"	60"
Cutting height, min-max, in	1.5"-4.5"	1.5"-4.5"	1.5"-4.5"	1.5"-4.5"
Cutting deck type	10 gauge fabricated	10 gauge fabricated	10 gauge fabricated	10 gauge fabricated
Blade spindle type	Cast iron	Cast iron	Cast iron	Aluminum
Seat height, in	18"	18"	18" with arm rests	18" with arm rests
Tire size front, in	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6
Tire size rear, in	20 x 10-10	20 x 10-10	22 x 11-10	22 x 11-10

SmartControl™ Model

Classic Control Model

## Z200 SERIES ZERO-TURN MOWERS

# Hit the grass running.

Whether you're a value-seeker or a comfort-lover, all our mowers are designed to be user-friendly while still delivering a cut you can be proud of.



### FEATURES

- Heavy-duty Kawasaki engines
- Spring-assisted deck lift
- Removable foot plate for easy maintenance
- Automatic parking brake
- Cutting height selector knob for simple adjustment
- Ultra-durable frame and wheels





**VALUE**

**Z246  
Z254**



**ADDITIONAL FEATURES**

- Stamped reinforced deck
- 15" vinyl seat

**DURABILITY**

**Z242F  
Z248F  
Z254F**



**ADDITIONAL FEATURES**

- ClearCut™ fabricated deck
- 15" Premium, high-back seat
- LED headlights

**VERSATILITY**

**Z242F  
Z248F  
Z254F** | **SPECIAL EDITION**



**ADDITIONAL FEATURES**

- ClearCut™ fabricated deck
- 15" Premium, high-back seat
- All-terrain tires

**PREMIUM COMFORT**

**Z248F  
Z254F** | **PREMIUM SPECIAL EDITION**



**ADDITIONAL FEATURES**

- ClearCut™ fabricated deck
- 18" Premium, high-back seat with armrests
- LED headlights
- All-terrain tires

**TECHNICAL SPECIFICATIONS**



Model	Z246 (DTC)	Z254 (DTC)	Z242F (DTC)	Z248F (DTC)	Z254F (DTC)	Z242F Special Edition	Z248F Special Edition	Z254F Special Edition	Z248F Premium Special Edition	Z254F Premium Special Edition
Product number	970729702	970729802	970458801	970458901	970459001	970729905	967953905	967954006	970730003	967844903
Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year
Engine manufacturer	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine name	FR651V	FR691V	FR651V	FR691V	FR730V	FR651V	FR651V	FR691V	FR730V	FR730V
Net power, hp	21.5	23	21.5	23	24	21.5	21.5	23	24	24
Fuel tank volume, gallons	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
Transmission manufacturer	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear
Transmission type	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)	ZT-2200 (EZT)
MAX speed forward, mph	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
MAX speed reverse, mph	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
Cutting width, in	46	54	42	48	54	42	48	54	48	54
Cutting deck type	Stamped reinforced	Stamped reinforced	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated
Blade spindle type	Aluminum	Aluminum	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron
Seat height, in	15	15	15	15	15	15	15	15	18" with armrests	18" with armrests
Tire size front, in	11 x 4-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5	11 x 6-5
Tire size rear, in	18 x 9.5-8	18 x 9.5-8	18 x 8.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8	18 x 9.5-8

**Accessories**

Mulch kit	531309580	531309643	587412301	582560001	591102101	587412301	582560001	591102101	582560001	591102101
Bagger	587960401	592620801	587412401	582559701	591111401	587412401	582559701	591111401	582559701	591111401
Tow behind striper kit	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901	598702901
Armrest kit	582384601	582384601	-	-	-	-	-	-	-	-
Battery charger	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101	585445101
Hitch kit	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201	587481201

## MZ SERIES ZERO-TURN MOWERS

# Take performance and comfort to a new level.

Mulching and collection capable, these versatile mowers are built to last. And our foldable Roll Over Protection System (ROPS)\* gives you protection when you need it and functionality when you don't.



## FEATURES

- Fabricated decks
- Durable, premium tires
- Pedal-assisted cutting deck lift system
- Premium, 18" high-back seat
- Easy-access service points
- Removable foot pans
- Rollover Protection System\*



## Heavy-Duty Kawasaki Engine

Smooth, quiet and reliable power with heavy-duty components for a long life.



## Roll Over Protection System (ROPS)\*

ROPS bars help protect you in the event of a roll over and can be folded for low-hanging branches.



## Comfortable, Supportive Seat

Deep cushions and generous bolsters offer superior comfort and reduced vibrations.



### TECHNICAL SPECIFICATIONS

Model	MZ48	MZ54 / MZ54 ROPS	MZ61 / MZ61 ROPS
Product number	970455602	970455802 / 967953703	967277504 / 967277505
Warranty	4 Year	4 Year	4 Year
Engine manufacturer	Kawasaki	Kawasaki	Kawasaki
Engine name	FR691V	FR730V	FR730V
Net power, hp	23	24	24
Fuel tank volume, gallons	5	5	5
Transmission manufacturer	Hydro-Gear	Hydro-Gear	Hydro-Gear
Transmission type	ZT-3100	ZT-3100	ZT-3100
MAX speed forward, mph	8.5	8.5	8.5
MAX speed reverse, mph	3.5	4.5	5
Cutting width, in	48	54	61
Cutting deck type	ClearCut™ fabricated	ClearCut™ fabricated	Fabricated steel
Blade spindle type	Aluminum	Cast iron	Aluminum
Seat height, in	18	18	18
Tire size front, in	13 x 6.5-6	13 x 6.5-6	13 x 6.5-6
Tire size rear, in	22 x 10-10	22 x 10-10	22 x 10-10
ROPS	No	No / Yes	No / Yes
<b>Accessories</b>			
Mulch kit	582560001	591102101	965894002
Bagger	582559801	591111501	966793101
Tow behind striper kit	598703001	598703001	598703001
Battery charger	585445101	585445101	585445101
Light kit	539132388	539132388	539132388
ROPS	575274801	575274801	575274801
Hitch kit	588971201	588971201	588971201

\*Only available on select models.

# TS SERIES TRACTORS

## Experience a better mow anytime, anywhere.

Our attachment-capable tractors deliver a premium cut with extra versatility, so they're always ready to go no matter what season.



Shown with aerator attachment, sold separately.

## FEATURES

- Heavy-duty Kawasaki engines\*
- Spring-assisted deck lift\*
- Solid steel hoods
- LED headlights\*
- Cruise control
- Anti-scalp wheels





### TS100 Additional Features

- Stamped, reinforced deck
- High back, 15" seat
- Tubular bumper



### TS200 Additional Features

- ClearCut™ fabricated deck
- High back, 15" seat
- Brush guard



### TS300 Additional Features

- ClearCut™ fabricated deck
- Deluxe, high-back 18" seat with armrests
- Brush guard



## TECHNICAL SPECIFICATIONS

Model	TS 142K	TS 146X	TS 148X	TS 154X	TS 242XD	TS 248XD	TS 348XD	TS 354XD
Product number	960430333	960430342	960430343	960430341	960430338	960430339	960430344	960430340
Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year
Engine manufacturer	Kohler	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine name	KT715	FR 651V	FR691	FR 730V	FR 651V	FR691	FR730V	FR730V
Net power, hp	20	21.5	23	24	21.5	23	24	24
Fuel tank volume, gallons	3	3	3	3	4	4	4	4
Transmission manufacturer	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®	Tuff Torq®
Transmission type	K46	K46	K46	K46	K46LD	K46LD	K66ELD	K66ELD
MAX speed forward, mph	5.2	5.2	5.2	5.2	5.2	5.5	5.5	5.5
MAX speed reverse, mph	2.2	2.2	2.2	2.2	2.2	2.5	2.5	2.2
Cutting width, in	42	46	48	54	42	48	48	54
Cutting deck type	Stamped reinforced	Stamped reinforced	Stamped reinforced	Stamped reinforced	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated	ClearCut™ fabricated
Blade spindle type	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron
Seat height, in	15	15	15	15	15	15	18	18
Includes armrests	No	No	No	No	No	No	Yes	Yes
Tire size front, in	15 x 6-6	15 x 6-6	15 x 6-6	15 x 6-6	15 x 6-6	16 x 6.5-8	16 x 6.5-8	16 x 6.5-8
Tire size rear, in	20 x 8-8	20 x 10-8	20 x 10-8	20 x 10-8	20 x 10-8	20 x 10-8	23 x 10.5-12	23 x 10.5-12
Bumper type	Tubular	Tubular	Tubular	Tubular	Brush guard	Brush guard	Brush guard	Brush guard
<b>Accessories</b>								
2 bin bagger	960730004	960730024	-	-	587412701	-	-	-
3 bin bagger	960730038	960730037	960730025	960730026	-	582559601	582559601	591111301
Mulch kit	531309641	531309580	531309642	531309643	587412301	582559901	582559901	591102101

\*Features not available on TS 142K.

## SNOW BLOWERS

# Send snow flying.

Our two-stage clearing system churns through wet or frozen snow to let you tackle any winter weather.



## FEATURES

- Two-stage clearing system
- High speed impeller\*
- Electric starter
- Remote chute deflector\*
- LED headlight\*



**100 Series  
Additional Features**

- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires

**200 Series  
Additional Features**

- Heavy-duty ribbon auger
- Single-hand control
- Adjustable auger height
- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires

**300 Series  
Additional Features**

- Heavy-duty ribbon auger
- Cast-iron impeller
- Single-hand control
- Adjustable auger height
- Adjustable skid shoes
- All steel chute
- X-Trac heavy-tread tires
- Heated handle grips

**400 Series  
Additional Features**

- **Commercial-grade clearing with heavy duty auger and cast-iron impeller**
- Electronic Fuel Injection
- All-steel operator console
- All steel chute
- X-Trac heavy-tread tires or tracks for additional traction<sup>†</sup>
- Heated handle grips

**TECHNICAL SPECIFICATIONS**

Model	ST 124	ST 224	ST 227	ST 230	ST 324	ST 327	ST 330	ST 424 ST 424T	ST 427 ST 427T	ST 430 ST 430T
Product number	970710001	970528602	970528702	970528802	970528902	970529002	970529102	970529201 970529301	970529401 970529501	970529601 970529701
Warranty	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year	3-Year
Transmission type	Friction disc	Friction disc	Friction disc	Friction disc	Friction disc	Friction disc	Friction disc	Hydrostatic	Hydrostatic	Hydrostatic
Cylinder displacement, cc	212	212	252	301	252	301	389	301	389	420
Gross torque, ft-lb	12.9	9.2	12	13.94	12	13.94	17.7	14.6	18.6	20.4
Fuel tank volume, gallons	0.58	0.69	0.69	1.45	0.69	1.45	1.45	0.62	1.32	1.32
Working width, in	24	24	27	30	24	27	30	24	27	30
Intake height, in	21	23	23	23	23	23	23	23	23	23
Auger diameter, in	12	12	12	12	14	14	14	14	14	14
Impeller veins	3	3	3	3	3	3	3	3	3	3
Tire size, single axle, in	13	15 x 5	15 x 5	16 x 4.8	15 x 5	15 x 5	16 x 4.8	15 x 5 / Tracks	15.5 / Tracks	16 x 4.8 / Tracks
Engine power (KwHp)	4.5 (6.0)	4.4 (5.9)	5.78 (7.75)	6.3 (8.4)	5.78 (7.75)	6.3 (8.4)	7.6 (10.2)	6.6 (8.8)	8.0 (10.7)	9.3 (12.5)

**Features**

Electronic fuel injection	-	-	-	-	-	-	-	•	•	•
Electric starter	•	•	•	•	•	•	•	•	•	•
Power steering	-	•	•	•	•	•	•	•	•	•
Variable drive speed	•	•	•	•	•	•	•	•	•	•
Heavy duty auger	-	•	•	•	•	•	•	•	•	•
Remote chute deflector	-	•	•	•	•	•	•	•	•	•
Remote chute rotator	•	•	•	•	•	•	•	•	•	•
High speed impeller	-	•	•	•	•	•	•	•	•	•
Heated handles	-	-	-	-	•	•	•	•	•	•

\*Not available on ST 124

†Varies by model



Husqvarna®



Copyright © 2024 Husqvarna AB (publ). All rights reserved. Husqvarna and other product and feature marks are trademarks of Husqvarna Group or its licensors.

[www.husqvarna.com](http://www.husqvarna.com)