

GIANO MERCHANDISING

Finishing Hardware Specialist

FURNITURE FITTINGS





www.gianomerchandising.com







SLIDE-ON HYDRAULIC

607 CONCEALED HINGE

Materials: cold rolled steel Life cycle: 40,000 cycles

Cup Size: 35mm

Drilling dept: HInge Cup 12.0 mm

with soft close mechanism integrated in hinge cup Installation: Door to cabinet with screw fixing

Available: Full Overlay(A), Half Overlay(B) Inset(C)













CLIP-ON HYDRAULIC

608 CONCEALED HINGE

Life cycle: 80,000 cycles

Cup Size: 35mm

Rotational Technology, No Rebound, Anyclick System

Drilling dept: HInge Cup 12.0 mm

with soft close mechanism integrated in hinge cup Installation: Door to cabinet with quick fixing

Available in: Full Overlay(A) Half Overlay(B) Inset(C)





















SLIDE-ON ORDINARY

604 CONCEALED HINGE

Life cycle: 40,000 cycles Cup Size: 35mm Drilling dept Hinge Cup 12.0 mm, hinge cup Installation: Door to cabinet

With screw fixing

Installation: Door to cabinet with screw fixing

Available in: Full Overlay(A) Half Overlay(B) Inset(C)













CLIP-ON HYDRAULIC

610 CONCEALED HINGE

Rust Proof Stainless Steel 304 construction

Materials: Stainless Steel SUS304 including screws

Life cycle: 80,000 cycles

Cup Size: 35mm


Rotational Technology, No Rebound, Anyclick System

Drilling dept: Hinge Cup 12.0 mm

with soft close mechanism integrated in hinge cup Installation: Door to cabinet with clip press fitting

Available in: Full Overlay(A) Half Overlay(B) Inset(C)





















PUSH TO OPEN

616 A/616 B CONCEALED HINGE

No spring concealed hinges perfect for push open Cabinet doors complimentary product for modern Latch S1500 or Push catch 1082 Installation: Door to cabinet with screw fixing

Available in Full Overlay & Half Overlay



165 DEGREE CONCEALED HINGE

With soft close mechanism integrated in hinge cup Installation: Door to cabinet with screw fixing

Available in Full Overlay









SOFT CLOSE FULL EXTENSION

745 BK DRAWER SLIDE

Ultra smooth soft-close function make the drawers close without slamming shut Enjoy opening and closing the drawers silently Dynamic Load: 45kgs

1..2mm

Width: 45mm

Sizes: 12", 14", 16", 18", 20", 22", 24"

Available in Black

FULL EXTENSION

755 BK DRAWER SLIDE

Smooth glide ball bearing drawer slides Set includes 1 pair of slides and screws

Dynamic Load: 35kgs

1.2mm

Width: 45mm

Sizes: 10", 12", 14", 16", 18", 20", 22", 24"

Available in Black





PUSH TO OPEN FULL EXTENSION SLIDES

765 BK DRAWER SLIDE

Full extension, Side mounting design

Push to open style which do not need a drawer handle Push the drawer in and the drawer automatically opens

Dynamic Load: 45kgs

1.2mm

Width: 45mm

Sizes: 14", 16", 18"

Available in Black









MODERN LATCH

S1500

Push to pen Latch matched with our Concealed Hinge 616 Mounting: Cabinet, top or base panel Installation: Screw Fixing

PUSH OPEN MAGNETIC CATCH

1081

Spring is Activated
Protect your doors from Slamming
Push to open or close
Available in Plastic Gray







GLASS CONCEALED HINGE

69

28mm cup concealed hinge diameter Main Material: Cold roll steel Finish: Black cup Nickle Plated arm For glass to wood application

Cup fxing: For screw fixing

Installation: Door to cabinet with slide-on system

CONCEALED DRILL BIT

Hardened Steel Drill Bit
35mm bit perfect for concealed hinges
Recommended for concealed hinges,
Application: for all drilling and insertion
machines,for drill holes close to the bottom
cover layer,without contouring the outer
decor surfaces.











PVC MAGNETIC CATCHES

521

Size: 15.5x46x14mm Material: Plastic + Iron

Available: White Brown


PVC MAGNETIC CATCHES


527

Size: 25.5x58x15mm Material: Plastic + Iron

Available: White Brown









MAGNETIC CATCHES 51 BIG

STAINLESS STEEL


Size: 12x43x35mm Material: Stainless Steel

MAGNETIC CATCHES 53 SMALL

STAINLESS STEEL

Size: 8.5x36x13mm Material: Stainless Steel









DOUBLE *SINGLE*

MAGNETIC PUSH CATCH

500 SINGLE / 500 DOUBLE It has a spring enclosure that when Fully pushed in it stays collapsed. Push it again and it springs out to Allow the door to open.

DOUBLE

Available: White Black

MAGNETIC GLASS HINGE SET

600 SINGLE / 600 DOUBLE

Brass glass door hinge set fits 3/16" to 1/4" glass.
Set includes top and bottom hinge for left or right hand glass door, 8.8mm ferrules, spacers,

and 4 steel set screws
You will require one set
for each glass door.
These hinges will work on

both left and right handed glass doors. For inset application.

Available: Chrome Black

SINGLE

PUSH









FLOATING SHELF BRACKET

Material: Iron Screw + Injection Fixed on walls, partition & Shelves Size: 10mm x 145mm (6") Sold per 4pcs Rated capacity 55-60kgs


Color: Brown


CORNER BLOCK

Durable shelf holder Can be dismantled using a screwdriver

Material: Plastic Available: White









ANGLE BRACKET


50mm x 50mm Stainless

OVAL TUBE

5/8"

5/8" diameter x 3 meter length x 2.0mm thickness Aluminum material Corrosion-Free and Sturdy. Best used with 3043-5/8" Oval Flanges for end Support


















PLASTIC GROMMET

Designed with rotatable flip-top and plastic material, is suitable for more size computer cable Sizes:

50mmx60mm 60mmx70mm

Available: Black Grey


ALUMINUM GROMMET

Organize wires and cables on: Office Equipment Computer Components Entertainment System Effectively Aluminum material

Sizes:

Stainless - 67mm x 67mm MBK - 80mm x 80mm








PLASTIC PLINTH

Prevents groundwater to corrode Wooden Furniture Durable plastic, Anti-Rust, and Corrosion With Cover Clip 100-130mm adjustable leg

SUSPENSION BRACKET


Hanging Suspension Bracket for kitchen cabinets Material: Plastic + Iron max load of 60kgs per pair Available in White













PVC NAIL GLIDE W/ CARPET

Nail in glide for under cabinets and furniture on soft floors Knock in mounting

Sizes:

3/4"

7/8"

1"

STEEL NAIL GLIDE

Anti-slip,

Prevent from Maring and Scratches, Reduces Friction Vibration and Noise While Moving Furniture Chairs Tables, Lengthen Floor Life Shape: Round

Sizes:

3/4'

7/8" 1"





ADJUSTABLE NAIL GLIDE

1415

Adjustable Glider with T-nut
M6 thread size x 28mm diameter base
swivel type for more flexibility
For Tables & Chairs Protection & Adjustment
1 order is a set of 12 pcs



ADJUSTABLE NAIL GLIDE

1420

A nylon-based adjustable glide and leveller saves damage to the floor Glides also prevent furniture feet and legs from chipping
Size: 26mm base diameter x 25mm screw length x M6 thread
Sold per 12pcs





L-HINGES

Designed for overlay doors, where one part is mounted on top and the other on the bottom of the door, resulting in a concealed hinge Opening Angle Restraint: Without Stop Installation: Screw Fixing

Outer Knuckle

Material Stainless Steel

Sizes: 4"

STAINLESS FLANGES

Made out of premium quality Stainless steel, durable, thick and Rust-resistant

Sizes:


3/4"


1"

1-1/4"

1-1/2"










OVAL FLANGE 3043

Made of steel Elegant design and ease of installation, firm and durable Widely used in the wardrobe at home or in the store as a support bracket to hold a closet rod for hanging clothes or others End flange for Alum oval tube

CONNECTING SCREW


Requires 5mm hole in carcase or cabinet Suits to 28mm to 36mm wood thickness Thread is recessed in sleeve to allow for line up without damaging threads Thread size is M6 Steel body in Nickel Plated finish














ALUMINUM LAZY SUSAN SWIVEL


Solid special aluminum material and solid steel balls for bearing Surface smooth and beautiful These bearings can be screwed or fixed as they have through holes and pre-drilled holes

Material: Aluminum

Thickness:

10mm (8"-20") 12mm for (24"-32")













LAZY SUSAN TURNTABLE

360 Degrees Free Rotation Double Bearing Smooth Rotation, Full Ball Bearing on its Swivel Surface Treatment: Black Painted Steel material Size: 6" x 6" 2.3mm thickness SIze: 8" x 8" 2.5mm thickness









8 x 8









SHELF SUPPORT

5610

Length: 15mm Diameter: 5mm Finish Satin Nickel

Sold 100pcs per pack

PLASTIC SHELF SUPPORT

5613

Pin diameter: 5mm Material: Steel+Plastic

Available Colours:

Clear Brown White









BRASS SHELF SUPPORT

5211 WITHOUT RING

Apply to bookshelf, shoe ark, cabinet, cupboard,

wardrobe wooden furniture, etc Material: Brass nut, metal body

Available: Brass Plated and Nickle Plated





Lid stay

→ Opening angle100°



HYDRAULIC LID STAY

001-80N

Force:80N/19.5lb (Per Strut);Length: (hole center to hole center):10.5 inch Satin silver finish, suitable for all types of overhead Cabinet, Doors, Box

Version: For wood or aluminum framed flaps

- · Opening angle: 100°
- · Material: Steel, plastic housing
- · Mounting: For left and right hand use
- · Installation: For screw fxing



HYDRAULIC LID STAY

001-120N

Force:120N/24.5lb (Per Strut);Length: (hole center to hole center):10.5 inch

Support opens lids to a maximum angle of 100 degrees Satin silver finish, suitable for all types of overhead Cabinet, Doors, Box

Version: For wood or aluminum framed flaps

- Opening angle: 100°
- · Material: Steel, plastic housing
- · Mounting: For left and right hand use
- · Installation: For screw fxing



Lid stay

→ Opening angle 100°



www.gianomerchandising.com