

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

Flowdur MD Aggregate

Revision 1
Revision date 2015-05-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	Flowdur MD Aggregate				
1.2. Relevant identified uses of the substance or mixture and uses advised against					
Description	Restricted to professional users. Component of a Three Pack Polyurethane Floor Topping.				
1.3. Details of the supplier of the safety data sheet					
Company	Virtus Resins				
Address	The Shippon, Faenol				
	Pentrecelyn				
	Ruthin				
Web	www.epoxyresinsuppliers.co.uk				
Telephone	+44 (0)1978 790 744				
Fax	+44 (0)1976 790 744				
Email	info@epoxyresinsuppliers.co.uk				
Email address of the	info@ epoxyresinsuppliers.co.uk				
competent person	inio e epoxyresinsuppliers.co.uk				
1.4. Emergency telephone nu	imber				
Emergency telephone number	+44 (0)1978 790 744				
	8.30am to 5.00pm Mon - Fri				
SECTION 2: Hazards ident	ification				
2.1. Classification of the subs	stance or mixture				
2.1.1. Classification -	Xi; R36/37/38				
1999/45/EC	Symbols: Xi: Irritant.				
Main hazards	Irritating to eyes, respiratory system and skin.				
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;				
2.2. Label elements					
Hazard pictograms	<u>•</u>				
Signal Word	Warning				
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.				
	Eye Irrit. 2: H319 - Causes serious eye irritation.				

STOT SE 3: H335 - May cause respiratory irritation.

Revision 1
Revision date 2015-05-21

2.2. Label elements

Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

2.3. Other hazards

Other hazards No data available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Cement (Portland cement)		65997-15-12	66-043-4		20 - 30	% Xi; R36/37/38	
Calcium Hydroxide		1305-62-0			1-10%	•	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Cement (Portland cement)		65997-15-1	266-043-4		20 - 30%	6 Skin Irrit. 2: H315; Eye I	Irrit. 2:
						H319; STOT SE 3: H33	35;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and support breathing as needed. Inhalation of large amounts of cement requires immediate medical attention. Consult a physician immediately.			
Eye contact	Flush Immediately eye thoroughly with clean water. Consult a physician immediately if irritation persists.			
Skin contact	Wash affected areas with neutral soap and clean cool water or at least 15 minutes. For reduced or blistered skin, consult a physician immediately.			
Ingestion	Rinse out mouth, drink water, cause no vomiting and consult a physician.			
4.2. Most important symptoms and effects, both acute and delayed				
Inhalation	May cause irritation to respiratory system.			
Eye contact	Irritating to eyes.			
Skin contact	Causes burns.			
Ingestion	Harmful by inhalation and if swallowed.			
4.3. Indication of any immediate medical attention and special treatment needed				
Inhalation	Seek medical attention if irritation or symptoms persist.			
Eye contact	Seek medical attention if irritation or symptoms persist.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	Seek medical attention if irritation or symptoms persist.			

Revision 1 Revision date 2015-05-21

SECTION 5: Firefighting measures						
5.1. Extinguishing media						
	Not relevant as product is incombustible.					
5.2. Special hazards arising from the substance or mixture						
	No data is available on this product.					
5.3. Advice for firefighters	·					
	No data is available on this produ	ct.				
SECTION 6: Accidental rele	-					
		nuonadi.una				
6.1. Personal precautions, pro	otective equipment and emergency					
0.0 Employmental massaction	Wear suitable protective clothing,	gloves and eye/face protection.				
6.2. Environmental precaution	T					
	-	sewage system or into the outfall drain,				
6.3. Methods and material for	especially after uncontrolled water	r addition.				
0.5. Methods and material for	T .					
6.4. Reference to other sectio	Pick up mechanically (dry).					
6.4. Reference to other Section	- T	- A Life and A Life and B Life and B				
	1	ontrols/personal protection and disposal				
	considerations can be found in se	ection 8 and 13.				
SECTION 7: Handling and	-					
7.1. Precautions for safe hand	lling					
	Avoid dust development, Avoid s	kin and eye contact. During working avoid skin contact				
	through use of appropriate protective clothing.					
	Bagged aggregate is heavy and poses risk of injury during carrying. Handle with					
	care. Use Personal Protective Equipment (PPE).					
7.2. Conditions for safe storage	ge, including any incompatibilities					
	Protect from moisture in closed rooms and containers.					
7.3. Specific end use(s)						
	Wear suitable protective clothing.					
SECTION 8: Exposure cont	trols/personal protection					
8.1. Control parameters						
- Control parameters						
	Are listed on the following items:	according to where it is going to be used.				
8.1.1. Exposure Limit Values	Are listed on the following items a	to be used.				
·						
Calcium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5 WEL 15 min limit mg/m3: -				
	WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total -				
	inhalable dust:	inhalable dust:				
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -				
Cement (Portland cement)	respirable dust: WEL 8-hr limit ppm: -	respirable dust: WEL 8-hr limit mg/m3: -				
Gentent (Fortiand Centent)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -				
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -				
	inhalable dust:	inhalable dust:				
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -				
	respirable dust:	respirable dust:				



8.2. Exposure controls

Revision 1
Revision date 2015-05-21

8.2. Exposure controls









Eye / face protection
Skin protection Hand protection
Skin protection - Other
Respiratory protection

Wear eye/face protection.

Chemical resistant gloves.

Wear suitable protective clothing.

Provide local exhaust or general ventilation system to control dust levels below the 8hrTWA level. Avoid creating airborne dust conditions. Local exhaust ventilation is preferred since it prevents the release of contaminants in to the work area by controlling it at the source. If local or general ventilation is not adequate to control dust levels below exposure limits, use OES approved respirators.

Thermal hazards No data is available on this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Powder

Colour Colourless

Odour Odourless

pH No data available

Melting point Not applicable.

Freezing Point No data available

Initial boiling point No data available

Evaporation rate Not applicable.

Flammability (solid, gas) No data available

Vapour pressure No data available

Vapour density No data available

Relative density No data available

Fat Solubility No data available

Partition coefficient No data available

Autoignition temperature No data available
Viscosity No data available

Explosive properties Not relevant

Oxidising properties No data available

Solubility No data available

9.2. Other information

Conductivity

Surface tension

Gas group

Benzene Content

Lead content

VOC (Volatile organic No data available compounds)

No data available No data available No data available Not applicable. Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data is available on this product.

10.2. Chemical stability

This product is stable if stored and handled as prescribed/indicated.



Revision 1 Revision date 2015-05-21

Revision date 2015-05-21
reactions
No data is available on this product.
No data is available on this product.
Acids.
n products
No data is available on this product.
information
cal effects
No data is available on this product.
Not relevant.
No data is available on this product.
No data is available on this product.
No data is available on this product.
No data is available on this product.
No data is available on this product.
No data available
ormation
No data available
bility
No data is available on this product.
l .
No data is available on this product.
Flowdur MD Aggregate No data available
No data is available on this product.
assessment
No data is available on this product.
No data is available on this product.
iderations
Completely empty the packaging and process it according to local legislation.
Completely empty the packaging and process it according to local legislation.
Completely empty the packaging and process it according to local legislation. rmation
Completely empty the packaging and process it according to local legislation.



Revision 1 Revision date 2015-05-21

	Revision date 2015-05-2
14.7. Transport in bulk accord	ling to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
ADR/RID	
	The product is not classified as dangerous for carriage.
IMDG	
	The product is not classified as dangerous for carriage.
IATA	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory in	formation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
	"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC". "REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".
SECTION 16: Other information	ation
Other information	
Revision	This document differs from the previous version in the following areas:. 1 - Description.
Text of risk phrases in Section 3	R36/37/38 - Irritating to eyes, respiratory system and skin.
Text of Hazard Statements in	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
O	STOT SE 3: H335 - May cause respiratory irritation.
General information	
	This information is correct to the best of our knowledge and belief at the date of publication
	however no guarantee is made to its accuracy.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in



combination with any other materials or in any other process.