

according to 1907/2006/EC, Article 31

Flowdur WR Hardener

Page 1/7

	Revision 0
	Revision date 2015-06-05
SECTION 1: Identification o	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Flowdur WR Hardener
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Description	Restricted to professional users.
	Component of a Three Pack Polyurethane Coving Render.
1.3. Details of the supplier of t	he safety data sheet
Company	Virtus Resins
Address	The Shippon, Faenol
	Pentrecelyn
	Ruthin LL15 2SP
Web	www.epoxyresinsuppliers.co.uk
Telephone	+44 (0)1978 790 744
Fax	
Email	info@epoxyresinsuppliers.co.uk
Email address of the	info@epoxyresinsuppliers.co.uk
competent person	
1.4. Emergency telephone num	nber
Emergency telephone	+44 (0)1978 790 744
number	
	8.30am to 5.00pm Mon - Fri
SECTION 2: Hazards identif	fication
2.1. Classification of the subst	tance or mixture
2.1.1. Classification -	Xn; R20-40-42/43-48/20 Xi; R36/37/38
1999/45/EC	Symbols: Xn: Harmful.
Main hazards	Harmful by inhalation. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. May cause sensitisation by inhalation by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Acute Tox. 4: H332; Resp. Sens. 1: H334; STOT SE 3: H335; Carc. 2: H351; STOT RE 2: H373;
2.2. Label elements	
Hazard pictograms	

Copyright © 2015 ChemSoft Limited. All rights reserved.

Danger

virtusresins

Signal Word

Hazard Statement



Skin Irrit. 2: H315 - Causes skin irritation.

Flowdur WR Hardener

	Revision date 2015-06-05
2.2. Label elements	
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	STOT SE 3: H335 - May cause respiratory irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P284 - [In case of inadequate ventilation] wear respiratory protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P314 - Get medical advice/attention if you feel unwell.
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor/.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	
2.3. Other hazards	
Other hazards	According to Regulation (EC) No 1272/2008 (CLP)
	No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.Classification	M-factor.
				Number	(%w/w)	
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0		70 - 80% Carc. Cat. 3; R40 Xn;	
					R20-48/20 Xi; R36/37/38	
					R42/43	
4,4'-Diphenylmethane-diisocyanate	615-005-00-9	9016-87-9			10 - 20%	

Flowdur WR Hardener

3.2. Mixtures

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0			Carc. 2: H351; Acute Tox. 4:	
						H332; STOT RE 2: H373;	
						Eye Irrit. 2: H319; STOT SE	
						3: H335; Skin Irrit. 2: H315;	
						Resp. Sens. 1: H334; Skin	
						Sens. 1: H317;	
4,4'-Diphenylmethane-diisocyanate	615-005-00-9	9016-87-9					

SECTION 4: First aid measures

4.1. Description of first aid measures

•		
Inhalation	Keep patient calm, remove to fresh air, seek medical attention.	
Eye contact	Immediately wash affected eyes for at least 15 minutes under running water with eyelids help open, consult an eye specialist.	
Skin contact	After contact with skin, wash immediately with plenty of water and soap.	
Ingestion	Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		

Eye contact	Irritating to eyes.		
Skin contact	Irritating to skin.		
4.3. Indication of any immediate medical attention and special treatment needed			
	Treatment:- Treat according to symptoms (decontamination, vital functions), no known		

specific antidote, administer corticosteroid dose aerosol to prevent pulmonary oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1. Extinguishing media		
	Dry powder, carbon dioxide, alcohol-resistant foam, water spray.	
5.2. Special hazards arising from the substance or mixture		
	Carbon dioxide, carbon monoxide, hydrogen cyanide, hydrocyanic acid, nitrogen	
	oxides, isocyanate.	
	The substance/groups of substances mentioned can be released in case of fire.	
5.3. Advice for firefighters		
	Special protective equipment.	
	Wear self-contained breathing apparatus and chemical-protective clothing.	
Further information		
	Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris	
	and contaminated extinguishing water in accordance with official regulations.	
SECTION 6: Accidental rele	ease measures	
6.1. Personal precautions, pro	otective equipment and emergency procedures	
	Use personal protective clothing. Ensure adequate ventilation. Use breathing apparatus if	
	exposed to vapours/dust/aerosol.	
6.2. Environmental precautions		
	Do not empty into drains. Do not discharge into the subsoil/soil.	
6.3. Methods and material for	containment and cleaning up	

For large amounts:- Pump off product. For residues;- Pick up with absorbent material (e.g sand, sawdust, general purpose binder).
Dispose of absorbed material in accordance with regulations.
Neutralize with a solution of 5-10% Sodium carbonate, 0.2-2 % detergents and 90-95 % water.



6.4. Reference to other sections

	Information regarding exposure controls/personal protection and disposal	
	considerations can be found in section 8 and 13.	
SECTION 7: Handling and storage		

7.1. Precautions for safe handling

Provide suitable exhaust ventilation at the processing machines. Ensure thorough ventilation
Provide suitable exhaust ventilation at the processing machines. Ensure thorough ventilation
of stores and work areas. Avoid aerosol formation. When handling heated product, vapours of
the product should be ventilated and respiratory protection used. Wear respiratory protection
when spraying. Danger of bursting when seal gastight. Protect against moisture. Products
freshly manufactured from isocyanates can contain incompletely reacted isocyanates and
other dangerous substances. Clean up contamination as soon as they occur. Provide basic
employee training to prevent/minimize exposures.
ge, including any incompatibilities
Keep away from water. Segregate from foods and animal feeds. Segregate from acids and bases.
Suitable materials for containers; carbon steel (iron), High density polyethylene
(HDPE), Low density polyethylene (LDPE), tin (tinplate), Stainless steel 1 4301 (V2).
Unsuitable materials for containers;- paper, board.
Further information on storage containers; Keep container tightly closed in cool, well-ventilated place.
Protect against moisture. Formation of CO2 and build up of pressure possible. Danger of bursting
when sealed gastight. Information concerning the compliance to the Packaging (Essential
Requirements) Regulations 1998 and their amendments may be obtained from the manufacturer.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Are listed on the following items according to where it is going to be used.

8.1.1. Exposure Limit Values

Pumadur WR Hardener	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.02
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3: 0.07
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

8.2. Exposure controls

Eye / face protection	safety glasses with side-shields.	
Skin protection - Handprotection	Chemical resistant gloves.	
Skin protection - Other	Wear suitable protective clothing.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellowish
Odour	Earthy, musty
Flash point	200
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	> 200
pH	Not applicable.
Solubility	No data available

9.2. Other information

Conductivity	No data available	
Surface tension	No data available	
Gas group	No data available	
VOC (Volatile organic		
compounds)		
Benzene Content	Not applicable.	
Lead content	Not applicable.	
SECTION 10: Stability and reactivity		

10.1. Reactivity		
	No hazardous reactions if stored and handled as prescribed/indicated.	
10.2. Chemical stability		
	This product is stable if stored and handled as prescribed/indicated.	
10.3. Possibility of hazardous reactions		
	Reacts with water, with formation of carbon dioxide. Risk of bursting. Reacts with	
	substances which contain active hydrogen.	
10.4. Conditions to avoid		
	Temperature < 15o C.	
10.5. Incompatible materials		
	Acids, alcohols, amines, water, Alkalines.	
10.6. Hazardous decomposition products		
	No hazardous decomposition products if stored and handled as prescribed/indicated.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	No data is available on this product.	
Skin corrosion/irritation	Sensitization.	
Serious eye damage/irritation	Causes serious eye irritation.	

Copyright $\textcircled{\sc c}$ 2015 ChemSoft Limited. All rights reserved.

Flowdur WR Hardener

Revision	
Revision date 2015-06	-05

	Revision date 2015-06-05
11.1. Information on toxicolog	jical effects
Respiratory or skin sensitisation	May cause sensitisation by inhalation.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
11.1.4. Toxicological Informatio	n
	No data available
SECTION 12: Ecological in	formation
12.1. Toxicity	
	No data available
12.2. Persistence and degrada	ability
	No data is available on this product.
12.3. Bioaccumulative potent	ial
	No data is available on this product.
Partition coefficient	
	Flowdur WR Hardener No data available
12.4. Mobility in soil	T
	No data is available on this product.
12.5. Results of PBT and vPv	
····	No data is available on this product.
12.6. Other adverse effects	T
	No data is available on this product.
SECTION 13: Disposal con	siderations
13.1. Waste treatment method	ls
	Completely empty the packaging and process it according to local legislation.
SECTION 14: Transport inf	ormation
14.6. Special precautions for	user
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk accord	ding to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
ADR/RID	
	The product is not classified as dangerous for carriage.
IMDG	
	The product is not classified as dangerous for carriage.
ΙΑΤΑ	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory in	
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
	"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals



Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and

Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC". "REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending

15.2. Chemical safety assessment

For advice on essential measures see sections 7 and 8 of this safety data sheet.

Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission

SECTION 16: Other information			
Other information			
Text of risk phrases in	R20 - Harmful by inhalation.		
Section 3	R36/37/38 - Irritating to eyes, respiratory system and skin.		
	R40 - Limited evidence of a carcinogenic effect.		
	R42/43 - May cause sensitisation by inhalation and skin contact.		
	R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.		
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.		
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Acute Tox. 4: H332 - Harmful if inhaled.		
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
	STOT SE 3: H335 - May cause respiratory irritation.		
	Carc. 2: H351 - Suspected of causing cancer .		
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .		
General information			
	This information is correct to the best of our knowledge and belief at the date of publication		
	however no guarantee is made to its accuracy.		
Further information	Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		
	combination with any other materials or in any other process.		

