

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## Flowscreed Aggregate

Revision 0  
Revision date 2016-04-21

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Flowscreed Aggregate
--------------	----------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Restricted to professional users. Component of a Three Pack Epoxy Floor Topping.
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Virtus Resins
Address	The Shippon, Faenol Pentrecelyn Ruthin LL15 2SP
Web	www.epoxyresinsuppliers.co.uk
Telephone	+44 (0)1978 790 744
Fax	
Email	info@epoxyresinsuppliers.co.uk
Email address of the competent person	info@ epoxyresinsuppliers.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	+44 (0)1978 790744 8.30am to 5.00pm Mon - Fri
----------------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	STOT RE 2: H373;
--------------------------------------	------------------

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Precautionary Statement: Response	P314 - Get medical advice/attention if you feel unwell.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations

# Flowscreed Aggregate

Revision 0  
Revision date 2016-04-21

## 2.3. Other hazards

Other hazards	No data available.
---------------	--------------------

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Quartz Silica Sand		14808-60-7			70 - 80%		
Cristobalite Flour		14464-46-1			1 - 10% Xn; R20		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Quartz Silica Sand		14808-60-7			70 - 80%		
Cristobalite Flour		14464-46-1			1 - 10% STOT RE 1: H372;		

### Description

	Three Pack Epoxy Floor Topping.
--	---------------------------------

### Further information

	If REACH registration numbers do not appear the substance is either exempt from registration, does not meet the minimum volume threshold for registration, or the registration date has not yet come due. Refer to section 16 for full text of each relevant R-pharse and H-pharse.
--	---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	No special first aid measures. Remove to fresh air and consult a physician.
Eye contact	Wash with copious quantities of water.
Skin contact	No special first aid measures necessary.
Ingestion	Non-toxic.

### General information

	No actions are to be avoided, nor are there any special instructions for rescuers.
--	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	No data available.
--	--------------------

### 5.2. Special hazards arising from the substance or mixture

	No data available.
--	--------------------

# Flowscreed Aggregate

Revision 0

Revision date 2016-04-21

## 5.3. Advice for firefighters

	No data available.
--	--------------------

## Further information

### Other Information

Does not burn, No hazardous releases in case of fire.
---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid airborne dust generation. In case of exposure to airborne dust concentrations exceeding regulatory limits, wear a personal respirator in compliance with national legislation.
--

### 6.2. Environmental precautions

No special requirements.
--------------------------

### 6.3. Methods and material for containment and cleaning up

Avoid dry sweeping and use water spraying or vacuum cleaning systems to prevent airborne dust generation.
---

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.
---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid airborne generation. Provide appropriate exhaust ventilation at places where airborne dust is generated. In case of insufficient ventilation, wear suitable respiratory protective equipment.
--

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Precautions. Ensure abatement of dust produced during the loading of silos. Keep containers closed and store/handle bagged products so as to prevent accidental bursting.
--

### 7.3. Specific end use(s)

The identified uses for this product are detailed in section 1.2.
---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The workplace MEL (maximum Exposure Limit) for respirable crystalline silica dust is 0.3 mg/m <sup>3</sup> in the United Kingdom, measured as an 8 hour TWA (Time Weighted Average). However, the Health and Safety Executive believes it should now be reasonable practicable for all industry sectors to control respirable crystalline silica to 0.1 mg/m <sup>3</sup> (8 hour TWA).
---

#### 8.1.1. Exposure Limit Values


Cristobalite Flour	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m <sup>3</sup> : .3
	WEL 15 min limit ppm:	WEL 15 min limit mg/m <sup>3</sup> :
	WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust:	WEL 15 min limit mg/m <sup>3</sup> total inhalable dust:
	WEL 8-hr limit mg/m <sup>3</sup> total respirable dust:	WEL 15 min limit mg/m <sup>3</sup> total respirable dust:
Quartz Silica Sand	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m <sup>3</sup> :
	WEL 15 min limit ppm:	WEL 15 min limit mg/m <sup>3</sup> :
	WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust:	WEL 15 min limit mg/m <sup>3</sup> total inhalable dust:
	WEL 8-hr limit mg/m <sup>3</sup> total respirable dust: 0.1	WEL 15 min limit mg/m <sup>3</sup> total respirable dust:

# Flowscreed Aggregate

Revision 0

Revision date 2016-04-21

## 8.2. Exposure controls

Eye / face protection		Provide appropriate local exhaust ventilation in places where dust is generated. Control of occupational exposure may also be achieved by enclosing plant and equipment, by isolating personnel from dusty areas and by ensuring good standards of ventilation in the workplace.
		Wear safety glasses with side shields or goggles to protect the eyes. In high dusty environments wear tightly fitting goggles to avoid eye irritation or injury.
		In case of exposure to airborne dust concentrations exceeding regulatory limits, wear a personal respirator that complies with the requirements of national legislation.
8.2.3. Environmental exposure controls		No special requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Off white
Odour	Odourless
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	No data available.
--	--------------------

# Flowscreed Aggregate

Revision 0  
Revision date 2016-04-21

## 10.2. Chemical stability

Chemically stable, no particular incompatibility.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

No data available.

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

No data available.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

No data available.

#### 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data is available on this product.

### 12.3. Bioaccumulative potential

No data is available on this product.

### Partition coefficient

Flowscreed Aggregate No data available

Quartz Silica Sand No data available

### 12.4. Mobility in soil

No data is available on this product.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Can be landfilled in compliance with local regulations. The material should be buried to prevent dust being picked up by the wind. Where possible, recycling is preferable to disposal. The substance has not been included in the EU Waste Catalogue.

### Further information

Further information on waste can be obtained from the document "Guidance on the Classification and Assessment of Waste, Technical guidance WM3.

## SECTION 14: Transport information

### 14.1. UN number

# Flowscreed Aggregate

Revision 0  
Revision date 2016-04-21

14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
	Use in conjunction with Manufacturers recommended guidelines.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.
	No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	<p>"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".</p> <p>"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".</p>
--	--

### 15.2. Chemical safety assessment

	For advice on essential measures see sections 7 and 8 of this safety data sheet.
--	--

## SECTION 16: Other information

### Other information

	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Text of risk phrases in Section 3	R20 - Harmful by inhalation.
Text of Hazard Statements in Section 3	STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

### General information

	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.
--	--