

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7


Flowseal PC Gloss Resin

Revision 0
Revision date 2015-06-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	Flowseal PC Gloss Resin
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Description	Restricted to professional users. Component of a Two Pack Polyurethane Floor Seal.
1.3. Details of the supplier of the safety data sheet	
Company Address	Virtus Resins The Shippon, Faenol Pentrecelyn Ruthin LL15 2SP
Web	www.epoxyresinsuppliers.co.uk
Telephone	+44 (0)1978 790 744
Fax	
Email	info@epoxyresinsuppliers.co.uk
Email address of the competent person	info@ epoxyresinsuppliers.co.uk
1.4. Emergency telephone number	
Emergency telephone number	+44 (0)1978 790744 9.00am to 5.00pm Mon - Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
2.1.1. Classification - 1999/45/EC	Xn; R65 Symbols: Xn: Harmful.
Main hazards	Harmful: may cause lung damage if swallowed.
2.1.2. Classification - EC 1272/2008	Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H335 - May cause respiratory irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.

Flowseal PC Gloss Resin

Revision 0

Revision date 2015-06-02

2.2. Label elements

Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P331 - Do NOT induce vomiting.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Xylene (Xylene, o-,m-,p-or mixed isomers)	601-022-00-9	1330-20-7	215-535-7		1 - 10% R10 Xn; R20/21 Xi; R38		
Solvent naphtha (petroleum) light aromatic					20 - 30% Xn; R65 R10		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Xylene (Xylene, o-,m-,p-or mixed isomers)	601-022-00-9	1330-20-7	215-535-7		1 - 10% Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315;		
Solvent naphtha (petroleum) light aromatic					20 - 30% Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; Aquatic Chronic 2: H411;		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Ingestion	Drink copious amounts of water and provide fresh air. Instantly call for doctor.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No data is available on this product.
Eye contact	No data is available on this product.
Skin contact	No data is available on this product.
Ingestion	No data is available on this product.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	No data is available on this product.
Eye contact	No data is available on this product.
Skin contact	No data is available on this product.
Ingestion	No data is available on this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Foam, CO2 or dry powder.
--	--------------------------

Flowseal PC Gloss Resin

Revision 0
Revision date 2015-06-02

5.2. Special hazards arising from the substance or mixture

In case of fire, toxic gases may be formed.

5.3. Advice for firefighters

Special protective equipment.
Wear self-contained breathing apparatus and chemical-protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in section 8 and follow the advice for safe handling and use.

6.2. Environmental precautions

Protect drains by covering to avoid any spillage entering the drainage system.

6.3. Methods and material for containment and cleaning up

Stop leak if safe to do so.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in confined spaces without adequate ventilation and/or respirator.
Eliminate all sources of ignition.
Keep away from heat, sparks and open flames.
Avoid inhalation of vapours.
Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Xylene (Xylene, o-,m-,p-or mixed isomers)	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 220
	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 441
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Flowseal PC Gloss Resin

Revision 0

Revision date 2015-06-02

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Various
Odour	Aromatic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data is available on this product.

10.2. Chemical stability

No particular stability concerns. Avoid: Heat, sparks, flames.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Strong oxidising substances.

10.6. Hazardous decomposition products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity No data is available on this product.

Skin corrosion/irritation No data is available on this product.

Serious eye damage/irritation No data is available on this product.

Flowseal PC Gloss Resin

Revision 0

Revision date 2015-06-02

11.1. Information on toxicological effects

Respiratory or skin sensitisation	No data is available on this product.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3. Bioaccumulative potential

Partition coefficient

	Flowseal PC Gloss Resin No data available
--	---

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Waste is classified as hazardous waste. Disposal to licenced waste disposal site in accordance with the Local Waste Disposal Authority. Do not puncture or incinerate even when empty.
--	---

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN1268
--	--------

14.2. UN proper shipping name

	PETROLEUM DISTILLATES. N.O.S.
--	-------------------------------

14.3. Transport hazard class (es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Flowseal PC Gloss Resin

Revision 0

Revision date 2015-06-02

14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

SECTION 16: Other information**Other information**

Text of risk phrases in Section 3	R10 - Flammable R20/21 - Harmful by inhalation and in contact with skin. R38 - Irritating to skin. R65 - Harmful: may cause lung damage if swallowed.
Text of Hazard Statements in Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Irrit. 2: H315 - Causes skin irritation. Acute Tox. 4: H332 - Harmful if inhaled. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H335 - May cause respiratory irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

General information

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

Flowseal PC Gloss Resin

Revision 0

Revision date 2015-06-02

Further information

	<p>storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---