

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7


## Strongcoat V Coloured Hardener

Revision 0  
Revision date 2015-06-02

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1. Product identifier</b>	
Product name	Strongcoat V Coloured Hardener
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
Description	Restricted to professional users. Component of a Two Pack Epoxy Wall Coating.
<b>1.3. Details of the supplier of the safety data sheet</b>	
Company	Virtus Resins
Address	The Shippon, Faenol Pentrecelyn Ruthin LL15 2SP
Web	www.epoxyresinsuppliers.co.uk
Telephone	+44 (0)1978 790 744
Fax	
Email	info@epoxyresinsuppliers.co.uk
Email address of the competent person	info@ epoxyresinsuppliers.co.uk
<b>1.4. Emergency telephone number</b>	
Emergency telephone number	+44 (0) 1978 790 744 8.30am to 5.00pm Mon - Fri

### SECTION 2: Hazards identification

<b>2.1. Classification of the substance or mixture</b>	
2.1.1. Classification - 1999/45/EC	C; R34 Xn; R20/22 Xi; R43 Symbols: C: Corrosive.
Main hazards	Harmful by inhalation and if swallowed. Causes burns. May cause sensitisation by skin contact.
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332;
<b>2.2. Label elements</b>	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H332 - Harmful if inhaled.

# Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## 2.2. Label elements

Precautionary Statement: Prevention	<p>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</p> <p>P264 - Wash thoroughly after handling.</p> <p>P270 - Do not eat, drink or smoke when using this product.</p> <p>P271 - Use only outdoors or in a well-ventilated area.</p> <p>P272 - Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p>
Precautionary Statement: Response	<p>P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.</p> <p>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 - IF ON SKIN: Wash with plenty of water/ .</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 - Immediately call a POISON CENTER/doctor/ .</p> <p>P312 - Call a POISON CENTER/doctor/ if you feel unwell.</p> <p>P321 - Specific treatment (see on this label).</p> <p>P330 - Rinse mouth.</p> <p>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P363 - Wash contaminated clothing before reuse.</p>
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

## 2.3. Other hazards

Other hazards	No data available.
---------------	--------------------

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Benzyl alcohol	603-057-00-5100-51-6		202-859-9		30 - 40%	Xn; R20/22	
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	612-067-00-9	2855-13-2	220-666-8		10 - 20%	Xn; R21/22 C; R34 R43 R52/53	
Benzene-1,3-dimethanamine		1477-55-0	216-032-5		1 - 10%	C; R35 Xn; R20/22	
Salicylic Acid		69-72-7			1-10%		

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9		30 - 40%	Acute Tox. 4: H332; Acute Tox. 4: H302;	
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	612-067-00-9	2855-13-2	220-666-8		10 - 20%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;	
Benzene-1,3-dimethanamine		1477-55-0	216-032-5		1-10%		
Salicylic Acid		69-72-7			1-10%		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
------------	---------------------------------------

# Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## 4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	In the event of skin contact, wipe off mechanically and wash affected areas thoroughly with soap and water.
Ingestion	Drink copious amounts of water and provide fresh air. Instantly call for doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
Ingestion	Immediate medical attention is required.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Carbon dioxide (CO <sub>2</sub> ). Extinguishing media. Water jet.
--	--

### 5.2. Special hazards arising from the substance or mixture

	Formation of toxic gases is possible during heating or in case of fire.
--	---

### 5.3. Advice for firefighters

	Special protective equipment. Wear self-contained breathing apparatus and chemical-protective clothing.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective clothing.
--	------------------------------------

### 6.2. Environmental precautions

	Do not allow runoff water to enter sewers or drains. Do not let product contaminate subsoil.
--	--

### 6.3. Methods and material for containment and cleaning up

	Sand.
--	-------

### 6.4. Reference to other sections

	Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	The usual precautionary measures for handling chemicals must be observed. Ensure good ventilation/exhaustion at the workplace.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Store in original container.
--	------------------------------

### 7.3. Specific end use(s)

	The identified uses for this product are detailed in Section 1.2.
--	---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

	Are listed on the following items according to where it is going to be used.
--	--


### 8.2. Exposure controls

# Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## 8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
Eye / face protection	safety glasses with side-shields.
Skin protection - Handprotection	Wear suitable gloves.
Skin protection - Other	Wear suitable protective clothing.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellowish
Odour	Amine
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	100
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	No data available.
--	--------------------

### 10.2. Chemical stability

	This product is stable if stored and handled as prescribed/indicated.
--	---

### 10.3. Possibility of hazardous reactions

# Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

## 10.4. Conditions to avoid

	No decomposition if used according to specifications.
--	---

## 10.5. Incompatible materials

	Strong oxidising agents.
--	--------------------------

## 10.6. Hazardous decomposition products

	No data is available on this product.
--	---------------------------------------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
----------------	---------------------------------------

Skin corrosion/irritation	No data is available on this product.
---------------------------	---------------------------------------

Serious eye damage/irritation	No data is available on this product.
-------------------------------	---------------------------------------

Respiratory or skin sensitisation	No data is available on this product.
-----------------------------------	---------------------------------------

Germ cell mutagenicity	No data is available on this product.
------------------------	---------------------------------------

Carcinogenicity	No data is available on this product.
-----------------	---------------------------------------

Reproductive toxicity	No data is available on this product.
-----------------------	---------------------------------------

## SECTION 12: Ecological information

### 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

### 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

### Partition coefficient

	Strongcoat V Coloured Hardener No data available
--	--

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 91/869/EEC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residue materials additional evaluations may be required. Do not dump into any sewers, on the ground, or into any body of water.
--	---

## SECTION 14: Transport information

### Hazard pictograms

## Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## Hazard pictograms



## 14.1. UN number

UN2735

## 14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE N.O.S. (Contains isophoronediamine and 1,3-benzenedimethanamine)

## 14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## 14.6. Special precautions for user

Use in conjunction with Manufacturers recommended guidelines.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available.

## ADR/RID

Hazard ID	80
Tunnel Category	(E)

## IMDG

EmS Code	F-A S-B
----------	---------

## IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

# Strongcoat V Coloured Hardener

Revision 0

Revision date 2015-06-02

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

## 15.2. Chemical safety assessment

For advice on essential measures see sections 7 and 8 of this safety data sheet.

## SECTION 16: Other information

### Other information

#### Text of risk phrases in Section 3

R20/22 - Harmful by inhalation and if swallowed.  
 R20 - Harmful by inhalation.  
 R21/22 - Harmful in contact with skin and if swallowed.  
 R22 - Harmful if swallowed.  
 R34 - Causes burns.  
 R41 - Risk of serious damage to eyes.  
 R43 - May cause sensitisation by skin contact.  
 R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.  
 Acute Tox. 4: H332 - Harmful if inhaled.  
 Acute Tox. 4: H312 - Harmful in contact with skin.  
 Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
 Skin Sens. 1: H317 - May cause an allergic skin reaction.  
 Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

### General information

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.