

borg &  
overström

b4



## A design for flexibility

The range was created with an innate flexibility allowing it to flourish in all given environments – from boardroom to sports hall. Its compact size, large dispense and flexible water options position it as the premium solution.



---

### Power requirements

Hertz 50/Volts 220-240

**Max power consumption**

Cold & Ambient 95W

Cold & Hot 500W

---

### Cold temperature

Min 2°C/Max 11°C

**Hot temperature**

Max 92°C

**Throughput litres per hour**

Cold 22/Hot 6

---

### Dimensions

Floorstanding

Countertop

Internal

Dispense height

---

### WxDxH

320x470x1325mm

320x470x415mm

315x360x835mm

1210mm

### Key Features

- Touch panel button controls
- Integrated cup dispenser
- High capacity, auto-lit dispense area
- Premium POU dispenser
- Floorstanding or countertop
- Chilled, hot and sparkling

### Available accessories

- Sparkling Refill (CO<sub>2</sub> E290)
- CO<sub>2</sub> Regulator with Gauge
- Sanitisation Kit
- Install Kit with Filter
- Waste Kit with Level Sensor (Floorstanding option only)
- Blue Tint Cups



---

## Water options



Chilled



Ambient




Hot



Sparkling

---

## Configuration



Countertop



Floorstanding

---

## Recommended environment



Offices



Hospitality



Healthcare



Education



Leisure

---

## Number of users



6–10



11–25



25+

---

## b4 Models

Direct Chill, Countertop, Chilled, Ambient— 103210

Direct Chill, Countertop, Chilled, Hot— 103215

Direct Chill, Countertop, Chilled, Sparkling— 103310

Direct Chill, Countertop, Chilled, Hot, Sparkling— 103410

Base Cabinet— 103910

---

## Water system



Direct Chill

Borg & Overström Direct Chill utilises innovative technology to chill water instantly. We recommend this system for more demanding environments because of its optimum dispense performance and unrivalled hygienic qualities. Superior to the gravity fed Reservoir system, Direct Chill technology chills water on demand for the ultimate drinking experience.

Phone  
+44 (0)1362 695 006  
Email  
sales@borgandoverstrom.com

[borgandoverstrom.com](http://borgandoverstrom.com)

Ref: 838104  
Version: 22102014