
Gaia Rocking / Feeding Chair






Assembly Instructions

Hardware list - Rocking / Feeding Chair Assembly

AX8 Bolt
BX8 Dowel
C X 12 Spring Washer
D X 12 Washer
E X 4 Semicircle lock
F X 4 Cam Bolt
G X 4 Nut
H X 4 Hole Cover
I X 4 Wrench
J x 1 Allen Key

Parts list - Rocking / Feeding Chair Assembly



Be sure you follow the instructions in the order that they appear.

To avoid possible scratching, assemble furniture on a soft surface.

For instance on a carpet or blanket.

Be aware that you can use both ends of the Allen Key.

For instance, use it lengthwise to get into tighter corners.


Be careful not to over tighten bolts.

Assembly

ATTENTION NOTICE:


Please open the covering cloth under the seat cushion.

Rocker legs are stored under the seat cushion




Step 1

Insert four Dowels B into the pre-drilled holes of the Front Leg Cross Bar ① and the Rear Leg Cross Bar ② .Total of 8pcs Dowels.




Step 2

Insert the Cam Bolt F into the middle holes of the Left Leg ③. Repeat the same procedure for the Right Leg ④.




Step 3

Connect the Front Leg Cross Bar ① and Rear Leg Cross Bar ② with the 2 legs by inserting the dowels of the crossbars into the pre-drilled holes of the 2 legs. Use wrench to tighten nuts×4.



Step 4

Connect the legs to the wooden frame of the Chair ⑤ by inserting Bolt A into the pre-inserted nuts of the wooden frame and bolt them tightly using the Allen Key J . Repeat same procedures for 4 corners.



ATTENTION NOTICE:

Please replace the base-covering-cloth post assembly.

Assembly is complete, chair is complete and ready to enjoy!

