

User Manual

for Quictent Carport


Model#CP1110 •





Model#CP1111

Model #CP1112&CP1141 •



Please read, understand, and practice the guidelines in this user manual before use, and keep it for future reference.

10' x 20' 12' x 20'

The *Parts List* varies by the model. Please refer to the correct list for the product you have.

Table of Contents

•	About Quictent2
•	Safety Instructions
•	Model #CP11105
•	Model #CP11119
•	Model #CP1112&CP1141
•	Maintenance ·····1
•	Warranty · · · · · 19
•	Appendix20

IMPORTANT

We'd love to hear from our customers. If you have any questions about the manual or would like us to help in any way, please feel free to contact the support team. We will reply in 12 hours (working days).

- Check the Spam and your email Settings if you do not receive a reply in time as it is probably blocked because our support team will always get back to you no later than the timeframe.
- Add the following email address to your CONTACT LIST in case of any blocking.
- Email: sales@quictents.com, maxlead.us@gmail.com.

This user manual applies to Quictent carports (with sidewalls). It will help you to get to know your carport. Please read the guidelines in this manual and keep the manual for future reference.

We may update the manual without notice in advance. You can always search "Quictent Instructions" online for the latest version.

About Quictent

Founded in the early 21st century, Quictent has grown into a popular brand with reliable products and excellent customer services during the past decades. We started with pop up canopies, and then expanded to other 6 categories for shelters and the like including party tents, carports, greenhouses, shade sails, patio umbrellas and grow tents. Driven by the vision to create unique spaces to meet every specific need and become a part of America's landscape, we at Quictent would spare no effort to keep innovating.

Our Vision

Creating unique spaces to meet every specific need, and become a part of America's landscape.

Our Mission

To keep innovating and provide a wide range of reliable shelters and shades at consumer-grade prices with customer-first service.

Our Service

The customer-centric services are what we at Quictent take great pride in. In addition to the hassle-free warranty covering all Quictent products, an industrial-leading support team is standing behind at all times. Whenever you need help or have any suggestions and comments about our products, do not hesitate to reach us via sales@quictents.com or maxlead.us@gmail.com. You're sure to get a to-the-point reply in 12 hours.

Safety Instructions

You should read, understand, and practice safety instructions in this chapter. For any damages due to not obeying guidelines as instructed, the owner (user) should take full responsibility.



Please ALWAYS weigh down your carports with sandbags, auger anchors, and (or) pegs.



Please do NOT place something heavy on the top as the carports is designed to be a temporary structure.



Please do NOT light a fire inside and keep any heat source away from your carports.



Do NOT throw away the original packaging cartons in case of a return or an exchange.

- Please ALWAYS weigh down your carport with sandbags, auger anchors, and (or) pegs.
- Please do NOT place something heavy on the top as the carport is designed to be a temporary structure.
- Please do NOT light a fire inside and keep any heat source away from your carports.
- Please do NOT throw away the original packaging cartons in case of a return or an exchange.

Warning


Do NOT use this product in severe weather such as high wind, heavy rain, heavy snows, etc. Please take down the structure for any potential inclement weather. Damages caused by improper use will NOT be covered by the warranty.



Model #CP1110

Parts List

You'll receive one (1) box for this model. Please pay attention to making sure all parts are numbered and graphically indexed as shown on the Parts List, does the quantity for each part. If you need any help, please contact us promptly(sales@quictents.com or maxlead.us@gmail.com) with the ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, and PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE we'll get back to help out soon.



Parts List for Model #CP1110

Part Number	Diagram	Description	Quantity (PCS)
#1	0 •	59.1" Top Diagonal Beam Pole	6
#2	0 0	58.5" Horizontal Connecting Pole	6
#3	000 000	75.2" Leg Pole	6
#4	0 0	58.5"Horizontal Connecting Pole with Male End	6
#5	•	19.7" Horizontal Supporting Pole	3
#A	ß	3-Way Connector	6
#B	_	4-Way Connector	3


Part Number	Diagram	Description	Quantity (PCS)
#C	٨	Foot Base	6
#F		L-Shaped Peg	12
#G1	□	M8*45 Bolt And Nut	6
#G2	□ ≼	M6*25 Bolt And Nut	6
#H	C—+-	Spiral Peg	4
#J		Guy Rope	4
#K		Bungee Cord	40
#L	W W	Gloves	2 Pairs
#R		Roof Cover	1
#X	8	Pole Holder	6

Assembly Steps for Model #CP1110


Before the assembly, please check to make sure that you have all parts listed in the Parts List.

Step 1 Assemble the upper frame


a) Layout the frame with the poles (6x #2, 6x #4, 6x #1) and the connectors (6x#A, 3x#B)




b) Fix all the poles and connectors together by snapping the built-in pins.



Step 2 Assemble Horizontal Supporting Poles




Step 3 Assemble Roof Cover




Step 4 Assemble Leg Poles and Foot Base

Please connect the foot base to the leg pole first. And then install the Leg Poles on one side. Finally, install the Leg Poles on the remaining side.




Step 5 Install L-Shaped Pegs and Spiral Pegs



Model#CP1111

Parts List

You'll receive two (2) box for this model. Please pay attention making sure all parts are numbered and graphically indexed as shown on the Parts List, does the quantity for each part. If you need any help, please contact us promptly(sales@quictents.com or maxlead.us@gmail.com) with the ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, and PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE we'll get back to help out soon.



Parts List for Model#CP1111

	Part Number	Diagram	Description	Quantity (PCS)
	#1	0 •	59.1" Top Diagonal Beam Pole	8 .
	#2	• •	76"Horizontal Connecting Pole	9
0	#3	••• •••0	75.2" Leg Pole	8
	#5	•	19.7" Horizontal Supporting Pole	4
	#A	ß	3-Way Connector	6
	#B	4	4-Way Connector	6
	#C	ڦ	Foot Base	8


Part Number	Diagram	Description	Quantity (PCS)
#F		L-Shaped Peg	16
#G1	₽	M8*45 Bolt And Nut	8
#G2	₽	M6*25 Bolt And Nut	8
#H	C—+-	Spiral Peg	4
#J		Guy Rope	4
#K		Bungee Cord	40
#L	W W	Gloves	2 Pairs
#R		Roof Cover	1
#X	<i>⊗</i>	Pole Holder	8

Assemble the upper frame


Before the assembly, please check to make sure that you have all parts listed in the Parts List.

Step 1 Assemble the upper frame


a) Layout the frame with the poles (9x #2.8x #1) and the connectors (6x#A, 6x#B)




b) Fix all the poles and connectors together by snapping the built-in pins.



Step 2 Assemble Horizontal Supporting Poles




Step 3 Assemble Roof Cover




Step 4 Assemble Leg Poles and Foot Base


Please connect the foot base to the leg pole first. And then install the Leg Poles on one side.



Finally, install the Leg Poles on the remaining side.




Step 5 Install L-Shaped Pegs and Spiral Pegs



Model #CP1112&CP1141

Parts List

You'll receive two (2) box for this model. Please pay attention making sure all parts are numbered and graphically indexed as shown on the Parts List, does the quantity for each part. If you need any help, please contact us promptly(sales@quictents.com or maxlead.us@gmail.com) with the ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, and PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE we'll get back to help out soon.



Parts List for Model #CP1112

Part Number	Diagram	Description	Quantity (PCS)
#1	0	59.1" Top Diagonal Beam Pole	8
#2	0 0	76"Horizontal Connecting Pole	9
#3		75.2" Leg Pole	8
#5	•	18.7" Horizontal Supporting Pole	4
#A	ß	3-Way Connector	6
#B	4	4-Way Connector	6
#C	ڦ	Foot Base	8

Part Number	Diagram	Description	Quantity (PCS)
#F		L-Shaped Peg	16
#G1	□ ≰	M8*45 Bolt And Nut	8
#G2	€— ⟨	M6*25 Bolt And Nut	8
#H	C—+-	Spiral Peg	4
#J	\sim	Guy Rope	4
#K		Bungee Cord	56
#L	W W	Gloves	2 Pairs
#R		Roof Cover	1
#S		Window Sidewall	2
#X	<i>⊗</i>	Pole Holder	8
#Z		Door with Zippers	2

Parts List for Model #CP1141

Part Number	Diagram	Description	Quantity (PCS)
#1	0	76"Top Diagonal Beam Pole	8 .
#2	0 0	76"Horizontal Connecting Pole	9
#3		75.2" Leg Pole	8
#5	•	19.7"Horizontal Supporting Pole	4
#A	ß	3-Way Connector	6
#B		4-Way Connector	6
#C	٥	Foot Base	8


Part Number	Diagram	Description	Quantity (PCS)
#F		L-Shaped Peg	16
#G1	₽	M8*45 Bolt And Nut	8
#G2		M6*25 Bolt And Nut	8
#H	C	Spiral Peg	4
#J		Guy Rope	4
#K		Bungee Cord	64
#L	w w	Gloves	2 Pairs
#R		Roof Cover	1
#S		Window Sidewall	2
#X	8	Pole Holder	8
#Z		Door with Zippers	2

Assemble the upper frame


Before the assembly, please check to make sure that you have all parts listed in the Parts List.

Step 1 Assemble the upper frame


a) Layout the frame with the poles (9x #2,8x #1) and the connectors (6x#A, 6x#B)



b) Fix all the poles and connectors together by snapping the built-in pins.




Step 2 Assemble Horizontal Supporting Poles



Step 3 Place the Roof Cover (#R) to the assembled top frame.

Tips:


Please align the four corners and two tops of the cover with the frame. You don't need to use Bungee Cord to fix the cover here.





Step 4 Assemble Leg Poles and Foot Base

Please connect the foot base to the leg pole first. And then install the Leg Poles on one side.




Tips:

The remaining Leg Poles need to be assembled after the Door with Zippers is installed.


Step 5 Assemble Door with Zippers

Put the front and back doors on. Use the elastic ball straps to tighten roof cover and doors together. Then lift the other side of upper frame, insert legs #3.



Step 6 Assemble Window Sidewalls


Put two sidewalls on. Attach the hooks into the tube holes near the feet. If the leg cover becomes loose, tighten by moving hook to a lower hole.



Tips:

Adjust the position of the hook according to the actual situation, and fix the hook after assembling the Door with Zippers and Window Sidewall.

Step 7 Install L-Shaped Pegs and Spiral Pegs



Maintenance

To help you maintain your carport in optimal condition, please refer to our suggestions below.

- When in use, make sure to brush off dirt and debris and keep away from potentially damaging objects.
- Clean the cover and sidewalls with water and mild detergent (or non-detergent, if applicable) only.
- To prevent your carport from rust and mildew, please clean all disassembled parts and dry them completely before storing them.
- Store the disassembled carport in a cool and dry place and keep away from animals.
- Inspect your tent carefully before and after each use. If any rips, tears, or damage is found, stop
 using it and email the support team (sales@quictents.com or maxlead.us@gmail.com) with
 the ORDER NUMBER, PART NUMBER, QUANTITY REQUIRED, and ANY PHOTOS (OR VIDEO
 CLIPS, IF APPLICABLE) we will get back to you in 12 hours.

Warranty

The limited warranty covering the materials and the craftsmanship under normal use and service conditions takes effect from the purchase date (on the invoice). Please note that the order purchase proof (order number or shipping information on the shipping carton) is the only valid evidence to claim for warranty.

- 12-month warranty for the Steel Pole, Cover, and Zipper Door.
- A lifetime warranty for all the small accessories not mentioned above, including the Connectors, Pegs, Auger Anchors, Foot Bases, etc.

Reminder

- In the event that you failed to access your order information online, we strongly advise you to keep the original packaging and shipping carton(s) because they are treated as a proof of purchase.
- 2. To get what you need as soon as possible, we strongly suggest you provide all of the following information at your first inquiry:
 - Order number
 - Required parts (name, quantity, and part number)
 - Quantity required for each part
 - Pictures (or video clips, if applicable)

Warning

- Restructuring the product without written permission from Quictent in advance would warranty.

 VOID the
- Damages due to improper use in severe weather conditions, including but not limited to high winds, heavy rain, sleet, snow, etc., will NOT be covered by the warranty.

Appendix

Shelter for Backyard, Party, Event

Pop up Canopy





Quictent pop up canopies serve perfectly for your outdoor events, both personally and commercially. They always provide shades for outdoor activities such as parties, picnics, outings, etc, turning everywhere into a perfect place to relax. When it comes to selling at outdoor events, they are easy to handle in all aspects – unfolding (and folding), transporting, and storing. Rich in styles, sizes, and colors, you can always find one that goes well with your needs.

Party Tent





Preparing for parties and events? We've got your back. Quictent party tents in different sizes are available. From a small-sized one in $10' \times 8'$ to some regular sizes in $10' \times 20'$ or $10' \times 30'$ to a large one in $20' \times 40'$, you can always find a perfect solution matching your demands. What's more, they span a wide range of styles.

Shade Sail

Why Quictent provides so many choices for shade sails in colors and shapes? For aesthetics. Your patio would be pleasing to the eye if you mix shades in different colors and shapes, or overlap one a little while mounting others several feet higher or lower.



Shelter for Vehicle

Carport





The Quictent carports share something in common: They are heavy-duty, easy-to-assemble, and of the most importance, supported by an industrial-leading after-sales service. You can choose from the ones with or without sidewalls depending on your needs.



Motorcycle Shelter

Recommended by so many riders, Quictent motorcycle shelters are proved to be the ultimate solution to protect your motorcycle from the elements. Buy one to see how the well-made cover and the heavy-duty structure realize the great protection.

Garage Shed

A Quictent outdoor storage shed is not only a budget-friendly solution to keep your belongings safe, but also helps organize your life – gone is the backyard/basement clutter.



Truck Tent



Light in weight and excellent in performance, Quictent truck bed tents are always a safer and more comfortable choice for road trips with a pickup truck. They can protect you from the elements when traveling and keep warm & keep you away from the crawling insects when sleeping. More importantly, whenever you want to stop to rest, the big awning would get you sheltered. Take one home and get your pickup ready for a trip!

RV Cover



The Quictent RV covers are a great investment for trailers of all kinds. Besides the great protection provided by the 6-layered tear-, water-, and UV-resistant cover, extra reinforced wind straps are the bonus coming with each order.

Shelter for Plant

Greenhouse



As a necessity for all gardeners, Quictent greenhouses provide an ideal environment to ensure efficient growth and longer growing seasons. Available in mini, medium, and large walk-in ones.

Garden Bed





A Quictent raised garden bed is highly recommended for gardening beginners since it makes you the controller of the size, location, as well as factors like soil conditions. An elevated one is the ultimate solution for gardeners with back pain or knee issues.

