

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
<b>USP&lt;467&gt; Residual Solvents / 1</b>			USP_467		
BENZENE	N/A	MQL <2.0 ppm		2021-07-09	EDM
CARBON TETRACHLORIDE	N/A	MQL <4.0 ppm		2021-07-09	EDM
1,2-DICHLOROETHANE	N/A	MQL <5.0 ppm		2021-07-09	EDM
1,1-DICHLOROETHENE	N/A	MQL <8.0 ppm		2021-07-09	EDM
1,1,1-TRICHLOROETHANE	N/A	MQL <1500 ppm		2021-07-09	EDM
ACETONITRILE	N/A	MQL <410 ppm		2021-07-09	EDM
CHLOROBENZENE	N/A	MQL <360 ppm		2021-07-09	EDM
CHLOROFORM	N/A	MQL <60.0 ppm		2021-07-09	EDM
CUMENE	N/A	MQL <70.0 ppm		2021-07-09	EDM
CYCLOHEXANE	N/A	MQL <3880.0 ppm		2021-07-09	EDM
1,2-DICHLOROETHENE	N/A	MQL <1870.0 ppm		2021-07-09	EDM
1,2-DIMETHOXYETHANE	N/A	MQL <100.0 ppm		2021-07-09	EDM
N,N-DIMETHYLACETAMIDE	N/A	MQL <1090.0 ppm		2021-07-09	EDM
N,N-DIMETHYLFORMAMIDE	N/A	MQL <880.0 ppm		2021-07-09	EDM
1,4-DIOXANE	N/A	MQL <380.0 ppm		2021-07-09	EDM
2-ETHOXYETHANOL	N/A	MQL <160.0 ppm		2021-07-09	EDM
ETHYLENE GLYCOL	N/A	MQL <620.0 ppm		2021-07-09	EDM
FORMAMIDE	N/A	MQL <220.0 ppm		2021-07-09	EDM
HEXANE	N/A	MQL <290.0 ppm		2021-07-09	EDM
METHANOL	N/A	MQL <3000.0 ppm		2021-07-09	EDM
2-METHOXYETHANOL	N/A	MQL <50.0 ppm		2021-07-09	EDM
METHYLBUTYLKETONE	N/A	MQL <50.0 ppm		2021-07-09	EDM
METHYLCYCLOHEXANE	N/A	MQL <1180.0 ppm		2021-07-09	EDM
METHYLENE CHLORIDE	N/A	MQL <600.0 ppm		2021-07-09	EDM
METHYLISOBUTYLKETONE	N/A	MQL <4500.0 ppm		2021-07-09	EDM
N-METHYLPYRROLIDONE	N/A	MQL <530.0 ppm		2021-07-09	EDM

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.

Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.

Testing may be completed at other Labs-Mart Inc - Canada locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 1 of 6

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
NITROMETHANE	N/A	MQL <50.0 ppm		2021-07-09	EDM
PYRIDINE	N/A	MQL <200.0 ppm		2021-07-09	EDM
SULFOLANE	N/A	MQL <160.0 ppm		2021-07-09	EDM
TETRAHYDROFURAN	N/A	MQL <720.0 ppm		2021-07-09	EDM
TETRALIN	N/A	MQL <100.0 ppm		2021-07-09	EDM
TOLUENE	N/A	MQL <890.0 ppm		2021-07-09	EDM
TRICHLOROETHYLENE	N/A	MQL <80.0 ppm		2021-07-09	EDM
O-XYLENE	N/A	0.00 ppm		2021-07-09	EDM
M-XYLENE	N/A	0.00 ppm		2021-07-09	EDM
P-XYLENE	N/A	0.00 ppm		2021-07-09	EDM
ETHYL BENZENE	N/A	0.00 ppm		2021-07-09	EDM
XYLENE	N/A	MQL <2170.0 ppm		2021-07-09	EDM
ACETIC ACID	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ACETONE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ANISOLE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
1-BUTANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
2-BUTANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
BUTYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
TERT-BUTYLMETHYL ETHER	N/A	MQL <5000.0 ppm		2021-07-09	EDM
DIMETHYL SULFOXIDE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ETHANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ETHYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ETHYL ETHER	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ETHYL FORMATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
FORMIC ACID	N/A	MQL <5000.0 ppm		2021-07-09	EDM
HEPTANE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
ISOBUTYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.

Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.

Testing may be completed at other Labs-Mart Inc - Canada locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
ISOPROPYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
METHYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
3-METHYL-1-BUTANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
METHYLETHYLKETONE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
2-METHYL-1-PROPANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
PENTANE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
1-PENTANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
1-PROPANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
2-PROPANOL	N/A	MQL <5000.0 ppm		2021-07-09	EDM
PROPYL ACETATE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
TRIETHYLAMINE	N/A	MQL <5000.0 ppm		2021-07-09	EDM
<b>Heavy Metals / 1</b>			SOP6_358		
ARSENIC	< 6.3 ppm	0.0730 ppm		2021-07-08	EDM
CADMIUM	< 4.0 ppm	<0.020 ppm		2021-07-08	EDM
LEAD	< 13.1 ppm	<0.020 ppm		2021-07-08	EDM
MERCURY	< 13.1 ppm	<0.020 ppm		2021-07-08	EDM
<b>USP&lt;561&gt; Pesticide Residues / 1</b>			USP_561		
ACEPHATE	N/A	MQL <0.1 ppm		2021-07-09	EDM
ALACHLOR	N/A	MQL <0.05 ppm		2021-07-09	EDM
ALDRIN & DIELDRIN	N/A	MQL <0.05 ppm		2021-07-09	EDM
AZINPHOS-ETHYL	N/A	MQL <0.1 ppm		2021-07-09	EDM
AZINPHOS-METHYL	N/A	MQL <1 ppm		2021-07-09	EDM
BROMOPHOS-ETHYL	N/A	MQL <0.05 ppm		2021-07-09	EDM
BROMOPHOS-METHYL	N/A	MQL <0.05 ppm		2021-07-09	EDM
BROMOPROPYLATE	N/A	MQL <3 ppm		2021-07-09	EDM
CHLORDANE	N/A	MQL <0.05 ppm		2021-07-09	EDM
CHLORFENVINPHOS	N/A	MQL <0.5 ppm		2021-07-09	EDM

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.

Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.

Testing may be completed at other Labs-Mart Inc - Canada locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 3 of 6

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada

**Labs-Mart, Inc.**

1938 94 Street NW

Edmonton, Alberta, T6N 1J3

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
CHLORPYRIPHOS-ETHYL	N/A	MQL <0.2 ppm		2021-07-09	EDM
CHLORPYRIPHOS-METHYL	N/A	MQL <0.1 ppm		2021-07-09	EDM
CHLORTHAL-DIMETHYL	N/A	MQL <0.01 ppm		2021-07-09	EDM
CYFLUTHRIN	N/A	MQL <0.1 ppm		2021-07-09	EDM
CYHALOTHRIN-GAMMA	N/A	MQL <1 ppm		2021-07-09	EDM
CYPERMETHRIN	N/A	MQL <1 ppm		2021-07-09	EDM
DDT	N/A	MQL <1 ppm		2021-07-09	EDM
DELTAMETHRIN	N/A	MQL <0.5 ppm		2021-07-09	EDM
DIAZINON	N/A	MQL <0.5 ppm		2021-07-09	EDM
DICHOFLUANID	N/A	MQL <0.1 ppm		2021-07-09	EDM
DICHLORVOS	N/A	MQL <1 ppm		2021-07-09	EDM
DICOFOL	N/A	MQL <0.5 ppm		2021-07-09	EDM
DIMETHOATE	N/A	MQL <0.1 ppm		2021-07-09	EDM
ENDOSULFAN	N/A	MQL <3 ppm		2021-07-09	EDM
ENDRIN	N/A	MQL <0.05 ppm		2021-07-09	EDM
ETHION	N/A	MQL <2 ppm		2021-07-09	EDM
ETRIMPHOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
FENCHLOROPHOS	N/A	MQL <0.1 ppm		2021-07-09	EDM
FENITROTHION	N/A	MQL <0.5 ppm		2021-07-09	EDM
FENPROPATHRIN	N/A	MQL <0.03 ppm		2021-07-09	EDM
FENSULFOTHION	N/A	MQL <0.05 ppm		2021-07-09	EDM
FENTHION	N/A	MQL <0.05 ppm		2021-07-09	EDM
FENVALERATE	N/A	MQL <1.5 ppm		2021-07-09	EDM
FLUCYTHRINATE	N/A	MQL <0.05 ppm		2021-07-09	EDM
FLUVALINATE	N/A	MQL <0.05 ppm		2021-07-09	EDM
FONOPHOS, FONOFOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
HEPTACHLOR	N/A	MQL <0.05 ppm		2021-07-09	EDM

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.

Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.

Testing may be completed at other Labs-Mart Inc - Canada locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 4 of 6

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada

**Labs-Mart, Inc.**  
1938 94 Street NW  
Edmonton, Alberta, T6N 1J3

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
HEXACHLOR BENZENE	N/A	MQL <0.1 ppm		2021-07-09	EDM
HEXACHLOROCYCLOHEXANE	N/A	MQL <0.3 ppm		2021-07-09	EDM
LINDAN	N/A	MQL <0.6 ppm		2021-07-09	EDM
MALATHION & MALAOXON	N/A	MQL <1 ppm		2021-07-09	EDM
MECARBAM	N/A	MQL <0.05 ppm		2021-07-09	EDM
METHACRIPHOS, METHACRIFOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
METHAMIDOPHOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
METHIDATHION	N/A	MQL <0.2 ppm		2021-07-09	EDM
METHOXYCHLOR	N/A	MQL <0.05 ppm		2021-07-09	EDM
MIREX	N/A	MQL <0.01 ppm		2021-07-09	EDM
MONOCROTOPHOS	N/A	MQL <0.1 ppm		2021-07-09	EDM
PARATHION	N/A	MQL <0.5 ppm		2021-07-09	EDM
PARATHION-METHYL	N/A	MQL <0.2 ppm		2021-07-09	EDM
PENDIMETHALIN	N/A	MQL <0.1 ppm		2021-07-09	EDM
PENTACHLORANISOL, PENTACHLORANISOLE	N/A	MQL <0.01 ppm		2021-07-09	EDM
PERMETHRIN	N/A	MQL <1 ppm		2021-07-09	EDM
PHOSALONE	N/A	MQL <0.1 ppm		2021-07-09	EDM
PHOSMET	N/A	MQL <0.05 ppm		2021-07-09	EDM
PIPERONYL BUTOXIDE	N/A	MQL <3 ppm		2021-07-09	EDM
PIRIMIPHOS-ETHYL	N/A	MQL <0.05 ppm		2021-07-09	EDM
PIRIMIPHOS-METHYL	N/A	MQL <4 ppm		2021-07-09	EDM
PROCYMIDONE	N/A	MQL <0.1 ppm		2021-07-09	EDM
PROFENOPHOS, PROFENOFOS	N/A	MQL <0.1 ppm		2021-07-09	EDM
PROTHIOPHOS, PROTHIOFOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
PYRETHRUM	N/A	MQL <3 ppm		2021-07-09	EDM

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.  
Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.  
Testing may be completed at other Labs-Mart Inc - Canada locations.  
Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.  
The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada

**To** HEALTH4ALL PRODUCTS LIMITED  
545 Welham Road  
Barrie, ON L4N 8Z6  
ATT: Kathy Vessair

**REPORT #:** 650405  
**Sample Number:** 2360915  
**PROJECT ID:** EDM15345-2107-001  
**DATE:** 2021-07-12  
**RECEIVED:** 2021-07-02

**AUSSIE TRACE MINERAL WATER; Lot #: 51200; Other Info: C1995,, PO #: 210625**

Test	Specification	Test Result	Method	Date	Loc.
QUINALPHOS	N/A	MQL <0.05 ppm		2021-07-09	EDM
QUINTOZENE	N/A	MQL <1 ppm		2021-07-09	EDM
S-421	N/A	MQL <0.02 ppm		2021-07-09	EDM
TECANAZENE	N/A	MQL <0.05 ppm		2021-07-09	EDM
TETRADIFON	N/A	MQL <0.3 ppm		2021-07-09	EDM
VINCLOZOLIN	N/A	MQL <0.4 ppm		2021-07-09	EDM
RECOVERY D10-PARATHION AT 0.1PPM	N/A	117 %		2021-07-09	EDM

**References**

SOP6\_358: ICP-MS  
USP <467> Residual Solvents: GC-MS  
USP <561> Pesticide Residues: GC-MS

**Testing Locations:**

EDM: Labs-Mart, Inc.

Prepared by *Rhiannon Morgan*  
Rhiannon Morgan, Laboratory Manager

Approved by *Rhiannon Morgan* Date 2021-07-12  
Rhiannon Morgan, Laboratory Manager

Raw data are archived by Labs-Mart Inc - Canada. Results shown relate only to samples submitted and tested.  
Labs-Mart Inc - Canada assumes no liability for the use of the results by any party.  
Testing may be completed at other Labs-Mart Inc - Canada locations.  
Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.  
The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

This analytical test report shall not be reproduced, except in full, without written permission from Labs-Mart Inc - Canada