


Terminal marking

UniCard terminal marking for tall marker groove



- The UCT-TM... UniCard marking range includes markers for products with tall marker grooves
- The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the BLUEMARK, TOPMARK LASER, THERMOMARK CARD, and the THERMOMARK PRIME
- The multi-section marking strips can be easily separated and are easy to fit
- The sheets provide space for including function texts
- Marking service: Phoenix Contact can custom-mark all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 68.



Can be marked using:



Thermal transfer



UV LED technology



Direct laser marking

PRINTED
FOR YOU



Markers for a terminal block width of up to 6.2 mm

Technical data

THERMOMARK PRIME • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED • TOPMARK LASER
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

General data

Can be marked using

Material
Flammability rating according to UL 94
Temperature range [°C]
Wipe resistance
Components

Ordering data

Description	Color	Type	Order No.	Pcs./Pkt.
UniCard , for terminal blocks with a tall marker groove, 102-section, 17 individual labels per strip, for a terminal block width of 3.5 mm	white	UCT-TM 3,5	0829484	10
	red	UCT-TM 3,5 RD	0829505	10
	orange	UCT-TM 3,5 OG	0829506	10
	yellow	UCT-TM 3,5 YE	0829485	10
	violet	UCT-TM 3,5 VT	0829507	10
	blue	UCT-TM 3,5 BU	0829508	10
	green	UCT-TM 3,5 GN	0829509	10
UniCard , for terminal blocks with a tall marker groove, 102-section, 17 individual labels per strip, lettering field size 3.5 x 7 mm	white	UCTU-TM (3,5X7)	0803666	10
UniCard , for terminal blocks with a tall marker groove, 84-section, 14 individual labels per strip, for a terminal block width of 4.2 mm	white	UCT-TM 4	0828732	10
	red	UCT-TM 4 RD	0829149	10
	orange	UCT-TM 4 OG	0829150	10
	yellow	UCT-TM 4 YE	0828733	10
	violet	UCT-TM 4 VT	0829151	10
	blue	UCT-TM 4 BU	0829152	10
	green	UCT-TM 4 GN	0829153	10
UniCard , for terminal blocks with a tall marker groove, 72-section, 12 individual labels per strip, for a terminal block width of 5.2 mm	white	UCT-TM 5	0828734	10
	red	UCT-TM 5 RD	0829154	10
	orange	UCT-TM 5 OG	0829155	10
	yellow	UCT-TM 5 YE	0828735	10
	violet	UCT-TM 5 VT	0829156	10
	blue	UCT-TM 5 BU	0829157	10
	green	UCT-TM 5 GN	0829158	10
UniCard , for terminal blocks with a tall marker groove, 60-section, 10 individual labels per strip, for a terminal block width of 6.2 mm	white	UCT-TM 6	0828736	10
	red	UCT-TM 6 RD	0829159	10
	orange	UCT-TM 6 OG	0829160	10
	yellow	UCT-TM 6 YE	0828737	10
	violet	UCT-TM 6 VT	0829161	10
	blue	UCT-TM 6 BU	0829162	10
	green	UCT-TM 6 GN	0829163	10

Accessories

Magazine , for THERMOMARK CARD for accommodating: UCT-TM ..., UCT1-TM ..., UCT5-TM ..., UCT-EM (5X10), UCT-EM (6X10)	THERMOMARK CARD-UCT-MAG1	5146480	1
Magazine for THERMOMARK PRIME for accommodating UCT-TM..., UCT1(U)-TM..., UCT5-TM..., UCT-EM (5x10), UCT-EM (6x10)	TMP-UCT-MAG1	0803342	1

UniCard terminal marking for tall marker groove



Markers for terminal block widths up to 16 mm

General data

Can be marked using	
Material	
Flammability rating according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data


THERMOMARK PRIME • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED • TOPMARK LASER
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color	Type	Order No.	Pcs./Pkt.
UniCard , for terminal blocks with a tall marker groove, 48-section, 8 individual labels per strip, for a terminal block width of 7.62 mm	white	UCT-TM 7,62	0828738	10
	red	UCT-TM 7,62 RD	0829510	10
	orange	UCT-TM 7,62 OG	0829511	10
	yellow	UCT-TM 7,62 YE	0828739	10
	violet	UCT-TM 7,62 VT	0829512	10
	blue	UCT-TM 7,62 BU	0829513	10
	green	UCT-TM 7,62 GN	0829514	10
	UniCard , for terminal blocks with a tall marker groove, 42-section, 7 individual labels per strip, for a terminal block width of 8.2 mm	white	UCT-TM 8	0828740
red		UCT-TM 8 RD	0829164	10
orange		UCT-TM 8 OG	0829165	10
yellow		UCT-TM 8 YE	0828741	10
violet		UCT-TM 8 VT	0829166	10
blue		UCT-TM 8 BU	0829167	10
green		UCT-TM 8 GN	0829168	10
UniCard , for terminal blocks with a tall marker groove, 36-section, 6 individual labels per strip, for a terminal block width of 10.2 mm	white	UCT-TM 10	0829142	10
	red	UCT-TM 10 RD	0829169	10
	orange	UCT-TM 10 OG	0829170	10
	yellow	UCT-TM 10 YE	0829143	10
	violet	UCT-TM 10 VT	0829171	10
	blue	UCT-TM 10 BU	0829172	10
	green	UCT-TM 10 GN	0829173	10
UniCard , for terminal blocks with a tall marker groove, 30-section, 5 individual labels per strip, for a terminal block width of 12 mm	white	UCT-TM 12	0829144	10
	red	UCT-TM 12 RD	0829174	10
	orange	UCT-TM 12 OG	0829175	10
	yellow	UCT-TM 12 YE	0829145	10
	violet	UCT-TM 12 VT	0829176	10
	blue	UCT-TM 12 BU	0829177	10
	green	UCT-TM 12 GN	0829178	10
UniCard , for terminal blocks with a tall marker groove, 18-section, 3 individual labels per strip, for a terminal block width of 16 mm	white	UCT-TM 16	0829146	10
	red	UCT-TM 16 RD	0829179	10
	orange	UCT-TM 16 OG	0829180	10
	yellow	UCT-TM 16 YE	0829147	10
	violet	UCT-TM 16 VT	0829181	10
	blue	UCT-TM 16 BU	0829182	10
	green	UCT-TM 16 GN	0829183	10

Terminal marking


UniCard terminal marking for flat marker groove



- The UCT-TMF ... UniCard marking range includes markers for products with tall and flat marker grooves
- The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the BLUEMARK, TOPMARK LASER, THERMOMARK CARD, and the THERMOMARK PRIME
- The multi-section marking strips can be easily separated and are easy to fit
- The sheets provide space for including function texts
- Marking service: Phoenix Contact can custom-mark all UniCard markers in accordance with your requirements

Notes:

An overview of the markable terminal blocks that are available from Phoenix Contact can be found starting on page 68.



Can be marked using:



Thermal transfer



UV LED technology



Direct laser marking

PRINTED
FOR YOU



Markers for a terminal block width of up to 6.2 mm

General data

Can be marked using

Material

Flammability rating according to UL 94

Temperature range

[°C]

Wipe resistance

Components

Technical data

THERMOMARK PRIME • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED • TOPMARK LASER

PC

V0

-40 ... 120

DIN EN 61010-1 (VDE 0411-1)

free from silicone and halogen

Ordering data

Description	Color
-------------	-------

UniCard, for terminal blocks with a flat marker groove, 108-section, 18 individual labels per strip, for a terminal block width of 3.5 mm	
---	--

white	UCT-TMF 3,5	0829486	10
red	UCT-TMF 3,5 RD	0829515	10
orange	UCT-TMF 3,5 OG	0829516	10
yellow	UCT-TMF 3,5 YE	0829487	10
violet	UCT-TMF 3,5 VT	0829517	10
blue	UCT-TMF 3,5 BU	0829518	10
green	UCT-TMF 3,5 GN	0829519	10

UniCard, for terminal blocks with a flat marker groove, 90-section, 15 individual labels per strip, for a terminal block width of 4.2 mm	
--	--

white	UCT-TMF 4	0828742	10
red	UCT-TMF 4 RD	0829184	10
orange	UCT-TMF 4 OG	0829185	10
yellow	UCT-TMF 4 YE	0828743	10
violet	UCT-TMF 4 VT	0829186	10
blue	UCT-TMF 4 BU	0829187	10
green	UCT-TMF 4 GN	0829188	10

UniCard, for terminal blocks with a flat marker groove, 72-section, 12 individual labels per strip, for a terminal block width of 5.2 mm	
--	--

white	UCT-TMF 5	0828744	10
red	UCT-TMF 5 RD	0829189	10
orange	UCT-TMF 5 OG	0829190	10
yellow	UCT-TMF 5 YE	0828745	10
violet	UCT-TMF 5 VT	0829191	10
blue	UCT-TMF 5 BU	0829192	10
green	UCT-TMF 5 GN	0829193	10

UniCard, for terminal blocks with a flat marker groove, 60-section, 10 individual labels per strip, for a terminal block width of 6.2 mm	
--	--

white	UCT-TMF 6	0828746	10
red	UCT-TMF 6 RD	0829194	10
orange	UCT-TMF 6 OG	0829195	10
yellow	UCT-TMF 6 YE	0828747	10
violet	UCT-TMF 6 VT	0829196	10
blue	UCT-TMF 6 BU	0829197	10
green	UCT-TMF 6 GN	0829198	10

Magazine, for THERMOMARK CARD, for accommodating: UCT-TMF ...

Magazine for THERMOMARK PRIME for accommodating UCT-TMF...

Accessories

THERMOMARK CARD-UCT-MAG2	5146563	1
TMP-UCT-MAG2	0803343	1

UniCard terminal marking for flat marker groove



Markers for terminal block widths up to 16 mm

General data

Can be marked using	
Material	
Flammability rating according to UL 94	
Temperature range	[°C]
Wipe resistance	
Components	

Technical data

THERMOMARK PRIME • THERMOMARK CARD • BLUEMARK CLED • BLUEMARK LED • TOPMARK LASER
PC
V0
-40 ... 120
DIN EN 61010-1 (VDE 0411-1)
free from silicone and halogen

Ordering data

Description	Color	Type	Order No.	Pcs./Pkt.
UniCard , for terminal blocks with a flat marker groove, 42-section, 7 individual labels per strip, for a terminal block width of 8.2 mm	white	UCT-TMF 8	0828748	10
	red	UCT-TMF 8 RD	0829199	10
	orange	UCT-TMF 8 OG	0829200	10
	yellow	UCT-TMF 8 YE	0828749	10
	violet	UCT-TMF 8 VT	0829201	10
	blue	UCT-TMF 8 BU	0829202	10
	green	UCT-TMF 8 GN	0829203	10
UniCard , for terminal blocks with a flat marker groove, 36-section, 6 individual labels per strip, for a terminal block width of 10.2 mm	white	UCT-TMF 10	0829204	10
	red	UCT-TMF 10 RD	0829205	10
	orange	UCT-TMF 10 OG	0829206	10
	yellow	UCT-TMF 10 YE	0829207	10
	violet	UCT-TMF 10 VT	0829208	10
	blue	UCT-TMF 10 BU	0829209	10
	green	UCT-TMF 10 GN	0829210	10
UniCard , for terminal blocks with a flat marker groove, 30-section, 5 individual labels per strip, for a terminal block width of 12 mm	white	UCT-TMF 12	0829214	10
	red	UCT-TMF 12 RD	0829212	10
	orange	UCT-TMF 12 OG	0829213	10
	yellow	UCT-TMF 12 YE	0829211	10
	violet	UCT-TMF 12 VT	0829215	10
	blue	UCT-TMF 12 BU	0829216	10
	green	UCT-TMF 12 GN	0829217	10
UniCard , for terminal blocks with a flat marker groove, 24-section, 4 individual labels per strip, for a terminal block width of 16 mm	white	UCT-TMF 16	0829218	10
	red	UCT-TMF 16 RD	0829219	10
	orange	UCT-TMF 16 OG	0829220	10
	yellow	UCT-TMF 16 YE	0829221	10
	violet	UCT-TMF 16 VT	0829222	10
	blue	UCT-TMF 16 BU	0829223	10
	green	UCT-TMF 16 GN	0829224	10

Accessories

Magazine , for THERMOMARK CARD, for accommodating: UCT-TMF ...	THERMOMARK CARD-UCT-MAG2	5146563	1
Magazine for THERMOMARK PRIME for accommodating UCT-TMF...	TMP-UCT-MAG2	0803343	1