



Test Report

IDFL # 18-270721

Ripstop By The Roll LLC

M10 ripstop nylon

22 Aug 2018

Ripstop By The Roll LLC
1023 S Miami Blvd
Durham, NC
USA

Arrived: 06 Aug 2018
Completed: 22 Aug 2018

Sample Description: Fabric

Shipped By: USPS 9400110298370599569041

Filling Label:

Sample Identification: M10 ripstop nylon



This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

Security # 5807387769 e-Signature

IDFL
1455 South 1100 East
Salt Lake City, UT 84105
USA
Tel: +1 801 467 7611
email: info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
Tel: +41 52 765 1574
email: europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan,
Hangzhou Zhejiang 311200
China
Tel: +86 571 8273 6561
email: china@idfl.com

IDFL TAIPEI
3F/4F., No. 163, Sec. 2, Wenhua Rd.,
Banqiao District, New Taipei City
Taiwan
Tel: +886 2 2259 1178
email: taiwan@idfl.com

www.idfl.com

Page: 1 of 3

Client: 9305

SL

Sample: 1 of 1





Test Report

M10 ripstop nylon

IDFL Downproof of Bulk Fabric, Rotating Box IDFL 20-1 (Modified FTMS 191-5530)

	<u>Before Wash</u>	<u>After Wash</u>	<u>After Dryclean</u>
Description:			
Fill: 90% Down/10% Feather			
Rating	5	N/A	N/A
Total Particles	0	N/A	N/A

Downproofness Rating Explanation

- 5: 0-5 Particles
- 4: 6-11 Particles
- 3: 12-22 Particles
- 2: 23-33 Particles
- 1: 34+ Particles

Thread Count (ASTM D3775)

	<u>Before Wash</u>	<u>After Wash</u>	<u>After Dryclean</u>
Threads Per in²	493	N/A	N/A
Warp Ends Per in	260	N/A	N/A
Filling Picks Per in	233	N/A	N/A

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.



IDFL LABORATORY AND INSTITUTE

Security # 5807387769 e-Signature

IDFL
1455 South 1100 East
Salt Lake City, UT 84105
USA
Tel: +1 801 467 7611
email: info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
Tel: +41 52 765 1574
email: europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan,
Hangzhou Zhejiang 311200
China
Tel: +86 571 8273 6561
email: china@idfl.com

IDFL TAIPEI
3F/4F., No. 163, Sec. 2, Wenhua Rd.,
Banqiao District, New Taipei City
Taiwan
Tel: +886 2 2259 1178
email: taiwan@idfl.com

www.idfl.com
Page: 2 of 3
Client: 9305
SL
Sample: 1 of 1



Test Report

Ripstop By The Roll LLC

M10 ripstop nylon


22 Aug 2018

Thread Count Details

Method	No Laundering	After Launderings
ASTM D3775	<p>A.</p> <p>Warp Ends: 1 Single Yarns: 260</p> <p>Filling Picks: 1 Single Yarns: 233</p> <p>Total: 493</p>	

According to the ASTM and the FTC when two or more yarns are twisted (plied) together they must be counted as a single yarn.

A.



Dark Lines = Warp Ends
Light Lines = Filling Picks

****NOTE:** This illustration is only a representation of the fabric for this sample. It may or may not be exactly equivalent to the actual fabric submitted. It is only intended to aid in explaining the results.

Air Permeability (ASTM D737); Frazier Air Perm Tester No. 401, Differential Pressure 125 Pa.

Description: N/A	Before Wash	After Wash	After Dryclean
ft ³ /ft ² /min	4.4	N/A	N/A

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.



IDFL LABORATORY AND INSTITUTE

Security # 5807387769 e-Signature

IDFL
1455 South 1100 East
Salt Lake City, UT 84105
USA
Tel: +1 801 467 7611
email: info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
Tel: +41 52 765 1574
email: europa@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan,
Hangzhou Zhejiang 311200
China
Tel: +86 571 8273 6561
email: china@idfl.com

IDFL TAIPEI
3F/4F., No. 163, Sec. 2, Wenhua Rd.,
Banqiao District, New Taipei City
Taiwan
Tel: +886 2 2259 1178
email: taiwan@idfl.com

www.idfl.com
Page: 3 of 3
Client: 9305
SL
Sample: 1 of 1