



### **HIGHLIGHTS AT A GLANCE:**

- High resolution printing with 600 dpi
- High productivity due to high speed printing
- Over-the-Edge full card printing
- High capacity card feeder
- Variety of smart card encoders



# **DC-7600**

Retransfer print technology is the next level of Direct-to-Card technology. First, the image is printed on a film, then the image is transferred from film to the card. This technique is suitable for edge-to-edge printing, heavy duty printing, improves reliability and thus suitable for a large variety of card types, such as:


- Travel ID cards
- Identity cards
- Student cards

- Entry permit cards
- High quality card applications
- Finance cards

- Resident cards
- Driving Licenses

#### **TECHNICAL DATA**

Color dye sublimation retransfer technology
600 dpi
Single Side, Double Side, Over-the-Edge, photo quality image color
Single Side: 25 sec. Double Side: 55 sec.
USB (2.0), Ethernet (10/100)
0,25 - 1,10 mm
RFID ribbon, card feeder lock
Auto card feeder for 250 cards (0,76 mm thickness) Manual feed: single card
PVC, ABS, PET, PET-G, PC 85,6 x 53,98 mm (ISO ID-1/CR-80 size)
Ribbon YMCK (500 images) Retransfer film (500 images)
Cleaning Card Cleaning Roller
22 kg
339 x 311 x 431 mm (W x D x H)
Auto wide ranging, 100 - 240 V AC - 50/60 Hz
Printing: +15° to +30° C Temperature; 35 - 95% Humidity Storage: +5° C to +45° C Temperature; 35 - 95% Humidity
Windows 32 and 64 Bit
RFID R/W; MSR R/W; SAM R/W





#### DASCOM GB Ltd

Hart House, Priestley Road Basingstoke | Hampshire RG24 9PU | ENGLAND Tel.: +44 1256 355 130| Fax: +44 1256 481 400 info.gb@dascom-com | www.dascom.co.uk

### DASCOM Europe GmbH

Heuweg 3 | 89079 Ulm | GERMANY Tel.: +49 731 2075-0 | Fax: +49 731 2075-100 info@dascom.com | www.dascomeurope.de

All company and product names are trademark of theri respective owner. Copyright © 2019 DASCOM. Specification are subject to change without notice. Subject to modification, of error or misprint.

# DASCOM (Holdings) LTD.

R. 1811-1816A | Nan Fung Centre 264-298 Castle Peak Road | Tuen Wan, N. T. | Hong Kong Tel.: +852 2498 1507 | Fax: +852 2413 6047

