## Sikafloor Level Pro Finish



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Sikafloor Level Pro Finish

Product code : 100000027019

Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.

55 Elizabeth Street

Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45 Telefax : +61 2 9725 33 30 Emergency telephone num- : +61 1800 033 111

ber

Recommended use of the chemical and restrictions on use

Product use : Mortar

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Carcinogenicity (Inhalation) : Category 1A

**GHS** label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H350 May cause cancer by inhalation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children. P103 Read label before use.

Prevention:

P201 Obtain special instructions before use.

## Sikafloor Level Pro Finish



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 Take off contaminated clothing and wash before reuse.

#### Storage:

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 10 -< 20
calcium sulfate	7778-18-9	>= 10 -< 30
Limestone	1317-65-3	>= 10 -< 30
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1
cristobalite	14464-46-1	>= 0.1 -< 1

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

## Sikafloor Level Pro Finish



Version Revision Date: Date of last issue: -SDS Number:

100000027019 01.04.2020 Date of first issue: 01.04.2020 1.0

Wash off with soap and plenty of water.

If symptoms persist, call a physician.

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

irritant effects sensitising effects Allergic reactions

**Excessive lachrymation** 

**Dermatitis** 

See Section 11 for more detailed information on health effects

and symptoms. Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause cancer by inhalation.

Notes to physician Treat symptomatically.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

## **Sikafloor Level Pro Finish**



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

Advice on protection against :

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday. Keep container tightly closed in a dry and well-ventilated

Conditions for safe storage : Kee

place. Store in accordance with local regulations.

Further information on stor-

age stability

Keep in a dry place.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

	1 0 1 0 1 1				
Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
Limestone	1317-65-3	TWA	10 mg/m3	AU OEL	
			(Calcium car-		
			bonate)		
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				
Quartz (SiO2) <5µm	14808-60-7	TWA (Res-	0.1 mg/m3	AU OEL	
, , ,		pirable dust)			
cristobalite	14464-46-1	TWA (Res-	0.1 mg/m3	AU OEL	
		pirable dust)			

Appropriate engineering

controls

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

## Sikafloor Level Pro Finish



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

is formed.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

particulate filter P

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber, PVC, cotton gloves

Eye protection : Safety goggles

Wear suitable face shield.

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers) Follow AS 2210:3

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : powder Colour : grey

Odour : No data available
Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing :

oint

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : ca. 1 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : immiscible

## Sikafloor Level Pro Finish



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.03 %

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Possibility of hazardous reac- :

ions

The product is chemically stable.

No hazards to be specially mentioned.

Conditions to avoid : No data available Incompatible materials : see section 7. No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

# Components:

calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

## **Sikafloor Level Pro Finish**



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

#### Respiratory sensitisation

Not classified based on available information.

#### **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

May cause cancer by inhalation.

### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Additional ecological infor-

: There is no data available for this product.

mation

### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

## **Sikafloor Level Pro Finish**



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.04.2020 100000027019 Date of first issue: 01.04.2020

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

#### **ADG**

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

No poison schedule number allocated

Standard for the Uniform

Scheduling of Medicines and

Poisons

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements : There is no applicable prohibition or

notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory

legislation.

Not applicable

## The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

Revision Date : 01.04.2020 Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants

AU OEL / TWA : Exposure standard - time weighted average

# **Sikafloor Level Pro Finish**



Version 1.0	Revision Date: 01.04.2020		SDS Number: 100000027019	Date of last issue: - Date of first issue: 01.04.2020	
ADG ADR		:	Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS		:	Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50		:	Half maximal effective concentration		
GHS		:	Globally Harmonized System		
IATA		:	International Air Transport Association		
IMDG		:	International Maritime Code for Dangerous Goods		
LD50		:	Median lethal dosis (the amount of once, which causes the death of 50 test animals)		
LC50		:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL		:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative and toxic		
PNEC		:	Predicted no effect concentration		
REACH		:	Regulation (EC) No 1907/2006 of t and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Euro	2006 concerning the Reg- and Restriction of Chemi-	
SVHC		:	Substances of Very High Concern		
vPvB		:	Very persistent and very bioaccum	ulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN