



# CONFIDENCE ANALYTICS

CANNABIS. CERTIFIED.

14797 NE 95th St  
Redmond, WA 98052  
+1-206-743-8843  
www.conf labs.com

October 04, 2019

Dear 2360149 Ontario Inc:

Results for the sample(s) you submitted for "Vitamin E" testing are listed below.\* This method tests for three different compounds: two isoforms of Vitamin E ( $\alpha$ -tocopherol and  $\gamma$ -tocopherol) and Vitamin E Acetate ( $\alpha$ -tocopherol acetate).

Confidence Sample ID	Inventory Number	Product Type	Strain	$\alpha$ -Tocopherol (% w/w)	$\gamma$ -Tocopherol (% w/w)	Vit E Ac (% w/w)
6100078	NA	Vape	S15 - Iced Coral	ND	ND	ND
6100079	NA	Vape	S15 - Iced Coral	ND	ND	ND
6100080	NA	Vape	S06 - Heavy Menthol	ND	ND	ND
6100081	NA	Vape	S06 - Heavy Menthol	ND	ND	ND
6100083	NA	Vape	S08 - Sweet Watermelon	ND	ND	ND
6100084	NA	Vape	S08 - Sweet Watermelon	ND	ND	ND
6100085	NA	Vape	S20 - Cobalt	ND	ND	ND
6100086	NA	Vape	S20 - Cobalt	ND	ND	ND
6100087	NA	Vape	S18 - Crimson	ND	ND	ND

*\*The Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC) have speculated that inhalation of Vitamin E Acetate may be at least in part responsible for a national health concern involving vaporization products. In response to this crisis, Confidence Analytics has developed a methodology to analyze test samples for Vitamin E Acetate. This method focuses on the detection and quantification of  $\alpha$ -tocopherol and  $\gamma$ -tocopherol and Vitamin E Acetate. Confidence Analytics is seeking out accreditation for this test, and has taken appropriate measures to ensure the quality of the results. However, the method has not yet been fully validated or accredited. The limits of detection (LOD) and quantitation (LOQ) are 0.3% and 1%, respectively. The reported results apply only to the test sample as received.*

**THE REPORTED RESULTS DO NOT INDICATE, OR ENDORSE, THE SAFETY OF THE TEST SAMPLE.**



# CONFIDENCE ANALYTICS

CANNABIS. CERTIFIED.

14797 NE 95th St  
Redmond, WA 98052  
+1-206-743-8843  
www.conflabs.com

6100088	NA	Vape	S18 - Crimson	ND	ND	ND
6100089	NA	Vape	S16- Coral	ND	ND	ND
6100091	NA	Vape	S16- Coral	ND	ND	ND
6100092	NA	Vape	S17 - Iris	ND	ND	ND
6100094	NA	Vape	S17 - Iris	ND	ND	ND
6100096	NA	Vape	S12 - Amber	ND	ND	ND
6100097	NA	Vape	S12 - Amber	ND	ND	ND
6100099	NA	Vape	S13 - Amethyst	ND	ND	ND
6100100	NA	Vape	S13 - Amethyst	ND	ND	ND
6100103	NA	Vape	S09 - All Day	ND	ND	ND
6100104	NA	Vape	S09 - All Day	ND	ND	ND
6100105	NA	Vape	S19 - Magenta	ND	ND	ND
6100106	NA	Vape	S19 - Magenta	ND	ND	ND
6100109	NA	Vape	S07 - Crystal Clear	ND	ND	ND
6100110	NA	Vape	S07 - Crystal Clear	ND	ND	ND

*\*The Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC) have speculated that inhalation of Vitamin E Acetate may be at least in part responsible for a national health concern involving vaporization products. In response to this crisis, Confidence Analytics has developed a methodology to analyze test samples for Vitamin E Acetate. This method focuses on the detection and quantification of  $\alpha$ -tocopherol and  $\gamma$ -tocopherol and Vitamin E Acetate. Confidence Analytics is seeking out accreditation for this test, and has taken appropriate measures to ensure the quality of the results. However, the method has not yet been fully validated or accredited. The limits of detection (LOD) and quantitation (LOQ) are 0.3% and 1%, respectively. The reported results apply only to the test sample as received.*

**THE REPORTED RESULTS DO NOT INDICATE, OR ENDORSE, THE SAFETY OF THE TEST SAMPLE.**



# CONFIDENCE ANALYTICS

CANNABIS. CERTIFIED.

14797 NE 95th St  
Redmond, WA 98052  
+1-206-743-8843  
www.conflabs.com

6100116	NA	Vape	S10 - Dream	ND	ND	ND
6100118	NA	Vape	S10 - Dream	ND	ND	ND
6100120	NA	Vape	S11 - Fresh	ND	ND	ND
6100121	NA	Vape	S11 - Fresh	ND	ND	ND
6100124	NA	Vape	S05 - Lush Blueberry	ND	ND	ND
6100125	NA	Vape	S05 - Lush Blueberry	ND	ND	ND
6100127	NA	Vape	S03 - Blue Star	ND	ND	ND
6100129	NA	Vape	S03 - Blue Star	ND	ND	ND
6100131	NA	Vape	S01 - Berry Blast	ND	ND	ND
6100132	NA	Vape	S01 - Berry Blast	ND	ND	ND
6100134	NA	Vape	S14 - Sapphire	ND	ND	ND
6100179	NA	Vape	S14 - Sapphire	ND	ND	ND
6100181	NA	Vape	S02 - Perfect Peach	ND	ND	ND
6100183	NA	Vape	S02 - Perfect Peach	ND	ND	ND

*\*The Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC) have speculated that inhalation of Vitamin E Acetate may be at least in part responsible for a national health concern involving vaporization products. In response to this crisis, Confidence Analytics has developed a methodology to analyze test samples for Vitamin E Acetate. This method focuses on the detection and quantification of  $\alpha$ -tocopherol and  $\gamma$ -tocopherol and Vitamin E Acetate. Confidence Analytics is seeking out accreditation for this test, and has taken appropriate measures to ensure the quality of the results. However, the method has not yet been fully validated or accredited. The limits of detection (LOD) and quantitation (LOQ) are 0.3% and 1%, respectively. The reported results apply only to the test sample as received.*

**THE REPORTED RESULTS DO NOT INDICATE, OR ENDORSE, THE SAFETY OF THE TEST SAMPLE.**



# CONFIDENCE ANALYTICS

CANNABIS. CERTIFIED.

14797 NE 95th St  
Redmond, WA 98052  
+1-206-743-8843  
www.confmlabs.com

6100184	NA	Vape	S04 - Gold Star	ND	ND	ND
6100185	NA	Vape	S04 - Gold Star	ND	ND	ND

\*ND = not detected

Please do not hesitate to contact us if you have any questions.

Regards,

Confidence Analytics

*\*The Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC) have speculated that inhalation of Vitamin E Acetate may be at least in part responsible for a national health concern involving vaporization products. In response to this crisis, Confidence Analytics has developed a methodology to analyze test samples for Vitamin E Acetate. This method focuses on the detection and quantification of  $\alpha$ -tocopherol and  $\gamma$ -tocopherol and Vitamin E Acetate. Confidence Analytics is seeking out accreditation for this test, and has taken appropriate measures to ensure the quality of the results. However, the method has not yet been fully validated or accredited. The limits of detection (LOD) and quantitation (LOQ) are 0.3% and 1%, respectively. The reported results apply only to the test sample as received.*

**THE REPORTED RESULTS DO NOT INDICATE, OR ENDORSE, THE SAFETY OF THE TEST SAMPLE.**