




Certificate ID: **64501**
 Received: **9/20/19**
 Client Sample ID: **A1**
 Lot Number:
 Matrix: **Beverages - Dry looseleaf tea (water solub**

Scan QR Code for authenticity



Zest Tea
1100 WICOMICO ST, STE 321
Baltimore, MD 21230
Attn: Elias Meyer-Grimberg

Authorization: Jon Podgorni, Lead Research Chemist	Signature: 	Date: 10/1/2019
---	--	--------------------



The data contained within this report was collected in accordance with the requirements of ISO/IEC17025:2017. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01] Analyst: *LG* Test Date: *9/27/2019*

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations. Cannabinoid data based on a 2.5g dose.

64501-CN

ID	Weight %	Concentration (mg/Dose)		
D9-THC	ND	ND		
THCV	ND	ND		
CBD	0.53	13.29		
CBDV	0.00	0.07		
CBG	ND	ND		
CBC	0.01	0.15		
CBN	0.00	0.08		
THCA	ND	ND		
CBDA	ND	ND		
CBGA	ND	ND		
D8-THC	ND	ND		
exo-THC	ND	ND		
Total	0.54	13.58	0%	Cannabinoids (wt%) 0.5%
Max THC	ND	ND		
Max CBD	0.53	13.29		

Limit of Quantitation (LOQ) = 0.003 wt%

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is half of LOQ.

MBI: Microbiological Contaminants [WI-10-09]*Analyst: MM**Test Date: 9/24/2019*

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

64501-MBI

Symbol	Analysis	Results	Units	Limits*	Status
AC	Total Aerobic Bacterial Count	=4,400	CFU/g	100,000 CFU/g	PASS
CC	Total Coliform Bacterial Count	<100	CFU/g	1,000 CFU/g	PASS
EB	Total Bile Tolerant Gram Negative Count	<100	CFU/g	1,000 CFU/g	PASS
YM	Total Yeast & Mold	<100	CFU/g	10,000 CFU/g	PASS

Note: All recorded Microbiological tests are within the established limits.

END OF REPORT