



A

ILLUM 3000K WHITE

Classic up and downlight luminaire in white with stylish design for wall installation indoors. Multichip with reflector technology gives a pleasant light pattern. The luminaire has a high efficiency with wonderful halogen feel. Perfect as decorative lighting in both private and public areas. Comes with integrated driver, dimmable with most common dimmers on the market.

DESCRIPTION

GTIN:	7392971125169
Item Name:	Illum 3000K White
Warranty:	5 years

LIGHT TECHNICAL DATA

Light Source:	LED
Light Source Included (type):	LED not exchangeable
LED Colour:	Warm White
Colour Temperature (K):	3000
Colour Rendering Index (Ra):	>90
Colour Consistency (SDCM):	3
Luminous Intensity (cd):	170
Luminaire Lumen (lm):	600
Beam Angle (°):	60
Light sharing:	Symmetric
Light Outlet:	Direct
Number of Lamps (pcs):	2
Number of LED (pcs):	2
Life Time:	L70 50 000h Ta 25°C
Nominal Life Time (h):	50000

TECHNICAL DATA

Voltage Nominal (V):	230
Line Frequency (Hz):	50
Power Luminaire (W):	7,5
System Power (W):	7,5
Efficiency Luminaire (lm/W):	80
Efficiency System (lm/W):	80
Energy Efficiency Class:	A

OPERATION AND CONNECTION

Driver Included:	Yes
Driver Model:	Constant Current
Driver Type:	Built-in
Connection (type):	Screw Terminals
Constant Current (mA):	350
Operating Temperature:	-20...+50
Max. Tc (°C):	100
Dimmable:	Yes
Type of Dimming:	Trailing Edge

COLOR AND MATERIAL

Material:	Aluminium, PMMA, Steel
Color:	White

MEASUREMENT AND INSTALLATION

Operation Environment:	Indoor / dry locations
IP Degree of Protection:	20
Installation:	Surface mounted
Mounting Installation:	Screw Mounting
Approval Marks:	CE
Protection Class:	I
Length (mm):	220
Width (mm):	68
Height (mm):	85
Weight (kg):	0,63



