





A+

INDICATE MULTI WHITE

Decorative lighting with multichip technology for wall recesses with stylish design. Installed to highlight or illuminate alleys, walls or stairways. Integrated driver for direct 230V connection. Classified IP65, suitable both inside and out with 3000K for halogen character. There are three front covers available so you can choose light distribution to give your luminaire a new appearance. Note! The build dimensions depend on method of installation. Please follow the user instructions. Comes with plastic mounting box.

DESCRIPTION

GTIN: 7392971124780
Item Name: Indicate Multi White

Warranty: 5 years

LIGHT TECHNICAL DATA

Light Source: LED

Light Source Included (type): LED not exchangeable

Instant Full Light: No

LED Colour: Warm White
Colour Temperature (K): 3000
Colour Rendering Index (Ra): >80
Colour Consistency (SDCM): 3

Luminous Intensity (cd): 25
Luminaire Lumen (lm): 35

Life Time: L70 50 000h Ta 25°C

Nominel Life Time (h): 50000

TECHNICAL DATA

AC Voltage (type): Voltage Interval (V): 220...240 Voltage Nominal (V): 230 Line Frequency (Hz): 50 Power LED (W): 2 2 Power Luminaire (W): 2 System Power (W): **Energy Efficiency Class:** A+



OPERATION AND CONNECTION

Driver Included: Yes

Driver Model: Constant Current

Driver Type: Built-in

Connection (type):Quick TerminalConnection (mm2):3x0,5-2,5Through Wiring:YesStrain Relief:YesOperating Temperature:-25...+40Dimmable:NoType of Dimming:OnOff

COLOR AND MATERIAL

Material:AluminiumColor:WhiteColor Code (RAL):9016

MEASUREMENT AND INSTALLATION

Operation Environment: Indoor / wet locations, Outdoor

IP Degree of Protection: 65 **Installation:** Built-in

Mounting Installation: Screw Mounting

Ceiling Thickness Interval (mm): 5

Fire Safety Marks: Not in insulation without protection cover

Approval Marks: CE **Protection Class:** 1 Width (mm): 100 Height (mm): 100 Depth (mm): 72 Weight (kg): 0,42 Min. Built-in (mm): 95x95x70 Height Recessed Part (mm): 63 Height Exterior Part (mm): 9 77x77 Built-in LxB (mm):







